
COMMODORE USERS

Ahoy!

$2.95/ CAN. $3.35 DECEMBER 1987

...THE THINKING MAN'S COMMODORE MAGAZINE!...



LEARNER
EXPLORING ARTIFICIAL INTELLIGENCE

REDIRECT
YOUR DISK CATALOG

TAKE TWO
REMEDY FOR LOST SCREENS

SPRITE-ON
GRAPHICS RADAR

INS & OUTS OF THE EXPANSION PORT
PLUS I/O HARDWARE SURVEY

AMIGA SECTION
NEW RELEASES REVIEWED

AND MORE FOR YOUR COMMODORE


THE GREATEST COMMODORE GAMES!



CLIFFHANGER



PIZZA BOY FOR THE C-128




SILHOUETTE



12
0 71896 48355 0

Wizardry®



Now the world of Wizardry comes to Commodore 64/128

PROVING GROUNDS of the MAD OVERLORD

Also available for:
Apple II Series,
IBM PC & compatibles,
Tandy 1000 SX & EX,
Macintosh

With your Commodore 64 or 128 you can now experience an exciting initiation into the internationally-acclaimed world of the Wizardry Gaming System.

Begin with the first scenario*: Proving Grounds of the Mad Overlord. It challenges you to overcome devious tricks and sudden traps, strange and mysterious encounters, maze upon maze of puzzles, stimulating and intricate sub-plots and sophisticated themes. Ingenious multi-level, mind-bending tests abound with vile creatures, unspeakable villains, courageous adventurers and strong allies to hinder and help you achieve ultimate victory.

SIR-TECH

Sir-tech Software, Inc.,
P.O. Box 245, Ogdensburg, NY 13669
(315) 393-6633

® Registered trademark of Sir-tech Software, Inc.
© Copyright by Sir-tech Software, Inc.
Commodore is a registered trademark of Commodore International

Reader Service No. 166

PLAY IT TO THE HILT!

* Many other Wizardry scenarios coming for Commodore players.

Ahoy!

CONTENTS

DEPARTMENTS

A View from the Bridge...*of the December issue of* Ahoy! 7

Scuttlebutt...*what's the news across the Commodore nation?* 8

Art Gallery...*hark! The heralded Commodore artists draw!* 20

Reviews...*Morton the K's input on some input/output devices.* 63

Tips Ahoy!...*paperless debugging, controlled input, and more.* 72

Commodares...*a multiplicity of mathematical mysteries.* 81

Program Listings...*software worth many times our cover price.* 87

FEATURES

Rupert Report: Learner *by Dale Rupert** 32

Entertainment Software Section *(contents on page 42)* 42

Amiga Section *(contents on page 53)* 53

Ins and Outs of the Expansion Port *by Morton Kevelson* 59

*Includes program: *Learner* (for the C-128 and C-64)

PROGRAMS

Warship *for the C-64 by Curtis F. Kaylor* 16

Silhouette *for the C-64 by Curtis F. Kaylor* 18

Pizza Boy *for the C-128 by Cleveland M. Blakemore* 22

Cliffhanger *for the C-64 by James C. Hilty* 31

Fueling Station *for the C-64 by John Krutch* 40

Take Two *for the C-64 by Buck Childress* 49

Redirect *for the C-64 and C-128 by Buck Childress* 70

Sprite-On *for the C-64 by Buck Childress* 70

Bug Repellents *for the C-64 and C-128 by Buck Childress* 88

Flankspeed *for the C-64 by Gordon F. Wheat* 89

Cover art by James Regan and Henry C. Blazer; photos by Michael R. Davila

President/Publisher
Michael Schneider

Editor
David Allikas

Art Director
JoAnn Case

Managing Editor
Michael R. Davila

Senior Editor
Tim Moriarty

Production Director
Laura Pallini

Technical Editors
David Barron
Bob Lloret

Consulting Editors
Ben Bova
Morton Kevelson
Dale Rupert

Entertainment Editor
Arnie Katz

Art Production
Christopher Carter
Victoria Green
Stacy Weinberg

Bulletin Board SYSOP
B.W. Behling

Circulation Director
W. Charles Squires

Advertising Director
Lynne Dominick

Director of Promotion
Mark Kammerer

Controller
Dan Tunick

Advertising Representative
JE Publishers' Representative
6855 Santa Monica Blvd., Suite 200
Los Angeles, CA 90038
(213) 467-2266
Boston (617) 437-7628
Dallas (214) 660-2253
New York (212) 724-7767
Chicago (312) 445-2489
Denver (303) 595-4331
San Francisco (415) 864-3252

ISSUE NO. 48 DECEMBER 1987

Ahoy! (ISSN #8750-4383) is published monthly by Ion International Inc., 45 W. 34th St., Suite 500, New York, NY, 10001. Subscription rate: 12 issues for $23.00, 24 issues for $44.00 (Canada $30.00 and $55.00 respectively). Second class postage paid at New York, NY 10001 and additional mailing offices.

© 1987 by Ion International Inc. All rights reserved. © under Universal International and Pan American Copyright conventions. Reproduction of editorial or pictorial content in any manner is prohibited. No responsibility can be accepted for unsolicited material.

Postmaster, send address changes to *Ahoy!*, 45 W. 34th Street, Suite 500, New York, NY 10001. Direct all address changes or matters concerning your subscription to *Ahoy!*, P.O. Box #341, Mt. Morris, IL 61054 (phone: 815-734-4151). All editorial inquiries and products for review should be sent to *Ahoy!*, 45 W. 34th St., Suite 500, New York, NY 10001.

Lyco Computer

Marketing & Consultants

Since 1981

Lyco Means Total Service.



Mark "Mac" Bowser, Sales Manager

I would personally like to thank all of our past customers for helping to make Lyco Computer one of the largest mail order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained sales staff at our toll-free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. We offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco if you want to know more about a particular item. I can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours — one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions about the status of an order, warranties, product availability, or prices.

Lyco Computer stocks a multimillon dollar inventory of factory-fresh merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'll get it fast. In fact, orders are normally shipped within 24 hours. Free shipping on prepaid orders over $50, and there is no deposit required on C.O.D. orders. Air freight or UPS Blue/Red Label shipping is available, too. And all products carry the full manufacturers' warranties.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat—we've got it all here at Lyco Computer.

TO ORDER, CALL TOLL-FREE: 1-800-233-8760
New PA Wats: 1-800-233-8760
Outside Continental US Call: **1-717-494-1030**

MasterCard VISA

For Customer Service, call 1-717-494-1670,
9AM to 5PM, Mon. - Fri.
Or write: Lyco Computer, Inc.
P.O. Box 5088, Jersey Shore, PA 17740

Risk-Free Policy: • full manufacturers' warranties • no sales tax outside PA • prices show 4% cash discount; add 4% for credit cards • APO, FPO, international: add $5 plus 3% for priority • 4-week clearance on personal checks • we check for credit card theft • compatability not guaranteed • return authorization required • price availability subject to change

PRICE GUARANTEE

Since 1981, we have led the industry by continuing to offer the lowest national prices while providing quality service. Many companies have come and gone trying to imitate our quality and service. If by some oversight we do not have the lowest prices advertised on the products you desire, then we would appreciate the opportunity to rectify this oversight.

COMMODORE SOFTWARE

Access:
Echelon $25.95
Leader Board $22.95
Mach 5 ..... $19.95
Mach – 128 ..... $28.95
10th Frame $22.95
Triple Pack $11.95
Wld. Cl. Leader Brd. ... $22.95
Famous Courses #1 ... $11.95
Famous Courses #2 ... $11.95

Epyx:
Create A Calendar $15.95
Destroyer $22.95
Fastload $19.95
Football $11.95
Movie Monster $11.95
Sub Battle $22.95
Winter Games $22.95
California Games $22.95
Super Cycle $11.95
Graphics Scrapbook $11.95
Str. Sports Basketball . $22.95
Wld.'s Great Baseball . $11.95
Summer Games II $22.95
Vorpol Utility Kit $11.95
World Games $22.95

Unison World:
Art Gallery 1 or 2 ..... $14.95
Print Master $17.95

Timeworks:
Partner C64 ..... $24.95
Partner 128 ..... $39.95
Swift Calc 128 ..... $29.95
Wordwriter 128 ..... $29.95

Activision:
Aliens $19.95
Champion. Basketball . $19.95
Hacker $8.95
Hacker 2 ..... $19.95
Labyrinth $19.95
Music Studio $19.95
Tass Times $16.95
Titanic $11.95
Leather Goddesses $22.95
Stationfall $19.95
Lurking Horror $19.95
Top Fuel Eliminator $15.95

Firebird:
Colossus Chess IV $19.95
Elite $18.95
Golden Path $22.95
Guild of Thieves $22.95
Pawn $22.95
Talking Teacher $22.95
Tracker $22.95
Starglider $22.95
Sentry $22.95

Microprose:
F-15 Strike Eagle $19.95
Gunship $19.95
Kennedy Approach $13.95
Silent Service $19.95

Sublogic:
Flight Simulator II $31.49
Jet Simulator $24.95
Night Mission Pinball ... $18.95
Scenery Disk 1-6 ..... $12.95

Strategic Simulations:
Gemstone Healer $16.95
Gettysburg $33.95
Kampfgruppe $33.95
Phantasie II $22.95
Phantasie III $22.95
Ring of Zelfin $22.95
Road War 2000 ..... $22.95
Shard of Spring $22.95
Wizards Crown $22.95
War in the S. Pacific ... $33.95
Wargame Constr. $16.95
Battlecruiser $33.95
Gemstone Warrior $7.95
Battle of Antetiem $28.95
Colonial Conquest $22.95
Computer Ambush $33.95
B-24 ..... $19.95

Broderbund:
Bank St. Writer $27.95
Carmen San Diego $19.95
Graphic Lib. I, II, III $13.95
Karateka $12.95
Print Shop $25.49
Print Shop Compan. $22.95
Print Shop Paper $12.95

Action Soft:
Up Periscope $18.95
Thunder Chopper ..... $NEW

Origin:
Autoduel $28.95
Ultima III $22.95
Ultima IV $33.95
Moebius $22.95

Monitors

Thomson:
230 Amber TTL/12" $85
450 Amber TTL/15" $149
980 White TTL/20" $695
4120 CGA $225.95
4160 CGA $289
4460 EGA $359

Zenith:
ZVM 1220 ..... $89
ZVM 1230 ..... $89

Blue Chip:
BCM 12" Green $79
BCM 12" Amber $89
BCM 14" Color $269

NEC:
Multisync $549

THOMSON
4120 Monitor

- 14" RGBI/video composite/analog
- Compatible with IBM and Commodore
- RGB data cable included



$225.95

Modems

Avatex:
1200i PC Card $99.95
1200hc Modem $99.95
2400 ..... $214.95
2400i PC Card ..... $CALL

Hayes:
Smartmodem 300 ..... $149.95
Smartmodem 1200 ..... $284.95
Smartmodem 2400 ..... $425.95

SKC T120 VHS Video Tape:

each $4.49
3 pack $12.75
10 pack $39.90

1-800-233-8760


star micronics inc

NX-10 $144.95




Panasonic $157.95 1080i *Model II*

- Now 150 cps Draft Mode
- NLQ Mode



SEIKOSHA 180VC $124.95

- 100 cps
- 20 NLQ
- Direct Connect C-64/128



PRINTERS

star micronics inc

NP-10	$129.95
NX-10	$144.95
NX-10C w/interface	$165.95
NL-10	$195.95
NX-15	$289.95
ND-10	$249.95
ND-15	$375.95
NR-15	$409.95
NB-15 24 Pin	$699.95
NB24-10 24 Pin	$409.95
NB24-15 24 Pin	$549.95

OKIDATA

Okimate 20	$119
Okimate 20 w/cart	$179.95
120	$189.95
180	$219.95
182	$229.95
192+	$309.95
193+	$449.95
292 w/interface	$449.95
293 w/interface	$589.95
294 w/interface	$839.95
393	$989.95

EPSON

LX800	$185.95
FX86E	$299.95
FX286E	$449.95
EX800	$399.95
EX1000	$499.95
LQ800	$369.95
LQ1000	$539.95
LQ2500	$879.95
GQ3500	$LOW
LQ850	$499.95
LQ1050	$679.95

SILVER REED

EXP 420P	$199
EXP 600P	$499
EXP 800P	$649

Toshiba

321SL	$489
341 SL	$659
P351 Model II	$899

Panasonic

1080i Model II	$157.95
1091i Model II	$179.95
1092i	$295
1592	$379
1595	$419
3131	$259
3151	$399
KXP 4450 Laser	$CALL
1524 24 Pin	$549.95

BROTHER

M1109	$195
M1409	$299
M1509	$365
M1709	$475
Twinwriter 6 Dot & Daisy	$899
M1724L	$625
HR20	$339
HR40	$569
HR60	$709.95

DIABLO

D25	$499.95
635	$779.95

SEIKOSHA


SP 180Ai	$124.95
SP 180VC	$124.95
SP 1000VC	$135.95
SP 1200VC	$144.95
SP 1200Ai	$155.95
SP 1200AS RS232	$155.95
SL 80Ai	$295.95
MP1300Ai	$299.95
MP5300Ai	$375.95
BP5420Ai	**$879.95**
SP Series Ribbon	$7.95
SK3000 Ai	$349
SK3005 Ai	$429

CITIZEN

120 D	$164.95
MSP-10	$259.95
MSP-20	$289.95
MSP-15	$324.95
MSP-25	$389.95
MSP-50	$375
MSP-55	$CALL
Premiere 35	$464.95
Tribute 224	$624.95

COMMODORE PC10-1

- A ready-to-use package of computing power and versatile graphics!
- Commodore 1902 monitor optional



$489.00

COMMODORE 128 D System

New & Improved

$439.95



COMMODORE HARDWARE

1541 C Disk Drive	$168.95
1571 Disk Drive	$219.95
1581 Disk Drive	$LOWEST
Indus GT C-64 Drive	$169.95
Blue Chip 64C Drive	$139.95
Blue Chip C 128 Drive	$195.99
1802C Monitor	$189.95
2002 Monitor	$239.95
1901 Monitor	$CALL
64 C Computer	$LOW
128D Computer/Drive	$439.95
1670 Modem	$CALL
C-1351 Mouse	$32.95
1700 RAM	$109.95
C-1750 RAM	$169.95
1764 RAM C64	$124.95

Seagate HARD DRIVES


20 meg kit	$275.95*
30 meg kit	$315.95*
40 meg kit	$489.95*

*Drives include controller

40 meg w/o controller	$425.95

COMMODORE PC10-2

- Flexible "open architecture" design for easy installation of variety of options
- 640 K RAM and two 5¼" drives



$589.00

COMMODORE C64C Computer



~~$299.95~~ Retail:

Priced too low to print.



WELCOME TO COMPUSERVE.
THE LARGEST COMPUTER INFORMATION SERVICE IN THE UNIVERSE.
(AS FAR AS WE KNOW.)

More people use CompuServe than any other online computer information service on Earth.

Over 380,000 members access hundreds of information, communications and entertainment services online.

Thousands with similar interests and special expertise converge regularly and exchange ideas on an ever-expanding list of special-interest Forums.

They have access to a combination of more financial information, a greater variety of shopping services, and deeper research resources than any other online computer service. Anywhere.

Of course, it's conceivable that there's a service like ours somewhere that could give you more for your money. But you may have to travel a few light-years to find it.

Instead, all you have to do is visit your nearest computer dealer today. To order CompuServe direct, or for more information, write: CompuServe, 5000 Arlington Centre Blvd., Columbus, Ohio 43220. Or call 800 848-8199. In Ohio and Canada, call 614 457-0802.

CompuServe®

AN H&R BLOCK COMPANY

Reader Service No. 145

VIEW FROM THE BRIDGE

Feminists across the country, unite—but not in our lobby, please! Though the banner headline on this month's cover sounds incredibly sexist, it's not intended as such. We tossed around many unisex alternatives, but none had the ring of "The Thinking Man's Commodore Magazine." Rather than sacrifice alliteration and phrase recognition, we decided to go chauvinist and take our lumps. But we promise—if any reader manages to come up with a better variation, he can write all our cover blurbs from now on! (Did we say *he?* We meant *he* or *she!* That is—*she* or *he!*)

We're certain there'll be no controversy about the insides of the December issue of *Ahoy!:*

• In a way, *Ahoy!* is about nothing *but* artificial intelligence—the only type of intelligence a computer could possess. But this month's *Rupert Report* concerns AI in its narrower sense, as the computer simulation of human thought processes. Dale Rupert's *Learner* will teach you how your Commodore can acquire and organize knowledge. (Turn to page 32.)

• The greatest artists in any field borrow from tradition. And James C. Hilty drew from one of the true arcade classics—*Congo Bongo*—in creating this issue's *Cliffhanger* for this issue. (Turn to page 31.)

• A certain nationally advertised pizza chain offers you a free pie if they don't get to your door within 30 minutes. Cleve Blakemore's *Pizza Boy* provides C-128 owners excellent training for a career with that organization, as you dodge motorists and mongrels to deliver the greasy goods on schedule. (Turn to page 22.)

• If that's not quite the career you had in mind, how would you like to be a police sharpshooter? Curtis Kaylor's *Silhouette* trains your trigger finger, first at a rifle range, then at a mock village. (Turn to page 18.)

• And if you excel at small arms fire, Curtis will move you up to the big guns! In *Warship*, you and another player take turns shelling vessels on a split-screen display. (Turn to page 16.)

• This month like last month, Buck Childress contributes three utilities. *Redirect,* in C-64 and C-128 versions, lets you customize your disk directories. (Turn to page 70.) *Sprite-On* tells a programmer the horizontal and vertical positions of a sprite as it moves around the screen. (Turn to page 70.) And *Take Two* undoes the accidental destruction that certain commands can cause. (Turn to page 49.)

• As an *Ahoy!* reader, you're likely to identify with Richard Herring's confession this month that "long ago I gave up any delusion that I had enough will power to resist buying as much RAM as a computer would hold." And with Morton Kevelson's assertion in this issue that "As with RAM, a computer can never have enough I/O." If you are in fact the type of user who views system expansion as a kind of manifest destiny, you've come to the right place. Richard reviews MicroBotics' 512K RAM Expander, a lower cost alternative to Commodore's own, in this month's *Amiga Section.* (Turn to page 53.) Morton profiles the Microtroll and Turbo Processor, two noteworthy expansion port devices for the 64, in our *Reviews* section (turn to page 63), along with expanding your mind in *The Ins and Outs of the C-64/128 Expansion Port.* (Turn to page 59.)

December, of course, is the perfect month in which to expand your system. If a letter to the north pole doesn't do the trick, print out some banner-sized hints to plant inconspicuously around the house. But while you're doing it, don't lose sight of what this time of year is really about—Peace on Earth, and good will toward m—*people!* (Whew!)

—David Allikas

A Powerful Wordprocessor
for the Commodore 128®



From the author of **Fontmaster II** comes **Fontmaster 128**, an enhanced version for the Commodore 128. This powerful word processor with its many different print styles (fonts), turns your dot matrix printer into a more effectual tool. Term papers, newsletters, and foreign languages are just a few of its many applications.

* Program disk with no protection - uses hardware key
* Supplement disk includes foreign language fonts
* 56 Fonts ready to use
* Font editor/creator included
* On screen Font preview
* 80 column only
* Supports more than 110 printers
* *Includes a 102,000 word Spell Checker*

Only **$69.95**

Commodore 128 is a registered trademark of Commodore Business Machines, Inc.

ACTOC Inc. 2804 Arnold Rd. Salina, Ks. 67401 (913) 827-0685

Reader Service No. 194

SCUTTLEBUTT

FLAG PROGRAM • MIDI SOFTWARE • MPS-801 ENHANCEMENT • C-128 DISK UTILITY • AMIGA SCSI CONNECTOR • C-64 I/O BOARD • POSTCARD MAKER • GAMES FROM SSI, ACTIVISION, EA • SURVEY PROGRAM • RGB VIDEO ADAPTER • GEOS ART • MICROLAWYER • WEAVING SOFTWARE

GEOS CLIP ART, MUSIC


Four new *Diskart* collections of GEOS-compatible graphics—*Diskart 5, 6, 7,* and *Musi-Kit*—have been released at $8.50 each. *Musi-Kit* enables the user to produce sheet music.

Those Designers, 213-427-6742 (see address list, page 12).

LEGAL FORMS

Microlawyer ($59.95) contains over 100 forms which enable the C-64 or Amiga user, in conjunction with legal advice, to prepare a wide range of legal documents for personal, business, and corporate use. Included are power of attorney forms, premarital agreements, affidavits, leases, loan and mortgage forms, real estate contracts, and more.

Progressive Peripherals & Software, Inc., 303-825-4144 (see address list, page 12).



The SS100 Plus' cartridge expansion socket facilitates use of a ROM or EPROM cartridge for control applications. *READER SERVICE NO. 209*

BETTER BUTCHER

Butcher version 2.0, an upgrade of the Amiga graphics utility reviewed in the September *Ahoy!,* will incorporate support for pages larger than the screen, a spare page, user-defined halftone screens, printouts of pixel counts, color cycling, counting of clipped screen portions, enhanced mosaic operations, readouts on proportional gadgets, and numerous color effects. Price will be $37; the upgrade price, not set at press time, will be under $10.00.

Eagle Tree Software (see address list, page 12).

AMIGA WEAVING

Weave-It ($69.95) allows practitioners of the art to plan designs on an Amiga in med-res format, utilizing any 8 of the Amiga's 4096 colors. The user is permitted up to 12 harnesses and 14 treadles, and can design warp or weft stripes in up to six colors. (If it's any consolation, we're probably more lost than you are.) Colors, threading, tie-up, and treadling can be changed at any point. A database of designs can be created with *Superbase,* and modifications can be made with *Deluxe Paint.*

Joyce I. Peck, 604-752-3364 (see address list, page 12).

I/O BOARD

Schnedler Systems' SS100 Plus Simplified Digital I/O Board ($119) plugs into the C-64 or 128 user port to provide 40 TTL-compatible digital input lines organized as five 8-bit ports, and 40 entirely separate switched output lines also organized as five 8-bit ports. A ROM cartridge socket is included on the board, eliminating the need for an expansion motherboard and making it possible to create a dedicated autostart controller without a disk drive. I/O lines are controlled through memory mapped ports, each accessed via a single BASIC statement.

As we pointed out last month and now reiterate, Schnedler Systems is not to be confused with Schneider Software (see *Flotsam*, page 30, November).

Schnedler Systems, 704-274-4646 (see address list, page 12).

AMIGA 500 HARDWARE

Three Amiga 500 products by C Ltd:

The Controller 500 ($199.95), similarly to the previous version for the 1000, allows all "Small Computer Systems Interface" (SCSI) products to communicate with the Amiga 500. This includes most current SCSI hard drives, plus future devices like CD-ROMs and WORM optical devices.

The RGB Video Adapter ($49.95) adapts the Commodore 1702 color

MONEY-BACK GUARANTEE * TOLL-FREE 24 HOUR ORDER LINE
WIDE SELECTION * NO-NONSENSE LOW PRICES * FREE CUSTOMER SUPPORT * FRIENDLY & KNOWLEDGABLE STAFF * IMMEDIATE SHIPPING
PERSONAL ATTENTION * FOREIGN, CANADIAN, & SCHOOLS WELCOME . . .

NEED WE SAY MORE? LET US EARN YOUR BUSINESS!!

GRAPHICS & CAD

- **Anti-Glare Screens** $18
- **Banner Machine** (Cardinal) 39
- **BASIC 8** (Patech) 30
- **SCREEN F/X** (Solo Unlmtd) 29
- **Billboard Maker** (Sol Unlmtd) 29
- **CAD 3D** (IHT) 39
- **Cadpak-64** (Abacus) 29
- **Cadpak-128** (Abacus) 45
- **Colorez 128** (B-Ware) 12
- **Cybervideo** (Touchstone) 30
- **Doodle** (Crystal Rose) 29
- **Flexidraw 5.5** (Inkwell) 29
  - **Lightpen 170C** 75
  - **Lightpen 184C** 49
  - **FlexiFont** 24
  - **Gallerias - each** 21
    - **Holiday/Clip Art I/Clip Art II/ Borders/Animals/Futuristic/**
- **Graphics Integrator 2** (Inkwell) 25
- **Graphic Label Wizard** (Kra Jax) 19
- **Graphics Transformer** (CDA) 25
- **Home Designer 128** (Kendall) 45
- **Icon Factory** (Solo Unlmtd) 29
- **Moving Pictures** (CDA) 20
- **Perspectives II** (Kira) 39
- **Picasso's Revenge** (Progress) 49
- **Photo Finish** (Sol Unlmtd) 25
- **Pop-Up Greetings** (Patech) 34
- **Printmaster Plus** (Unison) 25
  - **Art Gallery I or II** 17

AIDS/UTILITIES

- **1541/1571 Dr. Align** (Free Sp) 20
- **40/80 Column Switch Cables** 19
- **Assembler/Monitor** (Abacus) 29
- **Basic 8** (Putech) 30
- **BASIC Compiler 128** (Abacus) 45
- **BASIC Compiler 64** (Abacus) 29
- **BBS Construction Set** (Kira) 43
- **Big Blue Reader** (Sogwap) 25
- **Big Blue Reader CP/M** 32
- **Bobsterm Pro 64** (Progress) 39
- **Bobsterm Pro 128** (Progress) 49
- **COBOL 64** (Abacus) 29
- **Communicator 64** (FR SPRT) 20
- **Gnome Kit 64/128** (Kira) 29
- **Gnome Speed 128** (Kira) 39
- **Gnome Mac 128** (Kira) 10
- **How To Get Most GEOS Book** 13
- **How To Get Most GEOS Disk** 9
- **Kyan Pascal 64 or 128** 52
- **Merlin 64** (Roger Wagner) 39
- **Merlin 128** (Roger Wagner) 49
- **Phy Exam 1541 or 1571** (Card) 29
- **Power Assembler 64/128** (Sp) 30
- **Power C 64/128** (Spinn) 30
- **Programmer's Tool Box** (Spinn) $17
- **Prototerm 128** 12
- **Super C 128 or 64** (Abacus) 45
- **Super Graphix** (Xetec) 79
- **Superkit 1541** (Prism) 25
- **Super Rascal 128 or 64** (Abac) 45
- **Super Snapshot** (K. Jax) 49
- **SYSRES Enhanced** (Comp Mart) 32
- **Troubleshoot & Repair C64 Book** 16
- **Turbo Load & Save Cart** (Spinn) 19
- **CPMI Kit 128** (Inca) 25
- **TSDS Super Assembler** 39
- **Kracker Jax Volumes 1-6** EACH 17
- **K Jax Loaded Shotgun** 17
- **K Jax C128 or MSD Cannon** 29
- **K Jax Bull's Eye** 17

HOME/BUSINESS

- **Accountant 128** (KFS) 119
  - **Add-on modules** 55
- **BEST A/P or A/R** 45
- **BEST G/L or Inventory** 45
- **BEST Project Planner** 50
- **Business Form Shop** (Spinn) 30
- **Checkbook 128** (Nu Age) 17
- **CMS Accounting 128** 129
  - **Inventory Module** 53
- **Easy Working Flier/Planner or Writer** (Spinn) 10
- **Fleet System 2 +** (Professional) 39
- **Fleet System 4** (Professional) 59
- **Fleet Filer 64** (Professional) 29
- **FlexFile 64 or 128** (Cardinal) 39
- **Fontmaster 128** (Xetec) 39
- **Fontmaster II 64** (Xetec) 35
- **GEOS 128** (Berkeley) 49
  - **Add-ons** call
- **GEOS 64** (Berkeley) 39
  - **Geoprint or Geodex** 29
  - **Geocalc or Geofile** 35
  - **Fontpak I or Deskpak 1** 22
- **Writer's Workshop** 33
- **Microlawyer** (Progress) 45
- **Pocket Superpak 64** (Dig Sol) 49
- **Pocket Superpak 2 64/128** 69
- **Pocket Dictionary** (Dig Sol) 10
- **Pocket Writer 64** (Dig Sol) 29
- **Pocket Writer 2** (Dig Sol) 45
- **Superbase 64** 49
- **Superbase 128** 55
- **Superscript 128** 49
- **ThoughtForm 64** (Gallery) 26
- **Vizistar or Viziwrite 128** 65
- **Wordpro 128/Spell/Filepro** 30
- **Wordpro 64/Spell/Turbo** 30

PERSONAL

- **Bridgemaster** (Radarsoft) 12
- **Cardio Exercise** (Bodylog) $69
- **Celebrity Cookbook** (Merrill) 25
- **Classical Music** (Strider) 9
- **Crossword** (Radarsoft) 12
- **Disk/Video/Mag Catalogue 128** 29
- **Dream Analyzer** (Merrill) 25
- **Enhanced Stress** (Bodylog) 199
- **Family Tree 128 or 64** (Genco) 39
- **Hearthab** (Bodylog) 49
- **Muscle Development** (Bodylog) 54
- **Sexual Edge** (Merrill) 20
- **Standard Stress** (Bodylog) 89
- **Tempo Typing** (Radarsoft) 12

EDUCATIONAL

- **Fisher Price**
  - **Peter Rabbit Reading** (3-6) 19
  - **Peter & Wolf Music** (3-7) 19
  - **Jungle Book Reading** (6-9) 19
  - **First Men on Moon Math** (9 +) 19
- **Widham Classics Graphic Adven**
  - **Alice in Wonderland** 9
  - **Treasure Island** (10 +) 9
  - **Wizard of Oz** (10 +) 9
  - **Swiss Family Robinson** (10 +) 9
  - **Below the Root** (10 +) 9
- **Hayden Score Imp For SAT Math/Verbal or Exams** 17
- **Spinnaker**
  - **Facemaker-Amiga** (3-8) 39
  - **Alphabet Zoo** (3-7) 18
  - **Kids on Keys** (4-9) 18
  - **Math Busters** (8-14) 22
  - **Kidwriter** (6-10) 22
  - **Homework Helper Math** (10 +) 29
  - **Homework Helper Write** (10 +) 29
  - **Early Learning Friends** (3-8) 6
  - **Grandma's House** 6
- **Educational Videos-Spinnaker**
  - **Readers of Lost Alpha** (5-8) 12
  - **Adventures of Time Taxi** (5-8) 12
  - **Search for Stolen Sentence** 12
  - **Close Encounters of Math Kind** 12
- **Captain Kangaroo Videos**
  - **Right Thing To Do** (3-8) 9
  - **Favorite Adventures** (3-8) 9
  - **Tales From Mother Goose** (3-8) 9
  - **Silly Stories/Scary Tales** (3-8) 9
- **Beat The SAT - Verbal Video** 18
- **Beat The SAT - Math Video** 18

AMIGA

- **Analyze 2.0** (Brown W) 119
- **CLI-Mate** (Progress) 30
- **Express Paint** (PAR) 60
- **FACC** (ASDG) 29
- **P.H.A.S.A.R.** (Finally) 79
- **Microlawyer** (Progress) 45
- **Pagesetter** (Gold Disk) $119
  - **Gold Spell or Lazer Script** 35
- **Printmaster Plus** (Brown W) 39
- **Publisher 1000** (NE Soft) 149
- **Logistix** (Progress) 119
- **Scribble** (Brown W) 79
- **Talking Coloring Book** (JMH) 24
- **Superbase** (Progress) 119
- **TV Text** (Brown W) 79
- **Videoscape** (Aegis) 159
- **Wordperfect** 299
- **Draw** (Aegis) 99
- **Digi!** (Aegis) 64
- **Viziwrite** (Progress) 119
- **Amiga 500-512 Exp Boards** 139

!! F R E E !!

Strider's Computer Classics with order totaling $100 or more.

BRiWALL

Solid Products • Solid Support

P.O. Box 129/56 Noble St.
Kutztown, PA 19530

TOLL-FREE 24 HOURS
1-800-638-5757
(ORDERS ONLY PLEASE)

OUR PROMISE

WE GUARANTEE YOUR SATISFACTION!!

If, for any reason, you are not satisfied with your selection within 15 days of your receipt, simply return the product to us for a friendly refund of your purchase price. No hassles! You pay ONLY $1.00 per returned item for handling. Defective items are replaced free of change!


* PRODUCT OF THE MONTH!!


PERSPECTIVES II


3-D GRAPHIC DEVELOPMENT SYSTEM

LIST - $50 OURS - $39 * SPECIAL - $32

3-D PERSPECTIVES II™ provides you with a simple and enjoyable way to draw and manipulate 3D objects and create 3D animation for use with your own programs, while taking the graphics capability of your computer to its limit!







DRAWING A NEW OBJECT
The process of creating a three-dimensional computer inage is divided into various stages. Create the database of object corners using keyboard control or by positioning the cursor to set x,y and z coordinates. Database values may be altered, copied or removed.

VIEWPOINT CHANGES:
Azimuth•Elevation•Range•Focus•Horizontal and Vertical displacement

HIDDEN LINE REMOVAL and stereoscopic viewing mode

OBJECT MANIPULATION:
Rotate•Tumble•Enlarge/Reduce•Load•Save Center

FILM STUDIO
Film studio allows you to "photograph" objects and view them sequentially like a film (object animation)

Features

- Completely compatible with many 2-dimensional drawing programs! Allows the user to transfer 3-dimensional pictures to 2-dimensional software for further enhancement.
- Controlled by joystick,l ight pen, Koala Pad , Super Sketch , Flexi-Draw , Tech Sketch and others.
- Sophisticated user interface (G.U.I.D.E.) with pull-down menus and windows.
- Extensive Help Menus to aid users
- Print dump facilities
- Library of subroutines with documentation allows the use of 3-D PERSPECTIVES II objects and animations in your own programs.

***OFFER GOOD UNTIL 12/30/87**

* COMBINATION SPECIALS *

CALL FOR LATEST SPECIALS AND PRODUCTS

- Gnome Kit + Gnome Speed + Gnome Mae - **$59**
- Photo Finish + Icon Factory + Billboard Maker - **$69**
- Syntech BBS + Games Module - **$59**
- Flexidraw 5.5 + 170C Pen - **$100**
- Flexidraw 5.5 + 184C Pen - **$75**
- Graphics Integrator 2 + Graphics Transformer + Icon Factory - **$75**
- Doodle + Moving Pictures - **$48**
- KFS Accountant 128 + Add-on Module - **$169**
- Gallerias with Flexidraw and Pen - **$19 each**
- Basic 8 + Colorez 128 - **$39**
- Maps Europe + USA + World - **$50**
- All 5 Widham Classics - **$39**
- Kids on Keys + Early Learning Friends + Grandma's House - **$28**
- Easy Working Planner + Filer + Writer - **$26**
- Any 3 Fisher Price Educationals - **$52**
- Viziwrite 128 + Vizistar 128 - **$125**
- 184C Pen with ANY Graphics Pak - **$43**
- 3 or more Classical Music Disks - **$7 each**
- Any 3 Kracker Jax Volumes - **$45**

ORDERING INSTRUCTIONS: VISA, MasterCard, Personal Check, Money Order or COD are welcome. Shipping USA: $3.00/ground, $5.00/2nd Day, $14.00/overnight. C.O.D. add $2.00. Canada/Mexico: $6.00 Air Mail. Foreign: $12.00 (for Air Mail use charge & specify maximum). PA residents add 6% sales tax. Include phone number and computer/drive model with order. All items will be shipped immediately, (if we are out-of-stock, we will let you know.) Charge is per order.

For CUSTOMER SERVICE please call us:
Monday thru Friday, 9:30 a.m. - 4 p.m. EST
1 - (215) - 683 - 5699

Call or write for our FREE CATALOG, describing in detail, hundreds of fine products for your Commodore.

FED UP WITH SYNTAX ERRORS?



Get Help With **BASIC** Programming

HELP MASTER 64 provides Instant On-Line Help screens for all 69 BASIC commands, when you need them. Takes no BASIC RAM. No interference with loading, saving, editing, or running BASIC programs. Help information can remain on-screen while you program, or a single keystroke can remove it. Compatible with DOS WEDGE. Be sure to specify disk or tape.

HELP MASTER 64 ..... **$19.95**

with 368 page reference manual **$24.95**

TIRED OF SWITCHING CABLES?

VIDEO MASTER 128 provides continuous 80 column color (RGBI), 80 column monochrome, and audio out. Switch between 80 column monochrome and 40 column color for composite monitor. Use up to 4 monitors at once! Includes composite cable.

VIDEO MASTER 128 ..... **for Commodore 128** **$39.95**

OTHER MASTER SOFTWARE ITEMS

RESET MASTER reset switch with 2 serial ports	**$24.95**
CHIP SAVER KIT protects from static	**$5.95**
MODEM MASTER user port extender **$29.95**;	w/reset **$34.95**
Y-NOT? 6-foot serial Y cable, 1 male, 2 female	**$15.00**
C128 80 col monochrome cable for non-RGB monitor	**$ 9.00**
Disk Notcher — lets you use both sides of disk	**$ 8.00**

Send for Free Catalog

MASTER SOFTWARE
6 Hillery Ct.
Randallstown, MD 21133
(301) 922-2962

All prices in US Dollars. Surface shipping in US & Canada is included. Foreign orders add $5. Canadian orders use Canadian POSTAL money order. Maryland residents add 5% tax.

VISA

Reader Service No. 199

Hey, check it out!

QUAIL ELECTRONICS

?FREE? PUBLIC DOMAIN
Your choice by the block.

Many HACKER goodies.
Tons of parameters.

Software, hardware & accs.
C64/128 - ST - MS-DOS

SEND FOR **FREE CATALOG**

Visa | M/C | Cash

QUAIL ELECTRONICS
P.O. Box L-6 • Woodland, WA 98674
1 (206) 254-0324
If we don't have it, we'll help you find it!

Reader Service No. 204

monitor for use with the Amiga 500. Connecting through the 500's RGB port, it allows full 80-column display.

The Internal RAM Expansion Card ($199.95) offers 512K plus a built-in clock calendar, a 4-layer board, and socketed RAM chips for easy serviceability.

C Ltd (see address list, page 12).

EDUCATIONAL PROGRAMS

With *Rainy Day Games* ($29.95), one to four C-64 users aged 4 and up can take on Ted Bear in interactive rounds of Concentration, Old Maid, and Go Fish. Action-oriented graphics make words interesting and reinforce their meaning.

Baudville, 616-957-3036 (see address list, page 12).

Wordmaze ($49.95) helps students from grades 3-12 develop vocabulary and spelling skills as they search for words in a block of scrambled letters. The program takes words from a list and places them randomly in a matrix or maze in any of eight directions. Word lists relating to various subject areas can be entered. Included are a teacher's guide and activity sheets.

Mindscape, 312-480-7667 (see address list, page 12).

The six Sesame Street titles developed some time ago by the Children's Television Workshop have been rereleased at $9.95 by Hi Tech Expressions. The programs are *Astro-Grover* (numbers), *Ernie's Magic Shapes* (shapes and colors), *Big Bird's Special Delivery* (matching), *Pals Around Town* (get-to-know-the-neighborhood), *Ernie's Big Splash* (problem solving), and *Grover's Animal Adventures* (animal environments).

Hi Tech Expressions, 800-848-9273; in FL 305-584-6386 (see address list, page 12).

Davidson has released workbooks for use with their *Math Blaster!* and *Word Attack!* software. Price is $4.95 each.

Davidson & Associates, 800-556-6141 or 213-534-4070 (see address list, page 12).


PICTURE THIS

Postcards ($24.95) lets the C-64 user create same, as well as invitations, notes, and all manner of personalized messages. The program's clip art collection contains a variety of bizarre animals, people, and objects, plus a library of backdrops. Messages can be totally original, or composed of the supplied phrases.

Activision, 415-960-0410 (see address list, page 12).

'88 & '89 TAX PROGRAM

Future-Tax ($39.95) will calculate your income tax for 1988-89 based on the 1986 Tax Reform Act. The program can be used to decide when to shift income or deductions to future years, when to sell assets, and when to contribute to an IRA or make charitable



Ted Bear's* Rainy Day Games *helps small persons to develop keyboard familiarity and concentration skills. ***READER SERVICE NO. 208***

Software Submissions Invited
We are looking for HACKER STUFF:

WE NOW HAVE OVER 1000

UTILITIES UNLIMITED, Inc.
Visa, M/C accepted.
If you wish to place your order by phone, please call 206-254-6530. Add $3.00

UTILITIES UNLIMITED, Inc.

12305 N.E. 152nd Street
Brush Prairie, Washington 98606

Orders taken 24 hrs. a day; seven days a week.

Visa, M/C accepted.
If you wish to place your order by phone, please call **206-254-6530**. Add $3.00 shipping & handling on all orders; additional $2.00 for COD.

WE NOW HAVE OVER 1000 PARAMETERS IN STOCK!

Software Submissions Invited
We are looking for HACKER STUFF: parameters, telecommunications, print utilities and the unusual.

Ad copy by RWS Ind., Inc.

SUPER PARAMETERS 500 PAK

At a time when many programmers are cutting back on writing parameters, we are going full steam! After getting several requests for parameters on many of the "oldies but goodies" **WE DID JUST THAT! ANOTHER 1st: 500 DIFFERENT PARAMETERS** all in one pack. And these parameters are not on any of our regular 100 paks. this **FANTASTIC 5-DISK SET** is a value of over $100 for less than 1/2. **$49.95**

SUPER PARAMETERS 100 PAKS: 1 thru 4 ★

. . . **YOU GET 100 OF THE BEST PARAMETERS, ANYWHERE.** Professionally done, easy to use, reliable, fast and full of performance. This package can remove all protection. Includes titles from all major software publishers for the C64/128. **$19.95**

SUPER PARAMETERS 10 PAKS: 1 thru 40 ★

These are the early releases of each 100 pak and we will send you a list on request. **$4.95**

ALL PARAMETERS ARE TOP QUALITY—NO FILLER OR JUNK

PARAMETERS CONSTRUCTION SET

The company that has **THE MOST PARAMETERS** is about to do something **UNBELIEVABLE**. We are giving you more of our secrets. Using this **VERY EASY** program, it will not only **READ, COMPARE** and **WRITE PARAMETERS FOR YOU**; it will also **CUSTOMIZE** the disk with your name. It will impress you as well as your friends. The **"PARAMETER CONSTRUCTION SET"** is like nothing you've ever seen. In fact you can even **READ PARAMETERS** that you may have already written; then by using your construction set rewrite it with your new **CUSTOMIZED MENU. DON'T WAIT** for months for that one special parameter: **WRITE IT!** **$34.95**

REMEMBER FOLKS, YOU SAW IT HERE FIRST!

THE FINAL CARTRIDGE C-64 and C-128

THE #1 SELLING CARTRIDGE IN EUROPE! After reviewing all utilities of this type, including: Icepick, Capture, and super snap shot, we determined that **THE FINAL CARTRIDGE** is just that: **THE LAST CARTRIDGE THAT YOU WILL EVER NEED. EXTENSIVE** programming utilities for both beginner and the hardcore programmer alike. The most impressive utility for **MEMORY-TO-DISK BACKUP** that we have ever seen. We were able to copy almost every program we tried with just the **PRESS OF THE BUTTON**. Now, you may have seen a comparison of **FINAL CARTRIDGE** to super snap shot by a dealer. It is our opinion that they only printed the few items they felt were in its favor **(NOT ACCURATELY)** and failed to list all **THE FAR SUPERIOR FEATURES OF THE FINAL CARTRIDGE**. Come on guys, let's be fair. To get a much better **UNBIASED OPINION**, see great reviews of **FINAL CARTRIDGE** in:

RUN: Sept. 87, pg. 78-80: *"A conventional review doesn't do The Final Cartridge justice—fun at this price is a rarity."*
GAZ: July 87, pg. 44: *"I can't begin to think of a cartridge which does so many useful things."*
AHOY: Nov. 87, pg. 63: *"Overall we were quite pleased."*
INFO: Aug. 87, pg. 33: *"!!A super hacker's cartridge!!"*

READ THEM, THEN YOU DECIDE! ONLY $47.95

SUPER NIBBLERS COMBO! ★

For those who need a really super nibbler copier, for those hard to backup programs, we give you the **★ULTIMATE COPY PROGRAM★** and it will **NIBBLE IN C-64 or C-128 MODE!** This package includes: **100 PARAMETERS** and a **SUPER FAST FILE COPIER. ONLY** **$24.95**

THE 128 SUPERCHIP

There is an empty socket inside your 128 just waiting for our **SUPER CHIP** to give you 32k worth of great **BUILT-IN UTILITIES**, all at just the **TOUCH OF A FINGER**. You get built-in features; **FILE COPIER, NIBBLER, TRACK & SECTOR EDITOR, SCREEN DUMP**, and even a 300/1200 baud **TERMINAL PROGRAM** that's 1650, 1670 and Hayes compatible. Best of all it doesn't use up any memory. To use, simply touch a function key, and it responds to your command. **ALSO INCLUDES** 50 parameters—**FREE!**

All this for **$29.95**

CLOSE-OUT OF MegaSoft #1 SELLERS — PRICED TO MOVE —

64 BBS: for 1 or 2 drives	$19.95
64 MODEM prg.: w/wargames auto dialer	$14.95
N-CODER & D-CODER: together for only	$14.95
GRAPHIC LABEL MAKER: the original	$12.95
D-COMPILER: for the famous BLITZ!	$14.95
PHOTO COPY: reviewed in RUN magazine	$12.95
MSD SHURE COPY: make your MSD hum	$14.95

— OTHER SPECIALS —

HEAVY DUTY REPAIRABLE 64 POWER SUPPLIES Most expensive C64 repairs are due to a faulty power supply. Don't wait; replace yours now!!	$39.95
CLOSE-OUT OF KRACKER-JAX 64 RESET BOARDS	$3.95
DISK NOTCHERS: double disk capacity	$4.95
SECURITY KEYS: lost your dongle? (For golf or bowling games)	$3.95

SUPER PARAMETERS—GEOS PAK

This #1 seller will standardize your **GEOS** series utilities to work with anyone else's **GEOS**. Parameters are included for these: **FONTPACK 1, DESKPACK 1, WRITERS WORKSHOP, GEODEX & GEOFILE. THE ORIGINAL STANDARDIZER** for just **$9.95**

ADULT GAME & GRAPHICS DATA DISKS

GAME: A very unusual game to be played by a very **OPEN MINDED** adult. It includes a **CASINO** and **HOUSE OF ILL REPUTE**. Please, you **MUST BE 18** to order **EITHER ONE**.
DATA ★: This **POPULAR** disk works with **PRINT SHOP** and **PRINT MASTER**.

$24.95 ea.



LOCK PIK—THE BOOKS—for the C64 and C128

Lock Pik 64/128 was put together by our crack team, as a tool for those who have a desire to see the **INTERNAL WORKINGS** of a parameter. The books give you **STEP-BY-STEP INSTRUCTIONS** on breaking protection for backup of 100 popular program titles. Uses **HESMON** and **SUPEREDIT**. Instructions are so clear and precise that anyone can use it. **★OUR BOOK TWO IS NOW AVAILABLE★**

BOOK 1: Includes Hesmon and a disk with many utilities such as: **KERNAL SAVE, I/O SAVE, DISK LOG FILE** and lots more, all with instructions on disk. A long-time favorite of many.

BOOK 2: 100 NEW PARAMETERS, Hesmon on disk, and more utilities to include: **A GENERAL OVERVIEW ON HOW TO MAKE PARAMETERS** and a **DISK SCANNER**.

$29.95 each OR BUY BOTH FOR **ONLY $49.95**



C-64 and C-128 BURST ROM CHIPS

Lets your C-64 run in **"BURST MODE"** when using a 1571 or 1581 disk drive. Loads 100 blks in 6 sec. (1571) and 4 sec. (1581). Features: fast directory, **SEQ.** and **REL.** file access and built-in **DOS WEDGE**. Simple installation Kernal ROM U4 must be socketed. C-128 version has same features as above. For use in 64 mode.

C-64 **$29.95** C-128 **$35.95**

★ = AN IBM and ST VERSION IS ALSO AVAILABLE

Reader Service No. 191

contributions. Calculations are automatic, with the new tax rates built in. Versions are available for the C-128, C-64, and Plus/4.

Taxaid Software, Inc., 218-834-5012 (see address list below).

FROM THE SPIRIT WORLD

Three 64 releases from Free Spirit:

Masterpieces I (Flags of the World) consists of the flags of 180 countries, which may be seen onscreen or dumped to a 1525-compatible printer. It is the first in a planned series of hires drawings of famous objects and works of art.

English and Scottish Songs, a collection of 16th and 17th century folk tunes, precedes each song with its historical background and displays the words to each as the music plays. Selections include "My Heart's in the Highlands," "British Grenadier," and "Barbara Allen."

Best of Scott Joplin, Volume II, tenth in Lorne Strider's classical music series, displays biographical information onscreen during the songs.

Each non-copy protected disk is $9.95, including shipping and handling.

Free Spirit Software, Inc., 312-352-7323 (see address list below).

GOT A MINUTE?

Survey-Master ($29.95) performs marketing survey analyses on the C-64 and summarizes results in printed form. The user chooses the type of report, then inputs information like confidence level desired, total sample size, number of respondents, and size of total population from which the sample was taken. Reports contain data such as percentage of responses by option (Brand A, Brand B, etc.), recap of population and sample criteria, standard error of percentage, and confidence interval.

Strategic Marketing Resources, 314-256-7814 (see address list below).

GAMES

From Electronic Arts for the 64:

An interactive novel written by the famous science fiction writer, *Thomas M. Disch's Amnesia* ($39.95) begins with the main character walking in a

Companies Mentioned in Scuttlebutt

Abacus Software
P.O. Box 7219
Grand Rapids, MI 49510
Phone: 616-241-5510

Activision, Inc.
2350 Bayshore Parkway
Mountain View, CA 94043
Phone: 415-960-0410

Artworx Software Company
1844 Penfield Road
Penfield, NY 14526
Phone: 716-385-6120

Baudville
1001 Medical Park Drive S.E.
Grand Rapids, MI 49506
Phone: 616-957-3036

Broderbund Software, Inc.
17 Paul Drive
San Rafael, CA 94903-2101
Phone: 415-479-1170

C Ltd
723 East Skinner
Wichita, KS 67211
Phone: 316-267-6321

Davidson & Associates, Inc.
3135 Kashiwa Street
Torrance, CA 90505
Phone: 213-534-4070; in CA 800-556-6141

Eagle Tree Software
P.O. Box 164
Hopewell, VA 23860

Electronic Arts
1820 Gateway Drive
San Mateo, CA 94404
Phone: 415-571-7171

Free Spirit Software, Inc.
538 S. Edgewood
LaGrange, IL 60525
Phone: 312-352-7323

Hi Tech Expressions
1700 N.W. 65th Ave., Suite 9
Plantation, FL 33313
Phone: 800-848-9273; in FL 305-584-6386

KRENtek Software
4601 North 9th
McAllen, TX 78504
Phone: 512-682-9598

MIDImouse Music
Box 272-MS
Rhododendron, OR 97049
Phone: 503-622-5451

Mindscape, Inc.
3444 Dundee Road
Northbrook, IL 60062
Phone: 312-480-7667

Joyce I. Peck
Box 1051
Qualicum Beach, BC
Canada V0R 2T0
Phone: 604-752-3364

Progressive Peripherals
464 Kalamath Street
Denver, CO 80204
Phone: 303-825-4144

Quantum Software
P.O. Box 12716
Lake Park, FL 33403
Phone: 305-622-7962


Schnedler Systems
25 Eastwood Road
P.O. Box 5964
Asheville, NC 28813
Phone: 704-274-4646

Strategic Marketing
P.O. Box 2183
Ellisville, MO 63011
Phone: 314-256-7814

Strategic Simulations
1046 N. Rengstorff Avenue
Mountain View, CA 94043
Phone: 415-964-1353

Taxaid Software Inc.
606 Second Avenue
Two Harbors, MN 55616
Phone: 218-834-3600

Those Designers
3330 Lewis Avenue
Signal Hill, CA 90897
Phone: 213-427-6742



THE GLADIATOR

FOR THE BEGINNER AND EXPERT TOO!
A UNIQUE GAME WITH 16 LEVELS OF DIFFICULTY PLUS 8 MORE EARNED LEVELS!

The gladiator must prove his cunning and endurance in the coliseum of death.

ALL THE SOUND AND ACTION OF THE ORIGINAL SPECTATOR SPORT

For Commodore® 64/128™ and Atari® 48K 800, XLs and XEs disk only

$14 SPECIAL OFFER $14*

Purchase the Gladiator and you receive the famous Ghost Hunter II game Free!

SEND $14 PLUS $2 SHIPPING AND HANDLING
(CA. RESIDENTS ADD 6% SALES TAX)
PLEASE ALLOW 2-3 WEEKS FOR DELIVERY

RICHWOOD SOFTWARE
3011 ALHAMBRA DRIVE, SUITE C
CAMERON PARK, CA., 95682
916-677-6779

*DEALERS PLEASE CALL FOR QUANTITY INFORMATION

Reader Service No. 196



NO OBLIGATION

DISK-OF-THE-MONTH CLUB
325 UNION AVE., RUTHERFORD, NJ 07070

NAME _____

STREET ADDRESS _____

CITY _____ STATE _____

ZIP _____

Div. of UNLIMITED SOFTWARE INC

Reader Service No. 200

COMMODORE COMPUTERS

*64 $99




64C - $159

*C128 $228



C128D...*$499

*(WITH PURCHASE OF EXTENDED WARRANTY)



AMIGA 500

PLEASE CALL FOR LATEST PRICING




**$598

IBM PC-10-2

**WITH PURCHASE OF MONITOR

DISK DRIVES

1541



$138*

FSD-2 ..... $159
1541C $169
1571 ..... $248

(WITH PURCHASE OF EXTENDED WARRANTY)

MODEMS

300 BAUD FOR YOUR COMMODORE



$28

COMMODORE 1670 300/200



$139

TRANSCOM



$138

- SPEAKER BUILT-IN
- VOLUME CONTROL

MONITORS



COLOR COMPOSITE

$158

1902A *$229
MONOCHROME..... *$ 79

(WITH PURCHASE OF EXTENDED WARRANTY)

RAM EXPANSION

FOR YOUR COMMODORE

C64 1764



$138

C128 1750



$188

AMIGA 100



EXPANSION MODULE

$98

POWER SUPPLY

$29 $69



C-64 C-128

SURGE PROTECTOR



$14.95

Protect your computer from lightning

DATA SET



$28

For 64, PLUS 4

MOUSE

$34.95



- Pull down menu
- Load directory
- Scratch
- Browse File
- Adjustable File

VOICE MASTER



$79

64/128

JOY STICK

$9.95

When buying 2 Joy Sticks with suction cups



C-64, Plus 4, 128

DISKETTES

39¢ ea.



In lots of 100 with purchase of Floppy Disk File

DISK FILER



$9.95

CALL PRO-TECH-TRONICS TODAY!

QUICK-DELIVERY



215 W. Main Street
New Prague, MN 56071
(612) 758-6268



OPEN 7 DAYS A WEEK & EVENINGS

1-800-345-5080

Reader Service No. 183

hotel room in Manhattan. He doesn't know who he is, but soon learns that a strange woman wants to marry him, someone is trying to kill him, and the state of Texas wants him for murder. The C-64 gamer must discover the character's identity as he visits up to 4000 separate locations in Manhattan, including 650 streets and the subway system.

Russia: The Great War in the East 1941-1945 ($39.95), designed by Strategic Studies Group, lets players reenact the conflict or observe it as it actually took place. Econommic and military parameters can be varied, and the battle can be begun at any point within the four years.

And from EA for the Amiga:

Leisure Suit Larry in the Land of the Lounge Lizards ($49.95) sends the adult gamer on a romp through the singles scene in the fictional town of Lost Wages. Larry's nerdy looks and lack of money complicate his task of seducing the woman of his dreams—he may have to win big at blackjack or slots to finance his endeavor.

Based on the Disney movie, *The Black Cauldron* ($39.95) centers around the kettle created by an evil king's curses. Whoever uses it for evil will be all-powerful; so as Taran, former assistant pig keeper, you must find it and destroy it before the wicked Horned King does.

Electronic Arts, 415-571-7171 (see address list, page 12).

Borodino: 1812, Napoleon in Russia ($59.95) recreates the three-day battle, with eight historical and what-if scenarios that range in playing time from 15 minutes to 4+ hours. Variable speed control allows for stop action, true real-time play, and degrees of accelerated real-time.

KRENtek Software, 512-682-9598 (see address list, page 12).

Artworx has taken the wraps off two more data disks for use with *Strip Poker* for the Amiga. *#4* and *#5* each contain two female players, and each retails for $19.95.

Artworx Software Company, Inc., 716-385-6120 (see address list, page 12).

Strategic Simulations had no way of knowing that Oliver North would fade from the limelight faster than Howard the Duck. So they prepared a sheet of guidelines for running Ollie as a candidate in *President Elect—1988 Edition.* A copy can be had by writing SSI.

Strategic Simulations, Inc., 415-964-1353 (see address list, page 12).

From Activision:

Based on the leading speed plane of the 1930's, Steve Cartwright's *GeeBee Air Rally* offers 16 race courses, each with a different scrolling 3-D background. $29.95 for the 64, $39.95 for the Amiga.

Containing over $500 in special offers and discounts, Activision's *Great Good Deals Giveaway Bonus Book* will be given away in specially labeled software packages, and dispensed free to anyone who writes to Activision at Dept F80, c/o 3605 El Camino Real, Suite 40, Santa Clara, CA 95051.

Activision, Inc., 415-960-0410 (see address list, page 12).

Superbike Challenge ($19.95) sends C-64 gamers around 12 famed Grand

Continued on page 69

Looking for a Supercartridge?? Don't finalize the deal!!

Are you thinking of buying a multi-function cartridge? Well, don't make a FINAL decision until you look at this comparison chart.

Super Snapshot 64 V2.0 has just been updated to make it an even better utility than before! We've even added features like system reset capability and a sector editor!

- Super Snapshot is upgradeable. There is no need to discard your cartridge for a new version.
- Copies most memory resident software on today's market.
- Snapshotted programs run without the SS cartridge.
- Our cartridge is easily updated with up to 40K.
- Our Turbo/DOS is the most compatible fast loader tested to date.
- Attention C128 owners: An optional switch is available which allows you to disable the C64 mode with cartridge in place. $5.00 additional.
- Super Snapshot 64 V1.0 owners may upgrade for $20.00. Contact us for details.
- Super Snapshot 64 is for the C64 or the C128 in the 64 mode.

Super Snapshot Only $54.95

Super Snapshot 64 (SS) Vs. the Final Cartridge® (FC)*	SS	FC
Compatible with ALL C64/C128/SX64/MSD/1541/1571/& 1581 equipment?	Y	N
Is the cartridge itself designed to be easily upgradeable?	Y	N
Features both pre-programmed and user-definable function keys?	Y	N
Will it print both multi-color and standard bit mapped screen dumps?	Y	N
How many different sizes can the screen dumps be printed at?	3	1
Save graphic screens to disk in either Koala™ or Doodle™ formats?	Y	N
Menu driven with easy to read, full screen windows?	Y	N
Features both a fast loader and a fast disk formating option?	Y	N
C-64™/1581 fast load support (20+ blocks/sec.)	Y	N
Unique "RESUME" feature (proof that SS does NOT corrupt memory)?	Y	N
Does the built-in Machine Language monitor corrupt memory (see above)?	N	Y
M/L monitor accessible from a running program with resume feature intact?	Y	N
How much ROM does the cartridge contain?	32	16
How much RAM does the cartridge contain?	8	0
Does the cartridge work with popular multi-slot expansion boards?	Y	N
Is ALL Ram and Rom accessible from the Machine Language monitor?	Y	N
Is the cartridge TOTALLY invisible to software when disabled?	Y	N
Supports C128 fast mode during screen dumps?	Y	N
Does the cartridge support multiple disk drives?	Y	N
Is the cartridge supported with a FREE **Kracker Jax** parameter disk?	Y	N
FREE shipping and handling on all orders within the United States?	Y	N

COMPUTER MART

Need more info? Call or write for our free catalog.

Program submissions wanted! Good Commissions—National Marketing.

CHECKS, MONEY ORDERS OR VISA/MASTERCARD/DISCOVER: Mail your orders to: Computer Mart, 2700 NE Andresen Road, Vancouver, WA 98661 • Phone orders welcome: (206) 695-1393 Same day shipping. No C.O.D. orders outside U.S.

PLEASE NOTE: Free shipping & handling on all orders. • C.O.D. add $4.00 to total order. • All orders must be paid in U.S. funds. Washington residents add 7.30% sales tax to order. Orders outside of North America add $7.50 for shipping. In Canada, order from: Marshview Software, PO Box 1212, Sackville NB E0A-3C0. Only $69.95 CDN.

DEALERS—WE HAVE THE SUPPORT YOU'RE LOOKING FOR!

*Final Cartridge is a registered trademark of H & P Computers of America. Comparison date 8-1-87.

Reader Service No. 189

The Mission is Vital. The Odds are Against You.



You're one of the elite . . . parachuting alone behind enemy lines. The enemy controls the terrain, hidden in bunkers and machine gun nests . . . you may be surrounded. You might complete the mission if you crawl through the ravine and approach from the rear . . . or maybe a frontal attack will take them by surprise.

MicroProse has broken new ground with **AIRBORNE RANGER**, the quality action game where tactical thinking and lightning reflexes determine your fate. Your missions will vary as much as the climate and terrain. Slip silently into position to rescue prisoners trapped in "tiger pits" from a P.O.W. camp, or throw caution to the wind and try to destroy a key munitions dump in the desert. But watch out . . . enemy troops can attack from any direction.

The action is fierce as you control one soldier's battle against overwhelming odds. You'll need skill and strategy to outmaneuver your enemy, plus courage and some luck to make your escape. Along the way, search out that hidden cache of weapons and first aid supplies . . . you'll probably need them.

AIRBORNE RANGER

AIRBORNE RANGER is a fast-paced, quick-to-learn game with 12 desperate missions in three different regions of the world. You'll be running, walking and crawling across full-scrolling, 3-D terrain. Arm yourself with an M-16 assault rifle, bayonet, LAW rocket (Light Antitank Weapon) or time bomb, but be wary of enemy submachine guns, antitank rockets, robot minitanks, minefields and flamethrowers.

AIRBORNE RANGER . . . More than just a great game. It's an adventure.

AIRBORNE RANGER is available from a "Valued MicroProse Retailer" (VMR) near you. Call us for locations! For Commodore 64/128, IBM-PC/compatibles and Apple II+/e/c. Call or write for specific machine availability, and for MC/VISA orders if product not found locally.



MICRO PROSE™
SIMULATION • SOFTWARE

180 Lakefront Drive • Hunt Valley, MD 21030 • (301) 771-1151

Reader Service No. 147

WARSHIP
For the C-64
By Curtis F. Kaylor



You turn until the ship is in your sights, then another 20 degrees west to account for wind. Your last shot was 300 meters short, so you raise the cannon 20 degrees. You recheck your calculations and then, crossing your fingers, hit the trigger. The shell arches gracefully through the air and...hits!

Warship is a two-player game for the C-64. Type in the program, save it, and run it. A split screen display will appear. On the right side of the display is your view of the water, complete with ships and cannon, and on the left side is the instrument display.

Player one goes first. Pushing the joystick up or pressing the CURSOR UP key raises the cannon, while pushing the joystick down or pressing the CURSOR DOWN key lowers it. The angle of the cannon is shown on the instrument display. The cannon cannot be raised above 45 degrees or lowered below 0 degrees. The higher the angle, the farther the cannon will shoot. Pushing the joystick right or pressing the CURSOR RIGHT key rotates the cannon right, causing the ships to appear to move to the right.

The wind speed indicator uses arrows to show the relative velocity of the wind. The shell will drift in the direction of the wind. If no arrows show, there is no wind. After the shot is lined up, press the fire button or space bar to fire. If the shot was not in line with a ship, the instrument panel will read MISS; otherwise it will read SHORT and a number, LONG and a number, or HIT. SHORT indicates that the shell fell the given number of meters in front of the ship, while LONG indicates that the shell fell the given number of meters beyond the ship. After a player has fired, play goes to the other player and continues until one player has destroyed four ships. □

SEE PROGRAM LISTING ON PAGE 102

PHOTO: MICHAEL R. DAVILA



The latest
DISK-INVADER
SERIES V

THE SERIES "V" DISK-INVADER COPIES 99.90% OF PROTECTED SOFTWARE EASILY WITH POWER AND PARAMETERS TO SPARE & UPDATING ADDS EVEN MORE

- OVER 40 SPECIAL PARAMETERS built into the INVADER Copying Modules are AUTOMATICALLY called when copying the "Tough to Copy" Disks. This method of copying often produces a working copy without using a parameter. These are all installed on DISK-INVADER SIDE 1.
- OVER 200 EXTRA PARAMETERS to make working copies of recent disks that were impossible before are installed on DISK-INVADER SIDE 2. Because we UPDATE on a regular basis the quantity of extra parameters grows faster than we can advertise. We will always ship the LATEST CURRENT VERSION to purchasers. Registered owners may update earlier versions at any time for $15.50 P & P included.

- FOR USE WITH 1 or 2 1541/1571 Drives and compatibles or MSD Dual Drive and a COMMODORE 64 or the COMMODORE 128 (used in 64 mode).

FAST FILE COPIER included with 8 second NO KNOCK PERFECT FORMATTER and the ability to issue DISK COMMANDS & DELETE unwanted files.

FAST FULL DISK COPIER for 2 1541/1571 copies in under 1 minute.
FAST FULL DISK COPIER for 1 1541/1571 copies in under 2 minutes.

POSTAGE & PACKING INCLUDED US $36.50
CANADIAN $49.50

Quebec residents add 9% sales tax.
All orders shipped within 48 hours.

We accept VISA.


TO ORDER
send Check or Money Order to:
AVANTGARDE 64
18 Place Charny, Lorraine
Quebec J6Z 3X9, Canada

Telephone: 1-514-621-2085

Reader Service No. 185

MOVING TARGET SERIES

ALL THE SUPER ACTION AND EXCITEMENT YOU'VE COME TO EXPECT FROM DATA EAST GAMES ... AT A SUPER NEW PRICE!



For the Commodore 64/128




For the Commodore 64/128



For the Commodore 64/128



For the Commodore 64/128



For the Commodore 64/128

$12.95
MANUFACTURER'S SUGGESTED RETAIL

LAST MISSION Battle the alien armada with the most awesome array of firepower ever displayed on a spaceship.

FIRETRAP Use your turbo-charged water cannon to extinguish the multitude of fires raging in an immense highrise.

Q*BERT Q*bert, the irresistible arcade character, dodges crafty creatures as he jumps up and down the pyramid.

TNK III TNK III is a one-tank army. You provide the strategy to overpower the enemy tanks, bombers, and combat troops that surround you.

SHACKLED Rescue your allies who are shackled behind dungeon doors. When freed, they fight along your side.


© 1987 Data East U.S.A. Inc. Q*Bert and TNK III are mfd. under license from JVW Electronics, Inc. and SNK Corp. respectively. Commodore is the registered trademark of Commodore Electronics Ltd.

DATA EAST USA, INC. 470 Needles Drive, San Jose, CA 95112. (408) 286-7074.

DATA EAST®

Reader Service No. 291

PHOTO: MICHAEL R. DAVILA



For the C-64

Your training at the police academy is almost complete. All that's left is rifle training: first at the rifle range, then at the mock village. Even though you are shooting at wooden silhouettes, you know that every shot counts; for someday you may be in the same situation, but the people will be real.

Silhouette puts you in the position of a rifle trainee: you must shoot all the criminals, known as "the bad guys," while not harming any innocent bystanders, "the good guys." The game requires a joystick in Port 2.

The game is in two parts: a BASIC portion, and the sprite file, which must be entered using *Flankspeed* (see page 89). The BASIC portion expects the sprite file to be named SIL-SPRITE. If you give it a different name or use cassette, change the LOAD statement in line 100 accordingly.


After the program and sprite file have been typed in and SAVEd, run the program. The title screen will appear. After studying the good guys and bad guys to know who is who, press the fire button on the joystick. You will now be at the rifle range. Your crosshairs will appear at the center of the range. After the silhouettes enter the screen and flip toward you, you can move the crosshairs. Push the joystick to the left to aim at the silhouette on the left and right to aim at the silhouette on the right, and center the joystick to aim at the middle silhouette. Press the button to shoot.


You only get a limited time to shoot, the length of which decreases as the game progresses. If you hesitate too long, the program will register a miss. You start the game with five guns. Each time you hit a good guy or miss a bad guy you lose a gun. When you have no guns left, the game ends.

If you make it past the rifle range you go on to the mock city. Buildings will appear on the screen, and silhouettes will appear in the buildings one by one. The crosshairs rest in the middle of the screen; push the joystick toward a silhouette to aim at it and press the button to shoot it. Remember: shoot the bad guys. If two bads guys appear in the rifle range, you must shoot both of them.

Good luck—I hope you make it onto the force! □

SEE PROGRAM LISTING ON PAGE 94






PHOTOS: MICHAEL R. DAVILA

SAVING THE HUMAN RACE CAN BE VERY ENTERTAINING.

DEFCON 5: The Authentic SDI Simulation.





ENEMY LAUNCH DETECTED ALPHA ZULU 13:43. EXPECT VIOLATION U.S. AIRSPACE 14:09.

YOU are at the controls of America's "Star Wars" space-based missile defense system. DEFCON 5 is an authentic simulation of our Strategic Defense Initiative.

Your computer is in command of a network of orbiting visual reconnaissance satellites and an awesome arsenal of sophisticated space-based weapons. The fate of the world is in your hands. You make the split-second decisions necessary to detect, intercept and destroy incoming enemy warheads.

Using realistic military commands you control 9 separate weapon systems, including orbiting lasers, neutral particle beam emitters, electro-magnetic launchers, and nuclear-pulsed x-rays. We're at Defcon 5 and counting. Impact is imminent. Will you destroy the missiles in time to save the human race?





Call TOLL-FREE for the COSMI dealer nearest you, or to order direct.

DEFCON 5 is by Paul Norman, creator of the Super Huey flight simulator series.

DEFCON 5 for C-64/128 is priced at $19.95. For IBM PC, $24.95.


COSMI

(800) 843-0537

In California (800) 654-8829

415 N. Figueroa Street

Wilmington, CA 90744









Art Gallery Disk Sale

Selected *Art Gallery* images are available on disk. Multicolor images are supplied in *Koala* format, while high-resolution images are in *DOODLE!* format. Included are a slide show for easy viewing, along with a bit map dump for your 1525 printer or properly interfaced equivalent. A sample *Art Gallery* disk with slide show and printer dumps is $10; or send a stamped and self-addressed envelope (business size) for a listing of available *Art Gallery* collection disks. Prices shown are for US and Canada. All others add $3 per disk. New York State residents please add appropriate sales taxes. Disks may be ordered from Morton Kevelson, P.O. Box 290260, Homecrest Station, Brooklyn, NY 11229-0005.

Contribute to Ahoy!'s Art Gallery

The *Ahoy! Art Gallery* offers the opportunity for fame and fortune to any and all aspiring Commodore artists. Simply send Morton (see address above) your work on disk indicating the drawing package or file format of the images. Inclusion of a self-addressed post card will guarantee an immediate response. All graphics produced on the C-64/C-128, Plus/4, and Amiga computers are eligible. If your image is published, you will receive a free one-year subscription to *Ahoy!* If you are already a subscriber, your subscription will be extended by one year.

Note that the *Art Gallery* is not a contest. Published pictures are selected in an arbitrary and capricious fashion by the *Ahoy!* Art Director based solely on the artistic merit of the individual images.



Christmas comes but once a year, but when it comes, it brings...a holiday *Art Gallery*. And some other goodies, too, we're sure. In fact, we just got a letter from Santa, who, as you know, keeps his records on a C-64. He's making his list and backing it up twice right now. See artist credits below.






At extreme left is *Kaleidoscope*, a *DeluxePaint* image by T.J. Shank (Huntington, WV). At immediate left, from top: *Christmas Tree* by Pamela and Richard Winters (Shreveport, LA) and *Santa's List* and *Noel* by Jason Anderson (Independence, MO). Above: *Christmas Cards* by Robert M. Ellis (LaSalle, Quebec).

PIZZA BOY

For the C-128

By Cleveland M. Blakemore



"Whatsa matta wit youse, ya lazy bum?! The Smiths' pizza has been unner duh heat lamps fer twenty minutes! Get it to dere house before it goes cold, or yer fired, ya greasy louse!"

You can't decide which is worse about your new job as pizza boy: your whining boss or the city that you deliver in. Between speeding motorists and rabid mongrels, it seems like your wages are ridiculously low. Worst of all, the delivery boy has to pay the difference if a pizza shows up cold.

Pizza Boy is a fun, fast action game written entirely in BASIC 7.0 for the C-128. You'll need a joystick plugged into Port 2 to play.

After the title screen, you'll be presented with a city map, in which the pizza restaurant is located in the upper left corner. The restaurant area contains a window displaying how much money you've made, a block for the three lives you start out with, and the pizza counter beneath. Your boss is the grimacing fellow behind the counter; he sits next to the telephone and takes orders.

When an order is called in, the hungry caller lights up inside the house of origin, with a ravenous look on his face as he sits before an empty plate with knife and fork.

The boss will place a pizza under the heat lamps after taking the caller's order, awaiting your pickup and delivery. To pick up a pizza, merely stand under the heat lamp, close to it, and press the fire button. The pizza will vanish, meaning you are now carrying it.

Every time a pizza is placed under the heat lamp, the pizza boy's figure will light up with a color representing the temperature of the pizza. He starts out a steaming yellow, but will cycle through light red-dark red-brown-blue-black, to indicate the temperature of the pizza as it cools.

As long as the pizza is under the heat lamp, it cools slowly. Once you have it in your possession, it will cool very rapidly, so get it to the caller as quickly as possible. A regular pizza costs $20, but the customer may tip if it is warmer than expected, and he will certainly deduct from the base price as it grows colder. How much profit you make depends on the speed with which you arrive with the caller's pizza.

As if this weren't difficult enough already, you have to dodge the automobiles in town and watch out for the mad dog as you race through the streets. Once you arrive at a customer's house, go through the door and touch him to get your money. Immediately, another caller phones in, and a pizza is sitting under the heat lamps back in the restaurant, getting frosty while you hurry back.

If you get struck by a car or bitten, you lose one pizza boy. If you allow a pizza to grow completely cold, you'll also lose a boy.

Every time you successfully deliver five pizzas, the cars will pick up the pace a little. It gets pretty tough to navigate the city after 10 pizzas. If you manage to make anything over $100 in profit, you're a natural.

Don't let anybody tell you that BASIC 7.0 cannot be used to churn out some really terrific games without machine language. All it takes is a little patience and some imagination. I'd say that *Pizza Boy* is the best 100% BASIC arcade game I've ever written. □

SEE PROGRAM LISTING ON PAGE 90

PHOTOS: MICHAEL R. DAVILA

SOFTWARE RENTAL

1. INEXPENSIVE – most programs $5–$8 per week.
2. SELECTION – over 1,000 programs in stock for Atari and Commodore plus hundreds of programs for IBM, Atari ST, Amiga and Apple.
3. TRY before you buy – first months rent applies toward purchase.
4. BUY USED programs at discounted prices.

FOR FREE LISTING CALL
1–800–433-2938 (outside Texas)
1–817–292-7396 (inside Texas)

WEDGWOOD RENTAL
5316 Woodway Drive
Fort Worth, Texas 76133

Reader Service No. 186

Commodore Product Potpourri

Hardware, Software & Firmware for your C-64, C-64C, C-128, AMIGA

ADD-A-COMPUTER

128 PLUS adds a new computer to your C-128. It looks like a **C-64** but it doesn't act like a **C-64.** True it loads **(up 5 times faster)** and runs **(almost twice as fast)** your favorite **C-64** programs. But it is a **C-64** with more features than the **C-128.** A **C-64** with all the keys on the **C-128** keyboard, including the numeric keypad, function keys (with better functions than the C-128), and most of the rest of top row of the keys. A **C-64** with 16 built **DOS/Wedge** commands. A **C-64** with a built in **PrintCable** driver for "Centronics parallel" printers. If you find a piece of software that doesn't work with **128 PLUS** a simple depression of the 40/80 key returns you to the old **C-64.** Don't delay any longer get a **C-128 PLUS** for your **C-128** or **C-128D** and discover a whole new world of **C-64** performance.

C-128 PLUS, C-128/C-128D **$39.95***
C-128 PLUS PrintCable, Parallel Printers **$19.95***
C-128 PLUS and PrintCable **$54.95***

Prevent and preclude premature pratfalls, by perplexed programming postulants

BASIC PROGRAM COMPILER

BLITZ! is the fastest, easiest to use, most popular, BASIC program compiler available for the **Commodore 128, C-64, and C-64C.** Your **BLITZ!** compiled programs will run from 5 to 20 times faster after you have **BLITZ** them. **BLITZ!** translates and reduces your BASIC programs in to a much, much faster code.

BLITZ! C-128, Disk **$59.95***
BLITZ! C-64, Disk **$49.95***

ASSEMBLER CARTRIDGE

If your C-64 programming needs have extended beyond BASIC, Skyles Electric works now offers **MIKRO**, a machine language assembler cartridge for the **Commodore 64/64C.** The **MIKRO** cartridge contains everything you need for machine language programming.

MIKRO Cartridge, C-64/C-64C . . **$49.95***

M.L. UTILITY TRIO

ZOOM is the perfect machine language monitor for the Commodore **C-64/C-64C,** with 23 editing commands and 11 disk commands. **TD** allows the full power of **VICTREE** to be applied to editing and writing machine language programs. **STP** is a ML Step-Wise Executor that is one of the nicest ML debuggers we have ever seen, for the **Commodore 64. ZOOM—TD—STP** the tremendous trio now in one package.

ZOOM-TD-STP, C-64/C-64C **$29.95***

DISK ALIGNMENT KIT

1541/1571 Disk Alignment Kit is the do-it yourselfer's delight. You furnish a voltmeter and 1 hours time and the **1541/1571 Disk Alignment Kit** furnishes; 1-Alignment Reference Disk, 2-test and alignment program disk, 3-video detector, 4-Instruction manuals, 5-1541 Maintenance Guide. All for less than the cost of a disk alignment.

1541/1541C/1571 Disk Alignment Kit **$29.95***

2 for 1 MONITOR CABLE/C-128

The**2 for 1 Monitor Cable** allows all composite video monitors to be used with the **Commodore 128** in all modes of operation. Don't throw out your present green or amber monitor, buy a

2 for 1 Monitor Cable for C-128 . . . . . **$24.95***

1541 FLASH!

The new Skyles Electric Works **1541 FLASH!** loads programs and files to your **Commodore 64/64C or Commodore 128** (64 mode) three times faster than an unenhanced Commodore 1541.

The **1541 FLASH! adds over 50 extra commands for the Commodore 64/64C/128** user.

1541 FLASH! C-64/C-64C & 1541 . **$69.95***
1541 FLASH! for two 1541s **$109.95***
C-128 FLASH! C-128 & 1541 . . . . . **$79.95***
C-128 FLASH! for two 1541s **$119.95***
SX-64 FLASH! SX-64 & 1541 . . . . **$69.95***
SX-64 FLASH! for two 1541s **$109.95***

BASIC PROGRAMMING AID

VICTREE is a BASIC programming aid cartridge for the VIC-20 and C-64/C-64C computer. **VICTREE** adds 42 extra commands for BASIC programming ease and full DOS control. **VICTREE** commands include CHAIN, EXECUTE, MERGE, SEND, USE, CONCAT, DOPEN, DCLOSE, RECORD, HEADER, COLLECT, BACKUP, COPY, APPEND, DSAVE, DLOAD, DIRECTORY, RENAME, SCRATCH, CATALOG, INITIALIZE, AUTO, DELETE, RENUMBER, MERGE, LCOPY, LMOVE, PRINT USING, FIND, CHANGE, PAGE, HELP, DUMP, and TRACE.

VICTREE 64 Cartridge, C-64/C-64C . **$49.95***
VICTREE 20 Cartridge, VIC-20 . . . . . **$29.95***

A powerful panoply of pertinent, potent, peripheral products

QUICKSILVER 128

QUICKSILVER 128 our premier IEEE-488 Interface for the **Commodore 128** is now in stock and even better than we had planned. **Quicksilver 128** offers an IEEE Interface for the **Commodore 128** in the C-128 mode (40 or 80 columns) and in the C-64 mode as well. **QUICKSILVER 128** will inter-connect your **Commodore 128** to Commodore SFD 1001, 2031, 2040, 3040, 4040, 8050, 8250, 9060, 9090 Disk Drives, and 2022, 2023, 4022, 4023 and 8023 Printers.

QUICKSILVER 128 C-128 . . . . . **$119.95***

A priceless programmers pallett of practical products and programs

IEEE Flash! 64

IEEE Flash! 64 our premier IEEE-488 Interface for the **Commodore 64** is now in stock and even more transparent (program compatible) than QUICKSILVER 64. **IEEE Flash! 64** will inter-connect your **Commodore 64** to Commodore SFD 1001, 2031, 2040, 3040, 4040, 8050, 8250, 9060, and 9090 Disk Drives, and 2022, 2023, 4022, 4023, and 8023 Printers.

IEEE Flash! 64 C-64/C-64C **$99.95***

2+1, 4+1 CARTRIDGE EXPANSION

Our 2+1 Cartridge Expansion gives you 2 vertical and 1 horizontal fully switchable cartridge ports. Our 4+1 Cartridge Expansion gives you 4 vertical and 1 horizontal fully switchable cartridge ports.

2+1 Cartridge Exp. C-64/C-64C or C-128 . . . . . **$39.95***
4+1 Cartridge Exp. C-64/C-64C or C-128 . . . . . **$69.95***

1571 FIX ROM

Relative File problems? "DEVICE NOT PRESENT" errors? I/O error 5 when using Superbase? Major problems when you have 2 or more files open? Painfully slow writing to the second side of the diskette? SAVE with replace problems? Takes forever to recognize a "Flippy" disk? If you have one or more of these problems with your **Commodore 1571 disk drive**, don't despair, don't trash your 1571, **do get a:**

1571 FIX ROM **$24.95***

The periodically puzzling, precarious, path to perspicacious program perfection and prowess

VIDEO DIGITIZER

The **VIDEO-DIGITIZER** module plugged into the user port of your **C-64/C-64C/C-128** allows you to digitize video signals, of whatever kind, show them on the screen, store or process them and print them out. The digitizer can be connected to any standard; video camera (b&w or color), VCR, or video disk player. The applications are unlimited. An accompany diskette contains programs to; Digitize a 256 by 256 pixel picture in 4 shades of gray, replace gray shades with colors, save complete 256 by 256 pixel picture, or 160 by 200 **Koala** format, printout on **Commodore 1515, 1525, 801, 802, 803, 1526, Epson, StarMicronix**, (and compatibles) **Canon PJ1080A, Okimate 20,** and **GP-700A** color printers.

All this is for an amazingly low price.

VIDEO-DIGITIZER, C-64/C-64C/C-128 . . . . . **$149.95***

BUSIDATA™

BUSIDATA features up to 1000 records per 1541 data disk, 2000 records per 1571 data disk, 6000 per SFD-1000 data disk, and over 20,000 records per SEW/JCT-1002 hard disk drive (see page 5). Each record can contain up to 254 characters and 20 fields of up to 79 characters per field. **BUSIDATA** features up to 20 keys and five levels of sorting on these on these keys. Also featured are easy to use menu driven data selection and handling features, that include RS-232 printer output.

BUSIDATA 64, C-64 Disk **$39.95***


A major manufacturers magnificent multitude, magnanimously merchandised for minimal money.

FAMILY TREE

Truly a program for the whole family, your wife's family, your parent's family, grandparent's family, and as many generations back as you wish. FAMILY TREE is the best genealogy program for the **C-64/C-64 Cor C-128.** Features unlimited genealogies, 4, 5, 6, generation pedigrees, family record sheet and much more.

FAMILY TREE, C-64/C-64C-1541 . . . . . **$49.95***
FAMILY TREE, C-64/C-64C/1541 (LDS) **$49.95***
FAMILY TREE, C-128/1541/1571 . . . . . **$49.95***

*Due to trade games being played by U.S. and Japan *all prices are subject to change without notice.* There is an additional $4.50 U.S. and Canada, $15.00 Europe and Asia, shipping charge per order. California



Skyles Electric Works

TO ORDER: Call 1-800-227-9998 or 1-415-965-1735 (CA) or write to:
For More Information: Send Stamped Self Addressed Envelope to:

231-E South Whisman Road, Mountain View, CA 94041

Reader Service No. 154

PHOTOS: MICHAEL R. DAVILA

We Won't Be UNDERSOLD*

* On items marked *"No One Sells This ----- For Less"*. Copy of valid ad required.

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

☆ Commodore Computers, Disk Drives and Compatibles ☆

C64c Computer

Includes GEOS (Word Processor & Versatile Drawing Program) Plus
***5 FREE Programs** From Commodore
Details For Free Programs included with purchase of C64c
Offer Expires 12-31-1987




Anti-Static Keyboard Cleaner Sale $9.95

$100 Of Commodore Software *FREE!

Sale Price
$149.95
List $249
(Add $10.00 shipping.*)

256K RAM Expansion

Add 256K Of Extra RAM Memory To Your C64/C64c.
Includes Heavy Duty C64 Power Supply.




Sale

Sale Price
$119.95
List $149
(Add $3.00 shipping.*)

512 RAM Expansion

Add 512K Of Extra RAM Memory To Your C128/C128D.



NEW

Sale Price
$139.95
List $259
(Add $3.00 shipping.*)

Excelerator Disk Drive

Commodore Capatible
***Includes FREE Trivia Fever Game**



with FREE Trivia Fever Game

Disk Drive Cleaner Sale $9.95

Sale Price
$149.95
List $249
(Add $10.00 shipping.*)

1571 Disk Drive

340K Double-Sided Disk Drive for the C-128 & C128D



Sale Price
$214.95
List $329
(Add $10.00 shipping.*)

800K 3½" Disk Drive

Commodore 1581 Works With C64/C64c, and C128/C128D.
Over 800K Bytes of Formatted Storage On Double-Sided 3.5" Microdiskettes.



NEW

Sale

Sale Price
$179.95
List $249
(Add $10.00 shipping.*)

Call **(312) 382-5050** Mail

We Love Our Customers!

COMPUTER DIRECT
22292 N. Pepper Road
Barrington, IL. 60010

1st In Price, Support, & Warranty

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

8½" Letter Size 80 Column Printer

We Liked This Printer So Much,
We Bought Out The Factory!



Sale $39.95
*Add $ 7.50 Shipping.
List $199

- **Big Blue Dot Matrix Printer**
- **Heat Transfer • Enlarged**
- **Graphics (Apple, Atari, & CBM)**
- **Underline • Upper & Lower Case**
- **True Descenders • Adapters For:**
- **Commodore & Atari . . Sale $19.95**
- **Apple IIc & Laser 128 . Sale $12.95**
- **RS-232 Adapter . . . . . Sale $12.95**
  (Please Specify Male or Female)

Pro 20 Daisy Wheel Printer

Wide Carriage Letter Quality
Daisy Wheel Printer



Sale

Sale $99.95
*Add $10.00 Shipping.
List $499

- **Daisy Wheel Printer**
- **18 CPS Shannon & 22 CPS AAA Text**
- **Print Wheel (Courier 10) & Cartridge Compatible with Diablo® & Qume®**
- **Friction Feed • 13" Form Width**
- **Extra Daisy Wheels . . . . . Sale $ 9.95**
- **Parallel Centronics Interface** (IBM®PC, Apple®IIc, Laser 128, CBM . **Sale $19.95**

10" Comstar 1000 Printer

With Near Letter Quality
Best Quality In The U.S.A.



Sale $139.95
*Add $10.00 Shipping.
List $349

- **100 CPS Draft & 20 CPS NLQ**
- **Serial Impact Dot Matrix • Bold**
- **Underline • Condensed • Italics**
- **Pica • Elite • Double Strike**
- **Dot Addressable Graphics**
- **Automatic Paper Loading**
- **Tractor & Friction Feed**
- **Superscript & Subscript**
- **Right & Left Margin Settings**

No One Sells These Printers For Less!

NLQ 180 (180 CPS) Printer

Near Letter Quality
Lifetime Warranty*



Sale $189.95
*Add $10.00 Shipping.
List $499

- **Near Letter Quality Selectable From Front Panel • 8K Buffer**
- **High Speed Dot Matrix**
- **Letter Quality Modes • Italics**
- **Elite • Pica • Condensed**
- **Graphics • Tractor & Friction Feed**
- **Lifetime Warranty on Print Head***
- **6 Month Immediate Replacement Policy For Printer**

Hi-Speed LV-2010 (200 CPS) Printer

High Speed Printing (200 CPS Draft)
with Crisp Near Letter Quality

Save



Sale $209.95
*Add $10.00 Shipping.
List $499

- **High Speed 200 CPS Draft**
- **IBM® Compatible • Dot Matrix**
- **Near Letter Quality Printing**
- **Standard Pull Tractor & Automatic Single Sheet Loading**
- **Standard Parallel & Serial Interface Ports**
- **Ultra High Resolution Bit Image Graphics • Continous Underline**

300 CPS Printer

300 CPS Draft - 50 CPS NLQ

Comstar 1300 High Speed Printer
With Color Printing Capabilities



Sale $299.95
*Add $10.00 Shipping.
List $599

- **300 CPS Draft - 50 CPS NLQ**
- **Superb Near Letter Quality**
- **Variety Of Characters/Graphics**
- **IBM & Epson Modes • 10K Buffer**
- **Auto Paper Loading & Ejection**
- **Parallel & Serial Interface Ports**
- **Download Character Setting**
- **Front Panel Margin Setting**
- **Optional 7-Color Printing Kit...$99.95**

COMPUTER DIRECT (A Division of **PROTECTO**)
22292 N. Pepper Road, Barrington, IL. 60010
Call (312) 382-5050 To Order
We Love Our Customers!

* Illinois residents add 6½% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO & APO-FPO. Please call for charges outside continental U.S. or C.O.D. **MAIL ORDERS** enclose cashier check, money order or personal check. Allow 14 days delivery, 2 to 7 for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.)

VISA — MASTERCARD — C.O.D.

We Won't Be UNDERSOLD

* On items marked *"No One Sells This ----- For Less"*. Copy of valid ad required.

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

Complete Commodore 64c System

Sale



$395.95 System Includes:

- **Commodore 64c Computer**
- **Excelerator Plus Disk Drive**
- **Hi-Res 12" Monochrome Monitor** With Connection Cable
- **Big Blue 8½" Printer** With Interface And 2 Rolls Of Paper
- **Geos Program:** Word Processor And Drawing Program

Sale $395.95

(Add $30.00 shipping.*) List $1049

Complete Commodore 128D System

Sale



$549.95 System Includes:

- **Commodore 128D Computer** With Built-In Disk Drive, Detachable Keyboard & 128K Memory Expandable To 640K
- **Hi-Res 12" Monochrome Monitor** With Connection Cable
- **Big Blue 8½" Printer** With Interface And 2 Rolls Of Paper
- **C128D Programmer's Reference Guide**

Sale $549.95

(Add $30.00 shipping.*) List $825

Full Size Piano/Organ Musical Keyboard $49.95**

List $159

(Add $5.00 shipping.*)



SALE SALE

** Conductor Software Required

Keyboard — 40 Keys (A-C) guage spring loaded to give the feel and response of a professional polyphonic keyboard instrument. Plugs right into the joystick port of the Commodore 64 or 128. This sturdy instrument comes with carrying handle, protective key cover and built-in music stand. Size: 29" x 9½" x 4" Weight: 9 lbs.

Registers (with the Conductor Software) — Organ • Trumpet • Flute • Harpsicord • Violin • Cello • Bass • Banjo • Mandolin • Callipoe • Concertino • Bagpipe • Synthesizer 1 & 2 • Clavier 1 & 2 • Can be played over a 7 octave range • Programmable sounds

Recording (with the Conductor Software) — Three track sequencer plus over-dubbing with multiple instruments playing at the same time.

The Music Teacher

List $39.95 **Sale $24.95**

Teaches how to read music and play in rhythm on the keyboard. Features trumpet, organ, violin, synthesizer instrument sounds, built-in metronome, pause-play control and set-up menu for cusomizing. (Disk)

The Conductor Software

List $29.95 **Sale $19.95**

The Conductor Software teaches how a compostition is put together, note by note, instrument by instrument. You will learn to play 35 songs from Bach to Rock. Then you will be ready to compose your own songs! (Disk)

Teaches — Scales • Bass lines • Popular songs "Bolero" to "Thriller".

Features — Control with attack, delay, sustain and release times • Playback tracks while you record • Stores songs on disk • Much more

Requires — Above Keyboard • Commodore 64 or 128 with disk drive

The Printed Song

List $29.95 **Sale $19.95**

Print out your compostition for others to read or play. Requires The Conductor Program and printer compatible with the Commodore graphics mode such as most dot matrix printers with a graphics interface. (Disk)

Call (312) 382-5050 Mail

We Love Our Customers!

COMPUTER DIRECT
22292 N. Pepper Road
Barrington, IL. 60010

Reader Service No. 146


1st In Price, Support, & Warranty

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

Star Micronics LV-1215 Printer Sale

15" NLQ Printer Sale

Wide Carriage Business Printer For The Price Of a 10" Carriage Printer!



Price Break Thru

- 120 CPS Print Speed
- Near Letter Quality Print Mode
- IBM Graphics Printer Compatible
- 136 Column Wide Carriage
- Uses Inexpensive Spool Ribbons

No One Sells This Printer For Less!

Sale $199.95 List $499

SPECIFICATIONS

Printing Method
Impact Dot Matrix

Printing Speed
120 Characters per secon (at 10 CPI)

Print Buffer Size
816 Bytes

Paper Feed
10 Lines/second (at 1/5 inch line spacing);
Sprocket or Friction Feed

Character Sets
96 Std. ASCII; 96 NLQ ASCII
83 Special & 50 Block Graphic Characters

Character Matrix
9 x 9 Standard Character;
12 x 6 Block Graphics;
8 dot x 60 dot/in. : 8 dot x 120 dot/in. :
8 dot x 240 dot/in. Bit Image Modes.

Line Spacing
1/6, 1/8 inch or 7/72 inch standard;
n/72 or n/216 inch programmable

Characters Per Line
Pica — 136 CPL; Condensed — 233 CPL
Pica Expanded — 68 CPL;
Condensed Expanded — 116 CPL

Port
Centronics Parallel Port

Printing Width
Single Sheets — 5.5 inch to 14.5 inch;
Continuous Paper — 4 inch to 15.5 inch

Copies
Original Plus 2 Copies

Dimensions
H-5.80'' W-15.2'' D-12.4''

Replacement Ribbons
Black . . . . . Sale $4.95

Parallel Interfaces

IBM — $24.95 Apple — $44.95 Laser 128 — $19.95 Commodore — $29.95 Atari — $39.95

COMPUTER DIRECT (A Division of **PROTECTO**)
22292 N. Pepper Road, Barrington, IL. 60010
Call (312) 382-5050 To Order
We Love Our Customers!

* Illinois residents add 6½% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO & APO-FPO. Please call for charges outside continental U.S. or C.O.D. **MAIL ORDERS** enclose cashier check, money order or personal check. Allow 14 days delivery, 2 to 7 for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.)

VISA — MASTERCARD — C.O.D.

Reader Service No. 146


We Won't Be UNDERSOLD

* On items marked *"No One Sells This ----- For Less"*. Copy of valid ad required.

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

Computer Monitor Sale

12" Hi-Res Monochrome Monitor



Save

Sale $79.95

(Add $10.00 shipping.*) List $329

80 Column • 1000 Lines At Center • High Resolution • Non-glare Screen

13" Color Display Monitor



Sale

Sale $159.95

(Add $14.50 shipping.*) List $329

Anti-glare Screen • Volume Control • Built-in Audio Amplifier & Speaker

Remote Control TV Stereo Tuner



MTS Stereo Remote Control TV



Sale $99.95

(Add $3.00 shipping.*) List $200

Converts Any Monitor Or TV To True MTS Stereo Sound & Cable Ready Remote Control • 139 VHF/UHF Cable Channels • Sleep Switch • Dbx Noise Reduction • Plus More

Remote Control TV Tuner



Turn Monitor Into Remote Control TV



Sale $79.95

(Add $3.00 shipping.*) List $180

Convert Your Monitor Or Tv Into A Remote Control TV • Direct Access To 139 VHF/UHF/Cable Channels • Sleep Timer • Quartz Frequency Synthesized Tuner • Individual Antenna Connections • And More



Call

(312) 382-5050

We Love Our Customers!



Mail

COMPUTER DIRECT

22292 N. Pepper Road
Barrington, IL. 60010

Reader Service No. 146

1st In Price, Support, & Warranty

15 Day Free Trial • 90 Day Immediate Replacement Policy • Prices Expire 12-31-87

Students • Teachers • Business • Home Users

Daisy Wheel Printer/Typewriter

• Superb Computer Business Printer Combined With Deluxe Electronic Typewriter • Two Machines In One • Superb Letter Quality Correspondence • 12" Extra Large Carriage • Drop in Cassette Ribbon • Precision Daisy Wheel Printing • Key In Buffer • Centronics Parallel Port



Sale $159.95

(Add $12.00 shipping.*) List $299

Now you can have the advantages of a letter quality Daisy Wheel printer and the convenience of a typewriter for one low cost. Use your wordprocessor to type the letters, then with just a push of a button, your typewriter can type the envelopes. This is a fantastic Printer and a fantastic Typewriter. Every student and home business needs this machine. List $299.00 **Sale $159.95**

Printer:	
Paper width	12 inches
Printing width	10 inches
Cassette ribbons	Correctable film, one-time film, and fabric
Correcting tapes	Lift-off and cover-up
Line space lever	0,1,1-½,and 2
Keyboard selector	I and II
Print pitch	10,12, and 15

Keyboard:	
Keys/characters	44/96
Automatic carrier return	
Automatic correction	25 ch.
Automatic underline	
Relocate key	
Tabulation	
½ back space key	

Electronic Compact Printer/Typewriter

Now with "Spell Check"

Supreme Printer/Typewriter With All The Features Of The Above Model Plus More • 90,000 Word Dictionary • LED Readout Flags Mistakes Before They Reach Print • Free 4K Memory Card • Edit 2 To 4 Pages From Typewriter Memory • 1 Line/240 Character Automatic Correction • Centronics Parallel Port

Sale $249.95

(Add $12.00 shipping.*) List $399



Get the edge over classmates, colleagues and competitors with this fantastic printer/typewriter with **"Spell Checker"**. With over 90,000 words in its dictionary and the capacity to add 510 more of your choice, you may never misspell again. No more retyping, when an error is identified, three beeps sound. The LED readout has a one line buffer so mistakes are corrected before they reach print. This means you're virtually ensured of nothing less than perfectly typed letters and documents with no misspellings! Also, you receive a **free** 4K memory card with your purchase. The card equips the typewriter with 4,000 characters of storage which is equal to approximately 2 to 4 pages of typing. Edit right on your typewriter using your LED screen. A $45.00 list value for **FREE!** Fantastic! List $399.00 **Sale $249.95**

Manufacturer Warranty Honored by Protecto

Extra Replacements for both:

Ribbons ***$9.95***
Daisy Wheels ***$12.95***
Extra 4K Cards ***$29.95***
(for document memory storage)

COMPUTER DIRECT (A Division of **PROTECTO**)
22292 N. Pepper Road, Barrington, IL. 60010
Call (312) 382-5050 To Order
We Love Our Customers!

* Illinois residents add 6½% sales tax. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO & APO-FPO. Please call for charges outside continental U.S. or C.O.D. **MAIL ORDERS** enclose cashier check, money order or personal check. Allow 14 days delivery, 2 to 7 for phone orders and 1 day express mail. Prices and availability subject to change without notice. (Monitors only shipped in continental U.S.)

VISA — MASTERCARD — C.O.D.

S & S Wholesalers Sizzling Summer Sale

S & S Wholesalers, Inc.
226 Lincoln Road
Miami Beach, Florida 33139

TO ORDER CALL TOLL FREE
(800) 233-6345

These are Special Prices for AHOY Readers Only.
Please Specify When Calling.


C128 COMPUTER



189.00*

*With Purchase of 1571 Disk Drive
Freight Additional


64C COMPUTER



129.90*

*With Purchase of Specially Priced Software Package
Freight Additional


COMMODORE MP5803



109.90*

Freight Additional

12" Color Monitor



149.90*

*Freight Additional

MASTERTRONIC

Software Bonanza

BMX RACER
GOLDEN TALISMEN
5 A SIDE SOCCER
SLUGGER (BASEBALL)
SPEED KING
VIDEO POKER
ELEKTRAGLIDE
MASTER OF MAGIC
CHILLER
HOLY GRAIL

SKYJET
KICKSTART
BLACK CRYSTAL
ACTION BIKER
LAST V8
SPACE HUNTER
BROADSTREET
FINDERS KEEPERS
NINJA
INSTANT RECALL

4.99*

SPECIAL 20 TITLES FOR 79.90

ZORK II
ZORK III

6.77*

ZAXXON 6.77*

POPEYE 6.77*

WICO JOYSTICKS

BLACK MAX	8.90
BOSS	11.77
BAT HANDLE	14.77
3 WAY	19.77

SUPER SPECIAL
KRAFT ACE JOYSTICK

4.90*

FLIGHT SIMULATOR II

By SubLogic

29.90*

SCENERY DISKS AVAILABLE

GEOS 29.90*

*With the Purchase of any other Berkley Program

TIMEWORKS

PARTNER 128	34.90
SWIFTCALC 128	34.90
DATA MANAGER 128	34.90
WORD WRITER 128	34.90

NEWSROOM 29.90

COMMODORE PC-10

529.00

FREIGHT ADDITIONAL


OKIDATA COLOR PRINTER

99.90*

*With Purchase of Plug-N-Print

Reader Service No. 190

PHOTOS: MICHAEL R. DAVILA



After several grueling months in the jungle you finally reach your destination: the cliffs of Mount Gemstone. At the top of the mountain are large rubies and diamonds worth a fortune. Getting the precious stones will not be easy. Over the centuries deep crevices have formed in the mountain, making it extremely difficult to scale the cliffs. Crocodiles roam the flat areas, always in search of a meal. As if these weren't enough to worry about, strange winged creatures called Hooties hover around the mountain, ready to knock you off a ledge.

Cliffhanger is a game for the C-64 which pits your skills against those of a swarm of Hooties. Using a joystick in Port 2, it is your goal to reach the diamond at the peak of the mountain. You may move your man north, south, east, or west. Your first concern is to stay on the mountain. Falling off will cost you one of the four lives that you begin the game with. Running into one of the crocodiles will also cost you a life. If you reach the diamond you will receive the points remaining on the bonus clock which counts down from 500. If the clock reaches zero, you lose a life.

The mountain and crocodiles are dangerous, but the main threat to your mission is the Hooties. There are four of them flying around, the most dangerous of them being the light green Hootie. This creature has you homed in from the start and he moves at a different speed on each level, making him very unpredictable. All Hooties possess keen eyesight and all are capable of knocking you off a cliff with a flap of their wings.

Cliffhanger consists of three programs: the two short machine language programs, CLIFFHANGER.ML and CLIFFHANGER.SP, which must be typed in using *Flankspeed* (see page 89), and the main BASIC program, CLIFFHANGER.

CLIFFHANGER.ML and CLIFFHANGER.SP *must* be saved under those filenames. If you are using tape, change the device number in lines 902 and 904 of the BASIC program from 8 to 1, and save the programs in the following order on the cassette: CLIFFHANGER, CLIFFHANGER.ML, and CLIFFHANGER.SP. If you are using disk, be sure all three programs are on the same disk.



PHOTOS: MICHAEL R. DAVILA

To play the game, load and run "CLIFFHANGER",8 for disk or "CLIFFHANGER",1 for tape.

Cliffhanger features an animated title screen with fast-paced theme music, as well as a lot of sprite animation. The gameplay is fast, and I believe the Hooties will prove to be a worthy adversary. I hope you enjoy *Cliffhanger* and that you will return from Mount Gemstone with a wealth of precious gems. Good luck! □

SEE PROGRAM LISTING ON PAGE 99

COPY II® 64/128

NEW Version 3.1

BACKUP PROTECTED SOFTWARE FAST.

From the team who brought you Copy II for the Apple, the Macintosh and the IBM comes a revolutionary new copy program for the Commodore 64/128 computers.

- Copies many protected programs — automatically. (We update Copy II 64/128 regularly to handle new protections; you as a registered owner may update at any time for $15 plus $3 s/h.)
- Copies even protected disks in under 2 minutes (single drive).
- Copies even protected disks in under 1 minute (dual drive).
- Maximum of four disk swaps on a single drive.
- Includes fast loader, 12-second format.

Requires a Commodore 64 or 128 computer with one or two 1541 or 1571 drives.

Call 503/244-5782, M - F, 8 - 5, (West Coast time) with your VISA in hand. Or send a check for $39.95 U.S. plus $3 s/h, $8 overseas.

$39.95

Central Point Software, Inc.
9700 S.W. Capitol Hwy. #100
Portland, OR 97219

Central Point Software INCORPORATED

Call for a catalog of our full product line.

This product is provided for the purpose of enabling you to make archival copies only.

Reader Service No. 176

RUPERT REPORT



Artificial intelligence is a hot topic these days. How is information stored in the human brain? How is that information learned and how is it accessed? Can we develop computers that duplicate or at least simulate the capabilities of the brain? These concepts are in the realm of artificial intelligence, or AI as it is called.

The areas encompassed by AI are wide-ranging, from biology to mathematics, psychology to electronics. Among the most prominent implementations of AI are so-called "expert systems." These programs incorporate to various degrees the knowledge and reasoning abilities of experts in a given field such as auto mechanics or medicine. Expert systems are basically database programs with sophisticated logical inference capabilities.

Other studies of AI attempt to model the human brain at the biological level. Electronic engineers and biologists are working to duplicate the neuron structure of the brain. Individual neurons are the logic gates of the brain, analogous to the AND and OR gates of a digital computer.

Besides modeling single neurons, several companies are working to create useful networks of them. Man-made neural networks are currently implemented in software and in silicon. Experimental work is being done to produce biological neural networks. University research projects deal with the complex theoretical aspects of neural structures.

This month we will discuss a software model which shows some capabilities of learning. The critter we will create moves around rather haphazardly, receiving inputs and responding to them. Eventually, through trial and error with some feedback, the model acquires "knowledge." Our simulations will show that, in some sense, this model is more "intelligent" than its less gifted cousins who do not have the learning ability.

The model of artificial intelligence we will create is certainly artificial. Initial experimentation with it will probably raise concerns as to whether or not it is really intelligent, however. This learning model is meant to provide a starting point for exploring AI.

LEARNER

By Dale Rupert



HENRY BLAZER

A Model for Exploring Artificial Intelligence



Bring your Commodore® to life with a FREE modem and software!

Now you can plug your Commodore into an exclusive network that's useful, easy, fun and inexpensive. Join Q-Link now and we'll give you a free modem and software to get you started.

Enjoy **unlimited access** to a wide range of Q-Link "Basic" services for a set fee of only $9.95 a month. Get help from Commodore experts — use the Hotline to ask Commodore questions, or search the database of information from Commodore to answer your questions on the spot. Access Grolier's Academic American Encyclopedia™, the latest news and entertainment updates.

Special Q-Link "Plus" services let you expand your software library with **more than 10,000 public domain programs** — games, graphics, business and educational software and much more! Also, you can preview new copyrighted software before you buy. Get answers to your software questions from Berkeley Softworks, Electronic Arts and Activision, to name a few. Participate in full-color, multi-player games like Casino (includes Blackjack, Poker, Bingo and the Slots), Chess and Bridge. "Plus" services cost only an extra 8 cents per minute — **and your first hour of "Plus" service usage each month is free!**

Offer valid in the continental U.S. and Canada for new members only. Expires 6/30/88. Prices subject to change without notice. There is a communications surcharge for connection to Q-Link from Canada: 6 cents (U.S.) per minute from Montreal, Vancouver, Ottawa, Toronto, Quebec, Windsor, Kitchener and Calgary using the Tymnet network, and 15 cents (U.S.) per minute from over 85 other locations using the DATAPAC network.

Commodore is a registered trademark of Commodore Electronics, Ltd. Q-Link is a servicemark of Quantum Computer Services, Inc. Grolier's Academic American Encyclopedia is a trademark of Grolier Electronic Publishing.

With Q-Link, you can sharpen your computer skills... connect with people... discover new ways to get smart... save money every day... plus have a lot of fun!

No-risk guarantee. Try Q-Link without risk. If, at any time, for any reason, you are not completely satisfied, you may cancel your membership.

Order your Q-Link software and modem today by mailing this coupon to Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180 or for faster service call toll-free: **1-800-782-2278 Ext. 1205**

Q-LINK RESERVATION FORM

Choose one:

☐ **I need a modem.** Start my Q-Link membership by charging me now for my first 4 months at $39.80, and send me the FREE Q-Link software and a FREE Commodore 300 baud auto-dial modem (model 1660—retail value $69.95).

☐ **I already have a modem.** Send me my FREE Q-Link software and start my Q-Link membership by charging me now for my first month of membership at $9.95.

Full name _____

Address _____
(No P.O. Boxes)

City _____ State _____ Zip _____

Home phone _____

Choose your method of payment:

☐ Please charge my credit card. ☐ Check enclosed.
☐ Master Card ☐ Visa

Acct# _____ Exp. _____

Signature _____

Call toll-free 1-800-782-2278 Ext. 1205 or mail this coupon to:
Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180

Q-link℠
The Commodore® Connection.

Reader Service No. 156

INTRODUCING LEARNER

Our learning device is called Learner. It moves around on a grid of cells. Learner has five sensors. Each sensor sees the environment of an adjacent cell in one of the directions (up, right, down, and left) with respect to Learner. A fifth sensor monitors the cell that Learner currently occupies.

Picture the grid of cells and Learner's sensors as shown in Diagram A below. The cells are either background cells or target cells. Learner's basic goal is to learn to move around the grid only on the target cells.

It would not be difficult to program Learner to remain only on target cells. A simple algorithm would be:

1. Check each sensor 1 through 4.

2. a. If a sensor is on a target cell, then move to the cell in the direction of that sensor. Else,

b. If none of the sensors are on target cells, then move randomly to another cell.

3. Repeat from step 1.

This does not really sound like a very interesting program. We are interested in the much more intriguing concept of writing a program which allows the device to "learn" to follow the target cells. Certainly the program must contain some rules governing Learner's behavior. The point of this exercise is that Learner will not move according to some fixed algorithm. Learner will develop its own mechanism for moving.

LEARNER'S DETAILS

The software structure of Learner is shown in Diagram B on page 36. The Memory Matrix is a box of numbers. The values of the sensor inputs are multiplied by those numbers and groups of those results are added together. These sums determine "weighting factors" for the four possible moves. The move with the greatest "weight" is the one Learner chooses.

Initially all moves will be equally likely. In that case, Learner picks a move (up, down, left, or right) at random. If that move lands Learner on a target cell, it is considered to be a "winning" move. The values of the sensors before the move are added to the column of the memory matrix corresponding to that move. In this way, that particular move will be more likely the next time Learner's sensors see the same surroundings.

If the move puts Learner on a non-target cell, either a background cell or a border cell, that move is called a "losing" move. The sensor values are subtracted from that move's column of numbers in the memory matrix. This should reduce the probability of Learner's making the same dumb move the next time its sensors see that particular pattern of cells.

The actual mathematics of determining the probabilities for each move are as follows. The Sensor array contains five values. Each column of the Memory Matrix contains five values. Take the first column of the Memory Matrix. The first Sensor value is multiplied by the first element of that column. The second through fifth Sensor values are each multiplied by the corresponding element in that column of the Memory Matrix. Finally the sum of those five products is put into the first element of the Move array.

This process is repeated for the other three columns of the Memory Matrix. The Move array then contains four elements. Each element is the sum of the products (called the sum-product) of the Sensor array times the corresponding column of the Memory Matrix.

A simplification of the process should clarify it. Consider a three-element Sensor array and a two column by three row Memory Matrix:

```
Sensor    Memory Matrix

  2          5     2

  3          4     5

  1          6     7

             M1    M2    Move Array
```

The two elements of the Move Array are calculated like this:

```
M1 = (2 * 5) + (3 * 4) + (1 * 6) = 28

M2 = (2 * 2) + (3 * 5) + (1 * 7) = 26
```

The first sensor sees a cell value of 2. The second and third sensors see cell values of 3 and 1 respectively. In this simplification, there are two possible moves, M1 or M2, say




DIAGRAM A

to the left or to the right. From these results in the Move Array, Learner's next move would be to the left since M1 is the larger of the two values.

In case of equal values in the Move Array, Learner flips a coin and randomly chooses from all moves with values equal to the maximum.

Assume that the move to the left was a winning move. In that case, the values in the Sensor array are added to the corresponding elements in the first column of the Memory Matrix. As the result, the Memory Matrix now looks like this:

```
7    2

7    5

7    7
```

The first column will generate an even larger sum-product the next time that particular arrangement of sensor inputs is observed.

What if that move to the left were a losing move instead? In that case, the Sensor values are subtracted from the elements of the first Memory Matrix column. The Memory Matrix now looks like this:

```
3    2

1    5

5    7
```

You may work through the mathematics to see that, with this Memory Matrix, Learner will not move to the left the next time the Sensor inputs are 2, 3, 1:

```
M1 = 2*3 + 3*1 + 1*5 = 17

M2 = 2*2 + 3*5 + 1*7 = 26
```

Because the weight of the losing move was diminished, Learner has now "learned" not to make that move under the given circumstances.




DIAGRAM B

The mathematical details of this model are much simpler than those being used today to represent actual neural networks and associative memories. This model at least gives a general feeling for the types of structures actually used. The simplicity of the mathematics makes the workings of our model more intuitive. The simple example above has just shown why this model ought to be successful, at least in some cases. It is left up to you to explore its range of capabilities and limitations.

LEARNER'S IMPLEMENTATION

The program to create the learning model just discussed is fairly lengthy; however, none of it is particularly complicated. Refer to *Learner* on page 92 for the following discussion.

The program is written in modular form, both for ease of writing and debugging, and for your ease of modifying. The arrays are dimensioned in line 10. The Sensor array SENS contains five elements. The Memory Matrix MEM is a four by five array. The four elements of the Move array are contained in PROD. The grid on which Learner moves is represented by the SCRN array.

The grid can be as large as 20 by 20 cells with a one-cell border for a 40-column display. A 10 by 10 grid is plenty large and is used in this listing. The size of the square grid is given by SZ in line 540. The values in the SCRN array are given by TG, BG, and BD, the target, background, and border values specified in line 600. These are the values seen by sensors and stored in SENS.

As written, the target cells have a value of 1. The background cells have a value of 0, and the border cells have a value of 2. The sensors will see only 0's, 1's, or 2's. You will want to experiment with different values (weights) for the various cells. Moving to a large target ("winning") cell value produces a large reward; landing on a large border ("losing") cell value will result in a large punishment.

The loop at line 550 creates the "tabula rasa" (clean slate) of the Memory Matrix. You may want to simulate some genetic influences by stuffing values other than 1 into some of the cells. In that way, Learner can be made inherently smarter or dumber than the pure soul who enters the world without any natural instincts.

Lines 580 and 590 get the screen characters to be displayed for the grid. Grid cells with a value of 0 are displayed as periods. The target grid cells having a value of 1 are displayed as "0's". The border cells are not displayed unless Learner lands on them, in which case they are "#". The background cells are defined at line 610. The border cells are given at line 660.

The X,Y values of the target cells are given in the DATA statements starting at line 650. The cells are numbered (1,1) in the upper left corner down to (10,10) in the lower right corner. The cell (3,4) is three units to the right and four units down from the upper left corner. You may change the shape of the target path by giving other pairs of coordinates. The last pair of coordinates in the list must be 0,0.

After the initialization, the grid and help menu are displayed on the screen beginning at line 800. Line 840 prints the proper screen character for each of the 10 by 10 cells. Notice that SCRN(X,Y) is either 0, 1, or 2, corresponding to either background, target, or border cells at coordinates X,Y. SC$(SCRN(X,Y)) is thereby either "." or "0" or "#" respectively.


The program then enters the main operating loop starting at line 80. Flags LOSE and WIN are reset. Each pass through the main loop will determine if Learner moved to a winning cell or a losing one. The main loop consists of the sequence of subroutine calls beginning at line 90.

The first subroutine at line 1000 reads the values of the cells on all sides of Learner as well as under it. These are the screen values 0, 1, or 2 (background, target, or border) which are stored in SENS.

The GET MOVE routine at line 1100 performs the mathematics to calculate the four sum-products which will be stored in the PROD array. The routine at line 1200 searches through the four values to find the largest. The loop at line 1240 determines which elements of PROD are equal to the largest element in PROD.

CDA COMES TO EARTH

Now you can have the same quality software that for millennia has been available throughout the universe. With titles like THE GRAPHICS TRANSFORMER, MOVING PICTURES, QUACKDAS and LEXCHECK, that have been number one sellers for centuries in other galaxies, you are guaranteed quality software without the hassle of using products that have not been tried by at least two other species. Of course with our 1987 line including NEOFONT, 1541 AUNTIE BUMP BOARD, THE MANDELBROT POSTER, and ENTROPY, we are destined to supersede the monotony of generic software . . . again. So take a look and enjoy the fabled CDA line of software, where we bring quality software to your planet.




THE GRAPHICS TRANSFORMER – $34.95
(C-64/C-128)
★ ★ ★ ★ ★ (Megagalactic Software Weekly)
". . . THE GRAPHICS TRANSFORMER is the greatest graphics utility since the release of OMNI-PAINT. It allows you to quickly and easily convert between ALL of the popular drawing programs (over 25 supported), and does other neato things as well. I highly recommend it to all software consumers . . ."



LEXCHECK – $29.95
(Amiga)
$ $ $ $ $ (Business Software & Galaxian Report)
". . . [LexCheck] will help you do [everything] that you need to do with your [word-processing] programs. It will [rapidly spellcheck] all of your documents [with its 100,000 word dictionary]. I would [buy two of them] if I were you . . ."



MOVING PICTURES – $29.95
(C-64/C-128)
★ ★ ★ ★ ★ (Transmission — The Intelligence Journal)
". . . Chris Zamara & Nick Sullivan (of Transactor Magazine, Earth) did it again with the most comprehensive animation program yet available for any silicon based unit. Unfortunately, you don't have to be intelligent to use it. . ."



QUACKDAS – $39.95
(C-64/C-128 mode/1541/1571 mode)
★ ★ ★ ★ ★ (Operating Systems & Intergalactic Insight)
". . . finally a cartridge that speeds up SAVE's as well as LOAD's (fast format, included FREE!). QUACKDAS comes complete and ready to use with its blinding speed, built in DOS wedge, sector editor, and a token disk copier! Definitely something to write home about. . ."




NEOFONT – $29.95
(C-64/C-128/GEOS compatible)
+ = – + ! ! (Crabnebula Computer Art & Design)
". . . NEOFONT is the most artistic and whil designed collection of fonts for the GEOS operating system. It contains over 23 different fonts, that are simply sublime. Do yourself a favor, and appreciate some REAL art . . ."



1541 AUNTIE BUMP BOARD – $49.95
(C1541 compatible)
★ ★ ★ ★ ★ (Buyit Magazine)
". . . it's surprising that the generic mortal species hadn't come up with a device to ELIMINATE the damaging knock on the 1541 disk drive before now. After looking at the circuit board, I've come to the conclusion that they did it almost as good as the Vorkons could've . . ."



ENTROPY – $29.95
(Amiga/C-64/C-128 compatible)
? ? ? ? ? ? ? (The Hitchhiker's Guide to Galaxian Software)
". . . an interesting implementation of an adventure game. It's hard to believe that so many abstract perversions can be contained in one place. ENTROPY is destined to become another milestone in the realm of interactive fiction. . ."




THE MANDELBROT POSTER – $9.95
(compatible)
★ ★ ★ ★ ★ (Fractagalactic & Surfer Weekly)
". . . what can you say about a software company that markets posters. The fabled Mandelbrot Set is now captured on paper (where available — some restrictions might apply), using the highest resolution ever experienced to date . . ."

CDA

P.O. Box 1052, Yreka, CA 96097
(916) 842-3431


Please include $3.00 s/h
California residents add 6% sales tax

Dealers Inquiries Invited



Reader Service No. 171

ECHELON™




ACTUAL AMIGA GRAPHICS

3-D SPACE FLIGHT SIMULATOR

ECHELON . . . A top secret military facility where a few highly skilled pilots will be trained to operate the 21st Century's most awesome combat and exploration vehicle, the Lockheed C-104 Tomahawk. The C-104 spacecraft has the latest in advanced instrumentation, weaponry, and control systems.

ACTUAL C-64 SCREENS





Available Now For C-64/128.

Enhanced versions coming soon for APPLE, IBM, AMIGA, ATARI ST, and COMMODORE 128.






ITS IMPRESSIVE ATTRIBUTES INCLUDE

- 4 Different "State-of-the-Art" Weapons Systems
- Bi-Directional Transporter Unit
- Unmanned RPV (Remote Piloted Vehicle) Control
- Anti-Gravity Braking and Hovering
- Forward and Reverse Thrusters
- Twin 3-D Screens
- Real-Time Infrared Vector Graphics
- Non Real-Time Computer Enhanced Graphics
- Computer Assisted Control Systems
- Computer Information Data Link
- On Board Sub-Atomic Analyzer/Decoder
- Voice Activated Control Button

ACCESS™
Software Incorporated

Reader Service No. 163

ECHELON is a true 3-D space flight simulator that puts you at the controls of the C-104 Tomahawk and in the heart of the action. You'll experience the excitement and thrill of real spaceflight through superb three dimensional graphics. But, before you go exploring on your own, it would be wise to go through the carefully designed training simulators. These rigorous courses will develop your skills in manuevering the spacecraft, accurate selection and use of weapons, control of RPV's, object retrieval and refuel and docking procedures. Developing these skills are essential to your survival when encountering hostile enemy spacecraft or exploring unknown terrain. **ECHELON** is available now and offers you the Simulation Adventure of a Lifetime for only $44.95.





If you can't find our products at your local dealer, you can order direct. For mail orders, enclose check or money order, plus $1.00 shipping and handling, and specify machine version desired. Order by phone on VISA, MasterCard or C.O.D. by calling TOLL FREE (800) 824-2549.
ACCESS SOFTWARE, INC. 2561 So. 1560 W. Woods Cross, UT 84087

TMP stores the subscripts of all elements equal to the maximum value. For example, if the first, third, and fourth columns had equal sum-products, then TMP(1) is 1, TMP(2) is 3, and TMP(3) is 4. This indicates that moves in directions 1, 3, and 4 are equally valid candidates from which to choose. Line 1280 randomly picks one of those moves and assigns that value to MOVE. Moves are numbered 1 through 4 as follows:

```
Moves:          1

          4             2

                3
```

Line 1300 adds an option for your experimentation. It provides the capability of occasionally picking a purely random move. The frequency of this might correspond to Learner's level of absent-mindedness or sense of adventure or whatever. As written, the random move will never be chosen since RND(0)*10 is never greater than 10. If you want Learner to move at random 30 percent of the time, change > 10 to > 7. Now the conditional statement is true roughly 3 out of 10 times.

The SHOW MEMORY subroutine at line 1900 displays the values of the SENS, MEM, and PROD arrays. It also identifies Learner's next move, based upon the elements in PROD.

There are three keyboard options monitored by the KEYBOARD routine at line 200. You may press S to begin single-step operation. Each time S is pressed, the program executes the Main Loop once, then waits for another keystroke. Pressing any key other than S returns the program to normal operation.

You may terminate normal operation by pressing the X (exit) key. This positions the cursor at the bottom of the screen and provides a cleaner exit than pressing the RUN STOP key.

The third option is to press any key besides S or X. This causes Learner to make a random move. This is a handy feature for extricating Learner from some of the repetitive sequences that it is fond of discovering. The optional random move instruction in line 1300 discussed earlier is also useful in this respect.

The MAKE MOVE routine saves the previous grid value in PREV and the coordinates in X0 and Y0. Then it calculates the new values of screen coordinates XP and YP based upon the value of MOVE selected earlier.

The INTERPRET MOVE routine at line 1500 is the place to begin your own experiments. This routine establishes the rules by which each move is judged to be a winner or a loser. As written, any move onto a target cell is considered a winner, and WIN is set to TRUE. Any move to either a background or border cell is a loser, and LOSE is set to TRUE.

You may want to treat moves to normal background cells as neutral while still penalizing moves off the grid onto the border. Replace line 1530 with this:

```
1530 IF SCRN=BD THEN LOSE=TRUE
```

That way neither WIN nor LOSE is TRUE if Learner moves to a background cell.

You might investigate the effects of sequential rules like:

```
IF PREV=BG AND SCRN=BG THEN LOSE=TRUE
```

which defines two consecutive moves without landing on a target cell as a loser.

You must always define a move onto a border cell as a loser or else Learner will wander off the screen. The computer will display error messages when it tries to plot Learner's position outside of the normal screen.

The UPDATE SCREEN routine at line 1600 restores the screen character at Learner's previous location. It draws Learner as an "X" at its new position if the current move was not a loser. If the move was a loser, the random position subroutine at line 340 is called to relocate Learner. That way when Learner moves onto a border, it gets moved back onto a proper screen grid.

If the current move is a winner, an asterisk is displayed. This makes it easier to track Learner's progress. Finally the move status and move statistics are displayed (along with a sonic fanfare on the C-128) in lines 1710 through 1740.

TEACHING LEARNER

The final subroutine is the LEARN procedure at line 1800. This is where the program decides the rewards and punishments for Learner's moves. If you remove the leading REM statement in line 1810, this subroutine is bypassed along with Learner's brain. Learner's moves will all be randomly chosen if this routine is skipped. Considering that there are 22 target cells and 118 border and background cells, the wins-to-losses ratio should be roughly 1 to 5 for purely random moves.

Any ratio significantly greater than 1 to 5 after many moves indicates that Learner has in fact learned. The LEARN routine modifies the values in MEM whenever a winning or losing move has been made. A loser causes the sensor values to be subtracted from the Memory Matrix, and a winner causes those values to be added. The value of K is −1 or 1 accordingly.

GET WITH THE PROGRAM(S)!

We're constantly looking for the best magazine-length game, utility, and productivity software being written for the Commodore today. If you think you can do as well as or better than the programmers whose work appears in these pages, send us your best efforts on disk, accompanied by a printout, documentation, and a self-addressed envelope with sufficient return postage affixed. Address your program to:

Ahoy! Program Submission Department
Ion International Inc.
45 West 34th Street—Suite 500
New York, New York 10001

Please allow at least 2 weeks for a reply.

Again you can experiment with the effects of punishment only, reward only, or various degrees of reward and punishment. Set K to 0 if LOSE is TRUE in order to eliminate punishment for bad moves. Change K to decimal values less than one to "fine tune" the feedback system. Increase K beyond 1 to provide greater rewards. See how these changes affect the WIN/LOSE ratio.

You may want to limit the range of MEM values. Modify the LEARN routine to set any values greater than 10 or less than −10 to 10 and −10 respectively.

It would be possible to modify the program to analyze each move more fully. You could have the program, for instance, not only punish a wrong move, but also reward the move that should have been made.

This is not a trivial program to understand. You will find the single-step option useful after you have a general feeling for what the program is doing. The memory values and next move indicate Learner's internal state before the move is actually made on the display. That way you can see the grid values and the sum-products to know just how the move was determined.

The random move to a new cell is not considered as a winner or loser, but Learner's next move is made very quickly from the random position, and that move is evaluated.

C-64 users must slightly modify the program. The instructions begin in line 2500. The C-128's CHAR 1,X,Y command positions the cursor at line X, column Y. The C-64 implementation of this instruction is called as a subroutine at line 2700. For example, line 270 for the C-128:

```
270 CHAR 1,1,22
```

should be replaced by:

```
270 XX=1 : YY=22 : GOSUB 2700
```

A line containing a variable such as 1980:

```
1980 :CHAR 1,24,Y
```

will be:

```
1980 :XX=24 : YY=Y : GOSUB 2700
```

XX and YY must be used for the C-64.


Also, C-64 users must create their own sound routines for lines 1710 and 1720. The SOUND statements generate 10-jiffy tones of 200 Hertz and 2000 Hertz for losers and winners respectively.

The blanking character BL$ defined in line 520 for the C-64 is not as effective as the "clear to end of line" character defined for the C-128 in line 530. C-128 users must have their disk drive turned on or line 530 will cause the computer to sit and wait until it is turned on.

Using and modifying this program should be an enjoyable intellectual challenge. (That's how you learn, isn't it?) Among its more frustrating characteristics is its speed. You can slow it down with the single step S key, but speeding it up is not that easy.

You could certainly compress the program, removing

Continued on page 106



Deep in space, near a popular galactic crossroads, is a fueling station for spaceships. You're the operator, and your job is to manipulate incoming craft into the station, using the magnetic fields provided by four grapples.

One day, however, you find that your equipment has malfunctioned badly. The magnetic grapples are pushing spaceships in and out of the fueling station and they can't be stopped. In fact, the only control you have over the spaceships is the ability to reverse the direction of their travel. Can you simultaneously fill all four berths of the fueling station—and thus initiate the automatic fueling process—before your equipment runs out of power? Fast reflexes and fast thinking aren't the only qualities needed; you must be able to think strategically in order to position the ships in such a way that they will all occupy the station at the same time.


Fueling Station is a program for the C-64. You operate the program entirely from the keyboard, so no joystick is needed. You must guide four ships at a time into the fueling station. You reverse the direction of a ship by pressing one of four keys. The left-arrow key (the leftmost key on the top row) controls the leftmost spaceship on the screen. The 1 key controls the ship just to the right of the first. HOME controls the ship to the right of the second. And DEL controls the fourth and final spaceship. Only one key at a time is active.

You start out on level 1 with 150 units of energy. If you manage to guide all four ships into the fueling station at the same time before your energy is depleted, you move to the next level. Each succeeding level puts you in control of a smaller fueling station than the last, which makes it harder to guide all four ships into it simultaneously. There are four levels altogether.

Note that there are two ways to get all the ships into the station at the same time. You can depend on quick thinking and reflexes—this is most effective at levels 1 and 2. However, at level 3 and especially level 4, fast reflexes alone probably won't be enough. You'll need to think about positioning the ships in the most advantageous way.

Flankspeed (see page 89) is required to type in *Fueling Station*. To load the program, type LOAD "FILENAME",8,1 if you're loading from disk or LOAD "FILENAME",1,1 if you're loading from tape. Then type SYS 49152 to start the program. □ ***SEE PROGRAM LISTING ON PAGE 103***

Turn Your Computer Into A Video Studio!!



Bring any video performance to life with **VIDEO TITLE SHOP**™. This exceptional application lets you combine a computer and VCR to create title animations and graphics effects never before available in such an inexpensive, easy-to-use program.

Whenever a presentation needs pizzaz, **VIDEO TITLE SHOP** makes it shine! It spices up any video production—from multi-media shows to educational and training seminars to product exhibitions. And of course, **VIDEO TITLE SHOP** turns home movies into hot-popcorn crowd-pleasers!



Superimpose text over artwork.



Add waves of colorful graphics by using **MICROPAINTER™ PLUS.**



Produce special effects like wipes, scrolls, fizzles, fades, and more!



Design borders and choose from an array of font styles and sizes.

VERSATILE . . . AND REFRESHINGLY EASY TO USE

- **Use the enhanced design and editing options**
- **Create on the entire screen (no menu clutter)**
- **Import graphics for use as title backgrounds**
- **Control when and where art pens and colors are used**
- **Chain screens together, a different effect on each, to design full-length Title Sequences**
- **Learn from the Introductory Demonstration (major features are shown on-screen).**

Available for Atari® XE/XL, Commodore 64™/128™ and Apple®II Series computers.
Visit your retailer or call 800-245-4525
(in California call 800-562-1112) for ordering information.

Video Title Shop and Micropainter are trademarks of IntelliCreations, Inc.
Datasoft is a registered trademark of IntelliCreations, Inc.
©1987 IntelliCreations, Inc.
Atari is a registered trademark of Atari Computers, Inc.
Apple is a registered trademark of Apple Computer, Inc.
Commodore 64 and 128 are trademarks of Commodore Business Machines, Inc.

Datasoft®

We challenge you

19808 Nordhoff Place
Chatsworth, California 91311, (818) 886-5922

Reader Service No. 207

Featured This Month:

California Games 42
Sanxion 42
RabbitJack's Casino.....44
NBA 46

CALIFORNIA GAMES

Epyx
Commodore 64
Disk; $29.95

So, like, let the games begin, you know.

The latest entry in the fabled Epyx "Games" series, which already includes *Summer Games I, Summer Games II, Winter Games,* and *World Games,* provides the perfect counterpoint to the hard-charging, ultra-competitive milieu of the earlier contests. *California Games* lets users lay back and catch some rays while they compete in six appropriately mellow events: Half Pipe Skateboard, Foot Bag, Surfing, Skating, BMX Bike Racing, and Flying Disk.


As with previous titles in this action-strategy sports series, each event has its own theme music. The rock classic "Louie, Louie" is the overall theme song.

The graphics are also super. They capture both the intensity and superficial flakiness of the events. Lots of great little touches, like the shark that turns up after a surfing misadventure, keep the tone of the game suitably airy.

The surprising thing about *California Games* is that the best events are the ones which sound goofy, like Foot Bag (similar to "Hacky Sack") and Flying Disk (known as "Frisbee Toss" in the real world). On the other hand, the supposedly surefire contests like BMX Bike Racing and Roller Skating are mild disappointments. The simulations of these high-speed events do not communicate the thrills and sense of movement which characterize them in real life.

The two most challenging games are Surfing and Half Pipe Skateboard. The visuals on the Surfing event are spectacular, a real achievement. The user steers his surrogate surfer up and down along the inside of the "tube," foam flecking the crest of the swelling tide. The breaker advances steadily, left to right, its hungry jaws looking to swallow any hodad foolish enough to enter its path.

Half Pipe Skateboard is the "expert" game of the package. The contest takes place inside a U-shaped ramp, shown on the screen in side perspective. The skateboarder rocks from side to side to build up speed. Once in the air, the player can perform aerial turns, do hand plants at the upper ends of the ramp, and execute kick turns along the sides.



Skateboard, surf, bike, and the like.
READER SERVICE NO. 151



As you surf, the hungry breaker advances steadily from left to right.

California Games is a worthy, if somewhat offbeat, addition to the strongest action-strategy series in the history of computer entertainment. Having run out of "official" sports competitions on which to base its games, Epyx has shown great ingenuity by turning these popular pastimes into a solid leisure program.

Epyx, P.O. Box 8020, Redwood City, CA 94063 (phone: 415-366-0606).

—Bill Kunkel

SANXION

Electronic Arts
Commodore 64
Disk; $19.95


Sanxion, by the team of Stavros Fasoulas and Thalamus Ltd., is another British import which boasts plenty of action and graphics but no imagination.

"You are the lone defender of a world under siege. Hordes of alien warships rain down on the cities." Sound familiar? Believe me, so is this game. The lower two-thirds of the screen presents a *slightly* modified side perspective with left to right scrolling. The gamer can move the fighter up or down and change speed. The top third of the screen is an "early warning" display. Alas, objects appear on the overhead screen nanoseconds earlier than they do on the primary screen. It is as though the designer, intent on doing an update of the classic *Defender,* included a secondary screen because the earlier game had one!

As is the case with all too many British games, the documentation is almost non-existent. It is a flimsy little sheet that doesn't explain much of anything. The rules imply that perhaps the player should collide with some of the enemy drones, pick up certain types, and shoot others.

When the player reaches one of the ReGen stations, the program emits an onscreen training course which classifies each type of target drone. This introduces an interesting concept: The user must reach a certain level of proficiency before he may learn the rules of the game.

The visuals are decent, but nothing special. There are cityscapes and desert scenes. If the player works through all ten racks (called "World Sectors"), he is promoted to Sanxion Class 1 and is sent off to patrol the Darkside.



Sanxion: ***another British*** **Defender.**
READER SERVICE NO. 152

Take command of your computer system

Consolidate your 64, 64C or 128 system with the Command Center:



Just look at all it includes:

- **Built-in AC Power Strip** with power surge and voltage spike protection, line noise filtering and power outlets.
- **Built-in Drive/CPU Cooling Fan** to prevent overheating.
- **Modular Telephone Plug** with its own on-line/off-line telecommunications switch. (Optional on 64 and 64C).
- **Master AC Switch** for easy system power up.
- **Single or Dual Drive Configurations** with the standard drive insert.



☐ 64..... $119.95

☐ 128.....$149.95

☐ 64C..... $129.95



COMMAND CENTER ACCESSORIES

(Specify 128, 64, or 64C when ordering)

Dust Cover $19.95 — covers entire system

Keyboard Cover $19.95 — smoked acrylic

Drive Reset $14.95 — one switch per drive

Short Serial Cable $9.95 — for chaining drives

Modem Switch $9.95 — 64/64C option

Tilt/Swivel Monitor Stand $14.95 — see below

Cartridge Port Extension Board — $24.95

The Command Center will untangle your system.

(Call for details)

"Sound Trap" acoustic enclosure

NEW

We offer the **total solution** to complete your "office at home" for the **special introductory price of only** **$99.95**




- Fits all popular 80 column printers, 132 column also available
- Sturdy wood construction
- Sound absorbing foam lining reduces printer noise up to 90%
- Tilted for easy printer viewing
- Attractive woodgrain finish compliments any surroundings
- Clear acrylic lid keeps sound in and dust out

Dimensions:
Inside 20½"W x 16"D x 8¼"H
Outside 22½"W x 18"D x 15½"H

- Unique slide-out shelf catches printout, eliminating the need for a costly catch-basket

Compare to other enclosures of similar quality and dimensions costing at least $139.95! That doesn't include "extras" like a catch-basket and a stand to raise the enclosure which are already incorporated into our design!



Unique design allows for many space-saving paper management configurations.



Cramped for extra space? Our optional cart is specially designed for use with the "Sound Trap". It has the same quality wood construction and casters for mobility. **$149.95**

Shipping/Handling:
Sound Trap $12.00
Cart $19.00

Cart Dimensions: 24¼"W x 18"D x 25"H

The "Sound Trap" is available with an optional fan to dissipate heat build-up. Integrated AC outlet and master power switch activates both printer and fan. **$49.95**


Data Director



$39.95

- Eliminates cable swapping.
- Saves wear on disk drive serial ports.
- Share two Commodore® 6-pin serial devices with one computer.
- Works with Commodore® compatible disk drives, printers, and all interfaces.
- LED indicates which device is in use.
- Convenient button resets device.

Remote Power Controller



$129.95

Compare to others costing $199.95!

- 6-foot power cord
- Panel mounted fuse

Controller: 3¼" x 5¼" x 1¼"
Base Unit: 5¼" x 5¼" x 2¼"

- Convenient push-button switches with power indicators for separate control of up to 5 devices
- For computers, monitors, printers, disk drives, etc.
- Five 120 V outlets provide 3-way protection against surges and spikes
- High-impact plastic base unit and controller are colored to compliment any system and are separated by a 6-foot cable for ease of placement
- Base unit mounts behind/under desk to keep your work area clear of unsightly cables
- In/out telephone jacks protect valuable communications equipment against phone line surges

Shipping and Handling

Continental U.S.
$ 4.50 for each Command Center
$ 2.00 for one accessory item
$ 3.00 for two or more accessories

APO/FPO/Canada/Puerto Rico/ Hawaii/Alaska
$13.00 for each Command Center
$ 4.00 for one accessory item
$ 6.00 for two or more accessories

® Commodore is a registered trademark of Commodore Electronics, Ltd.

KETEK
P.O. Box 203
Oakdale, IA 52319

$2.00 charge for C.O.D. orders
Iowa residents add 4% sales tax

Free 30-day trial offer and one-year warranty.

For faster service, call 1-800-626-4582 toll-free
1-319-338-7123 (Iowa Residents)

MasterCard VISA

DEALER INQUIRIES INVITED

Name

Address

City State Zip

Phone Number

Reader Service No. 192

There's nothing wrong with a good shoot-em-up, but *Sanxion* just doesn't cut it. The game is *very* hard, but without the visceral payoff one expects in such contests. The onscreen objects are too large and they move much too quickly, robbing the game of any strategic possibilities.

Sanxion is a mediocre product with some superficial glitz but nothing underneath. *Defender* is *still* a better game.

Electronic Arts, 1820 Gateway Dr., San Mateo, CA 94404 (phone: 415-571-7171). *—Bill Kunkel*



RabbitJack's *slots: not the best bet.*
READER SERVICE NO. 153



RabbitJack doles out lettuce and online assistance in the Casino Lounge.

RABBITJACK'S CASINO

QuantumLink
Commodore 64
Disk; $7.50 to Quantum Members, $14.95 with Quantum Membership Kit

Everyone has a poker face in *RabbitJack's Casino.* You can't get a hint of the cards in your opponent's hand from his or her expression. That's because the competitors in this online casino are not sitting face to face in a smoky room. Instead, they're connected through modem, telephone, and QuantumLink's telecommunication service.

RabbitJack's Casino Games lets Q-Linkers compete head-to-head with Vegas-style games. Five-Card Stud Poker, Blackjack, Slot Machines, and Bingo pit computerists against one another and against the house odds. In some ways, this casino has it all up on its Vegas and Atlantic City counterparts. RabbitJack first provides players with the points to wager; that's something Jimmy the Greek will never do for you! It's also a whole lot less painful to lose in *RabbitJack's Casino.* Even if your luck goes bad and you lose all your points, this happy hopper will give you a new stake to start again the next day!

QuantumLink members sign onto the telecommunications network in the normal way, go into People Connection (the section of QuantumLink for conversing with other Linkers), select Game Play from the menu of activities, and insert the Games Disk. When the computerist selects *RabbitJack's Casino Games* from the menu, the Linker is ushered into the Casino Lounge.

The bunny himself is on hand in the Lounge to get the gamer started. Here the gambler checks high scores for each contest, including a Hall of Fame vanity board, chats with anyone else in the Lounge at the time, or searches out the location of other Linkers. While in the Lounge, the gamer can send online messages and electronic mail to other Linkers. A player piano in the Lounge provides rousing ragtime to add a little audio excitement.

Coin is easy to come by in this electronic gambling den. Visitors receive a daily ration of 250 points, added to their account the first time they enter the Lounge each day. Players also gain (or lose) points gambling. Indigent Linkers can even cozen other gamers to transfer points to their account, so opportunities for interaction between point-greedy gamblers can be lively.

To move from the Lounge into the game rooms, the gamer manipulates RabbitJack with the F3 key, hopping him on one of four bar stools labeled Bingo, BlackJack, Poker, or Slots.

In each game, either the player chooses the specific table he wants to join (in order to play with a group of friends, for example) or the computer will randomly assign the Linker to a table.

The star game of the Casino is undoubtedly Five-Card Stud Poker, where up to five humans compete against one another. Each is dealt a hole card, then four cards face up, one at a time. A bet-placing period follows each card dealt. Players can bet, call, raise, check, or fold. All players' face-up cards are visible, but each hole card is only seen by its owner.

Across the bottom of the screen is a chat window which is visible during gameplay for all four entertainments. Here the players type their remarks to one another. As in real life gambling, some players are tight-lipped, with little to say that might reveal their betting strategies, but most Linkers love to chatter with each other while they play. Bluffing is definitely part of the contest. And the competition can get keen in a group of avid card sharks, as they goad each other throughout the game.

Blackjack is played just like casino-style 21, by up to five Linkers. Hole cards are hidden from view, but other cards are visible to all players at the gaming table. The computer dealer must take a hit if his first two cards total 16 or less, and will stand on a total of 17 or more. The hand with the highest point total up to 21 wins. If the card total is equal to the dealer's, the player keeps the chips that were wagered; Blackjack doubles the chips that were bet. Gamers also have the option to Double Down if they only have two cards and own enough chips to double the bet.

Bingo online is remarkably similar to the game played in church basements or children's birthday parties. The gamer chooses a bingo card, then marks the numbers as they're called by the compu-dealer. Five in a row wins the game and all the money currently in the pot. Simultaneous winners split the pot. The gamer's card and a board of all numbers called so far dominate the screen, and other players' cards are, of course, not visible.

RabbitJack's Slot Machines are the only real disappointments in the Casino. An onscreen slot machine fills the screen, and the gamer chooses which rows, one, two, or three, to play. The reels spin with a press of F4, and the winning combinations and payouts are displayed to the right of the machine.

VSI BANK CARDS SAME AS CASH

WHAT AB SWITCHES DO

AB switches allow the user to share equipment rather than buy costly duplication. Many configurations may be arranged, two computers to one disk drive and printer, or two printers to one computer etc.. In our office we share a printer between a PC clone and a C128 via a parallel switch. No need to ever plug and unplug cables again, just turn a knob to swich from one peripheral to another. Below are the types we have in stock, remember if you need extra cables, we carry a large selection to meet your needs.

$ SAVER AB $29.95

VIC-20, C16, Plus 4, C-64, OR C128 compatible. Three female 6 pin sockets, rotary switch, all metal case.

SUPER SAVER ABCD

NEW LOW PRICE **$49.95**

VIC-20, C16, Plus 4, C-64, OR C128 compatible. Four computers to one printer and or disk drive. Five female 6 pin sockets, rotary switch.

PARALLEL or SERIAL AB

NOW ONLY **$29.95**

All pins switched, 3 female sockets, all gold pins for reliable contact, high quality rotary switch, heavy-duty metal case. Built to last for many years of dependable use. Parallel = 36 pins, serial = 25 pins.

PARALLEL or SERIAL ABCD

NOW ONLY **$39.95**

All pins switched. Has five female sockets, all gold pins, guarantees positive contact, rotary switch, all metal case. Parallel = 36 pins, serial = 25 pins.

PARALLEL CROSSOVER Aa X Bb

NEW **$44.95**

All pins switched. Four female sockets, all gold pins, rotary switch, sturdy metal case. Two computers share two printers, either computer can access printer A or B.

CABLES

		NEW LOW PRICES
Drive/printer, 6 ft. 6 pin male/male	B66	$ 5.95
Drive/printer, 9 ft. 6 pin male/male	B69	$ 7.95
Drive/printer, 18 ft. 6 pin male/male	B618	$12.95
Driver/printer, 6 ft. 6 pin male/fem.	A66	$ 5.95
Monitor, 6 ft. 5 pin to 4 RCA plugs	M654	$ 6.95
Monitor, 6 ft. 5 pin to 2 RCA plugs	M652	$ 4.95
Monitor ext., 6 ft. 5 pin male/female	ME65	$ 5.95
Joystick extension 12 ft. male/fem.	JS12	$ 4.95
Joystick Y, increase, 1 fem./2 male	JSY	$ 7.95
Joystick Y, reducer, 1 male/2 fem.	RJSY	$ 3.95
Power disk/print male/right ang. male	PR6	$ 6.95
Parallel, 6 ft., male to male	C6MM	$ 9.95
Parallel, 10 ft., male to male	C10MM	$12.95
Parallel, 20 ft., male to male	C20MM	$19.95
Parallel, 6 ft., male to female	C6MF	$12.95
Parallel, 10 ft., male to female	C10MF	$16.95
Serial, 6 ft., male to male	R6MM	$ 9.95
Serial, 6 ft., male to female	R6MF	$ 9.95
IBM printer, 6 ft., male/male	IBP6	$ 9.95
IBM printer, 10 ft., male/male	IBP10	$12.95
IBM printer, 20 ft., male/male	IBP20	$19.95
Gender change, parallel, male/male	CGMM	$ 9.95
Gender change, parallel, fem./fem.	CGFF	$ 9.95
Gender change, serial, male/male	RGMM	$ 7.95
Gender change, serial, fem./fem.	RGFF	$ 7.95

INFORMATION: For technical information or Oregon buyers phone: 503-246-0924.

TO ORDER BY MAIL: We accept VISA, MASTER CARD, money orders, certified, and personal checks. Allow 21 days for personal checks to clear.

SHIPPING: Add $3.00 per order, power supplies $4.00, power center $5.00, $3.00 service charge on all COD orders (no personal checks). Foreign orders twice U.S. shipping charges. All payment must be in U.S. funds.

TERMS: All in stock items shipped within 48 hours of order. No sales tax or surcharge for credit cards. We cannot guarantee compatibility. All sales are final. Defective items replaced or repaired at our discretion. Return authorization required. Prices and items subject to change without notice.


VALUE SOFT INC
3641 S.W. Evelyn
Portland, OR 97219

VISA

MasterCard

TURBO 2000 PC/XT SYSTEM $595

- IBM PC XT Compatibility
- Phoenix BIOS
- 4.77/8 MHz Keyboard Select
- 640K RAM installed
- 8 Expansion Slots
- 150W Power Supply
- XT Slide Out Case & Speaker
- 360KB 5 ¼ Floppy Drive
- AT Style Keyboard
- TTL Mono/Hercules Graphics
- FCC Class B Certified
- Parallel & Serial Ports
- Operation Manuals
- 6 Month Limited Warranty



Plus $10.00 shipping — MS DOS 3.2 & GW BASIC $84.95

DUST COVERS

C64/VIC20 or 1541 drive, anti static		$ 5.95
Buy one of ea. SAVE $1.41	C64 set	$10.49
C128 or 1571 drive, anti static		$ 7.95
Buy one of ea. SAVE $1.41	C128	$14.49

PRINTER BUFFER 64K

parallel **$69.95**

POWER SUPPLIES

MAXTRON C-64, dependable heavy duty replacement. Output: 5V DC, 1.7A, 9V AC, 1.0A. UL Approved. 90 day warranty $29.95

PHOENIX C-64, fused, repairable, all metal case. Output: 5V DC, 1.7A, 10V AC, 1.0A. UL approved. 1 year warranty $39.95

PHOENIX C-128, fused, repairable, all metal case, 3 sockets, spike protection, EMI RFI filtering, lighted switch. Output: 5V DC, 6.0A, 10V AC, 2.0A. UL approved. 1 year warranty $59.95

COOLING FAN $29.95



Heat is a #1 enemy to your disk drive. Reduce bad loads and costly repair bills with a fan, keep your 1541 or 1571 cool. Quiet, surge and spike protection, EMI filtering


JOYSTICKS

Slik Stik	$ 6.95
Puts Stik	$ 7.95
WICO Black Max	$11.95
TAC 5	$14.95
EPYX 500XJ	$15.95

POWER CENTER

WAS **$59.95**

NEW LOW PRICE **$49.95**



The POWER CENTER provides individual control of up to 5 components plus master on or off switch.

System protection: EMI/RFI filtering, surge and spike protection, 15 AMP breaker, heavy duty cable, 3 prong plug. Lighted rocker switches, all steel case, size: 1 3/4 H x 12 1/4 D x 15 W.

INKWELL SYSTEMS

Flexidraw	$84.95
Flexifont	$24.95
Graphics Int. II	$24.95
Clip Art II	$19.95
Holiday Theme	$19.95

APROSPAND 64 $29.95



plugs into the cartridge port, has 4 switchable slots, fuse protected and a reset button.

INTERFACES

MODEM RS-232 INTERFACE, Use standard Hayes compatible RS-232 modems with VIC-20, C-64, C-128.	$29.95
DELUX RS232C INT., Omnitronix Use standard RS-232 equipment with the C64, C128, C64, SX64, VIC20	$39.95
HOT SHOT, printer	$49.95
Cardco G-WIZ printer	$39.95
Cardco Super G printer	$49.95
PPI printer interface	$44.95
XETEC Super Graphics printer	$54.95
XETEC Super Graphics Jr. printer	$34.95

12 PLUS $19.95

12 in. cartridge port extension cable. Move boards and cartridges to the side of your computer. In stock.

JOYSTICK REDUCER $3.95

Every once in a while, our buyers find one of those odd gadgets they just can't resist. The Joy Stick Reducer is odd and low-priced. It allows one joystick to be plugged into both ports at the same time. I know you are saying, what's it good for. Stop and think, how many times have you had to try both ports before finding the right one?

"THE STRIPPER" $14.95



The "Stripper" removes perforated edges from print-outs. Insert 1 to 20 sheets, presto edges are gone. Clean, quick

MODEMS, 1200 Baud

Aprotek 12C, C64, C128, compatible	$ 99.95
Aprotek 12AM, AMIGA compatible	$119.95
Avatex 1200	$ 99.95
Avatex 1200HC, Hayes compatible	$119.95

40/80 COL. CABLE $19.95

One cable for both 40 or 80 columns on the C128. Flip a switch to change modes. Plugs to the back of the monitor for a sharp display. 16 colors in 40 column, black and white in 80. Not for RGB monitors or television sets.

DISK DOUBLER $6.95



The original! All metal Cuts an exact square notch in the disk. Same spot every time!

READY RESET 64 NEW $11.95

A reset button that you place where you want, not some out of the way place. Plugs into the serial port (of course the port is replaced for your disk drive), the button is on the end of a 15 inch cable.

BLASTER C64, C128 $5.95

Add automatic firepower to your games, plug-in module that makes the fire button of your joystick have machine gun action. Adjustable speed control.

EQUIPMENT STANDS

CURTIS printer stand with paper catcher	$18.95
JASCO heavy duty wire printer stand	$12.95
PC CPU stand, adjustable, plastic	$14.95
Monitor, adjustable tilt and swivel stand	$14.95

LIGHT PENS and MICE

Logitech Mouse C-7 (PC compatible)	$89.95
Optical Mouse (Microsoft PC compatible)	$79.95
American Mouse House	$ 6.95
American Mouse Mat	$ 7.95
Light Pen by Tech Sketch C64/C128	$44.95
Touch Point Graphics Tablet C64/C128	$29.95

BLACK BOOK of C128 $15.95



The best friend a C128 user ever had . . . Includes C-64, C128, CPM, 1541, 1571. 261 pages of easy to find information. 75 easy to read charts and tables. The Black Book of C128 is very much like a dictionary, always ready to answer your questions.

PROTECTION REVEALED C 64 $15.95

A beginners guide to software protection. Written to give you a fundamental understanding of a disk and BASIC protection. Identify what you are seeing when examining a disk. Become a master of illusion. Reveals countless tricks and tips that mystify the user. The book is 141 pages and includes a free disk of 21 utility programs.

SAM's BOOKS

C64 Troubleshooting & Repair Guide	$19.95
1541 Troubleshooting & Repair Guide	$19.95
Computer facts VIC-20	$19.95
Computer facts C-64	$19.95
Computer facts C-128	$19.95
Computer facts 1541	$19.95
Computer facts 1571	$19.95

"TOUCH ME BUTTON" $9.95

Static can KILL your COMPUTER and your PROGRAMS. Touch Me rids your system of harmful static like MAGIC before you touch your computer peripherals or other devices. The controlled electrical resistance of Touch Me, drains static charges harmlessly away to ground at low energy levels. Touch Me can add years of life to your equipment.

GROUND FAULT IND. $5.95

Computer equipment is very sensitive to ungrounded household wiring. Disk drives have a bizarre way of mixing up data. The Ground Fault Indicator tells you if your outlet is properly grounded.

MISCELLANEOUS

CARDCO numeric keypad	$47.95
Disk Sleeves, white tyvek, 100 pack	$ 7.95
Write protect tabs, silver, 100 pack	$ 1.49
Floppy wallet, 3 1/2 in., holds 15	$ 9.95
Floppy wallet, 5 1/4 in., holds 15	$12.95
Disk pages, 2 pocket, 3 hole, 10 pack	$ 6.95

CALL TOLL FREE 1-800-544-SOFT VSI

Unfortunately, although the game is exactly similar in its essentials to the one-armed bandits that inspired it, the absence of the electronic accoutrements (bells, blinks, and brassy beauty) makes online slot machines seem very plain. Even winning a jackpot lacks thrills when there are no clattering coins banging into the cash catcher.

But neither slots nor bingo are really the stars in *RabbitJack's Casino.* Blackjack and, most especially, Poker are the games that keep Linkers going back for more. The conversational interplay between gamers, the human competition, and above all, the betting and bluffing, turn the casino into a spectacular entertainment.

RabbitJack's Casino is only available to QuantumLink members, for online play via modem, telephone, and the QuantumLink telecommunications service. It costs gamers the regular online service charge, six cents per minute. Although the points they win are not exchangeable for any tangible gain (that would violate current laws), any losses are equally intangible.

RabbitJack's Casino, designed by Rob *(Demon Attack, Missile Command)* Fulop, is a sound entertainment for fans of casino-style games. But it goes beyond that for Five-Card Stud players, where it could easily become an electronic necessity of life! Poker enthusiasts have nothing similar available to them, which makes this a must-have gaming experience for anyone who craves interactive gambling on their Commodore.

Quantum Computer Services, 8620 Westwood Center Drive, Vienna, VA 22180 (phone: 703-448-8700).

—Joyce Worley

NBA
Avalon Hill
Commodore 64
Disk; $39.95

Roundball mavens will be delighted to hear that the folks who created *PureStat Baseball* and *Super Bowl Sunday* have turned their attention to the world of hardwood floors and high-top sneakers. *NBA,* designed by Software Simulations (formerly Quest), tackles the formidable task of simulating pro basketball with visual representations of all the action.

The game's format will be familiar to anyone who has played the earlier Quest sports simulations. The coach (or coaches, in a head-to-head contest), picks play strategies from onscreen menus. When both teams have their orders, an action screen shows the developing play in two-thirds perspective. Baseball and football lent themselves perfectly to this format. The back-and-forth nature of basketball makes it much tougher for the computerist on the sidelines to intervene in a meaningful way.

The game comes with 20 great teams. The selection contains a nice



NBA: ***demanding for casual hoop fans.***
READER SERVICE NO. 155

mix of old and new rosters, with an emphasis on more contemporary squads, including the top four teams from the 1985-86 season, the Celtics, Bucks, Rockets, and Lakers.

NBA can be played solitaire against the computer or with another human coach. Users can give either side home court advantage, or play the game at a neutral site.

After these preliminaries, the player assembles a starting lineup of two forwards, two guards, and a center. Next to each player's name is listed his position and defensive rating, FGA (field goals attempted), FGM (field goals made), FG% (shooting percentage), ASST (assists), and 3PT (three-point play rating).

The coach of the team with the ball then picks the point guard to start the offensive play and determines whether he will shoot, pass, or kill the clock. The offensive team may make up to two passes before one of the players must shoot.

If the user elects to shoot, the program offers a choice of an outside shot, a drive-and-shoot, or a 3-point attempt. He must also determine, should the shot miss, whether his team should take the ball back out, put it back up, rebound aggressively, or guard against a fast break by the opposition.

If a pass is ordered, the coach simply enters the number of the player who will catch the ball. "Killing the clock" subtracts 24 seconds from the game clock. The coach then picks a shooting strategy.

On defense, the user can select up to two of the following strategies: guard against outside shot; guard against lay-up; try for steal/block shot; play for fast break on rebound; double-team player.

The statistical basis of *NBA* is faultless. In fact, the excellent documentation includes detailed descriptions of how all results are determined, and Ed Daniels of Software Simulations claims that his program is "the most statistically accurate of any of our sports simulations." *NBA* also includes its own statkeeper capability.

The graphics are acceptable, but the action is occasionally a little tough to follow. The audio, on the other hand, is strictly minor league. A shame, since a bit of sound, like the swish of a basket or the roar of the crowd, would have enlivened this simulation.

If there's a problem with *NBA,* it is that the long pauses during which coaches enter strategies distorts the "feel" of what should be a nonstop athletic event. The user spends a lot of time entering strategies, then sees the visual result flash by like Michael Jordan on a fast break. This makes for herky-jerky, stop-and-go play.

The strategic challenge and statistical accuracy, however, should more than compensate for any imperfections. *NBA* may prove a little demanding for casual hoop fans, but serious students of Dr. Naismith's game should prepare for a real treat.

Avalon Hill, 4517 Harford Rd., Baltimore, MD 21214 (phone: 301-254-9200). *—Bill Kunkel and Arnie Katz*

A Proven Achievement



GUNSHIP™

Recognized by Reviewers...

"**GUNSHIP** may be the best simulation of any type ever created for the C-64... a perfect simulation for novices and aerial combat veterans alike..."
(RUN, August 1987)

"Take all your combat flight simulators and stick them in the bin. **GUNSHIP** is the ultimate..."
(Computer & Video Games Monthly, U.K., Feb. 1987)

"In terms of action alone, **GUNSHIP** is the best flying game we've ever played... it could become one of your favorites." (Family Computing, June 1987)

"**GUNSHIP**... is a very well-executed simulation, not just a game... MicroProse has another winner."
(Compute!'s Gazette, May 1987)

Acknowledged by our customers...

"... from the eye-catching packaging to the palm-drenching, flak-dodging flight visuals, **GUNSHIP** is a standard setter for the industry."
(J.R., Portland, Oregon)

"I think it's the best flight simulator I've seen for [my computer] and I've seen them all...
(L.C., Crystal Lake, Florida)

"Thank you for releasing the most AWESOME program **GUNSHIP**... should easily be the #1 program of the year..." (R.T., Chicago, Illinois)

"The **GUNSHIP** team has produced a landmark in 8-bit computers. The manual is the STANDARD."
(S.M., Pennsauken, New Jersey)

Through 5 man-years of research and development, the Gunship Design Team has crafted an unparalleled simulation experience...

- Realistic Helicopter Flight Characteristics
- True 3-Dimensional, Out-the-Cockpit Graphics
- Authentic Flight Controls and Electronics
- Accurate Weapons and Counter-Measures
- Up-to-date Enemy Threats
- Complete and Carefully Researched Documentation
- Flight and Combat Tutorials
- Hundreds of Mission Scenarios

GUNSHIP. *For C-64/128, IBM-PC/XT/AT and compatibles, Amiga, Atari ST and Apple IIGS/+/c/e. Call MicroProse or check with your dealer for specific machine availability.*

Available at a Valued MicroProse Retailer (VMR) near you. Call for locations! If product not found locally, call or write MicroProse for MC/VISA orders.

(IBM screen shown. Actual screens may vary.)



MICRO PROSE™
SIMULATION • SOFTWARE

180 Lakefront Drive • Hunt Valley, MD 21030 • (301) 771-1151

Reader Service No. 148

Out of the Arcade and Into Your Computer!



KARATE CHAMP™*–Put on your black belt and challenge your friends or the computer. For Commodore 64/128™ and Apple II® series.

KUNG-FU MASTER®*–Battle the evil forces to rescue the captive fair maiden. For Commodore 64/128™ and Apple II® series.

TAG TEAM WRESTLING™–Battle your way through the Title Matches on your quest for the belt. For Commodore 64/128™, Apple II® series, and IBM.

COMMANDO®*–As the crack shot Commando, battle overwhelming odds to reach the fortress. For Commodore 64/128™, Apple II® series, and IBM.

EXPRESS RAIDER™–Bandits have seized the Gold City Express. Rescue the passengers, save the train, and recapture the loot! For Commodore 64/128™.

BREAKTHRU™–Your mission is to retrieve the secret fighter plane stolen by renegades. For Commodore 64/128™.

VICTORY ROAD™*–Our heroes from *Ikari Warriors*™ are back to battle the most fearsome enemies of all. For Apple II® series, IBM, and Commodore 64/128™.



IKARI WARRIORS™*–You and your partner are engaged in guerilla warfare as you battle your way through jungles, rivers, and ruins. For Commodore 64/128™, Apple II® series, and IBM.

KID NIKI, RADICAL NINJA™*–This "rad" and "bad" punk dude is out to rescue his spike-haired girlfriend from the clutches of the Stone Wizard! For Apple II® series and Commodore 64/128™.

SPEED BUGGY™*–Conquer a variety of courses by running into flags, jumping over obstacles, and driving on two wheels to gain time and bonus points. For Commodore 64/128™ and Atari ST™.

DATA EAST USA, INC.
470 Needles Drive, San Jose, California
95112. (408) 286-7074.

DATA EAST®

© 1987 DATA EAST USA, INC. * KUNG-FU MASTER, COMMANDO, VICTORY ROAD, IKARI WARRIORS, KID NIKI, AND SPEED BUGGY ARE MFD. UNDER LICENSE FROM IREM CORP., CAPCOM USA, SNK CORP., SNK CORP., IREM CORP., AND TATSUMI, RESPECTIVELY. COMMODORE, APPLE, IBM, AND ATARI ARE REGISTERED TRADEMARKS OF COMMODORE ELECTRONICS LTD., APPLE COMPUTERS, INC., IBM CORP., AND ATARI CORP., RESPECTIVELY.

Reader Service No. 161

TAKE TWO

For the C-64

By Buck Childress

Have you ever accidentally pressed SHIFT and CLR/HOME at a critical time—like when the screen is full of keyboard graphics or important program lines you've been meticulously slaving over? Maybe you inadvertently inserted a blank line which in turn pushed the bottom line into oblivion. Then there's the ol' scroll at the bottom of the screen that bumps the top line into the Twilight Zone. In any case, your work of art is temporarily, if not permanently, kaput. Don't give up and say you're through. Relax and take two, with *Take Two.*

Take Two restores your screen to its predefunct state in a flash. All characters and their respective colors reappear as if nothing ever happened. Here's how to use it.

After saving a copy of *Take Two*, run it. The loader POKEs the machine language data into memory and checks for errors. You activate *Take Two* by typing SYS 49152 and pressing RETURN. RUN STOP/RESTORE deactivates *Take Two.* SYS 49152 reactivates it.

To get the feel of *Take Two,* print or list something on the screen. Now press SHIFT and CLR/HOME to erase everything. If these were graphics it'd be hair pulling time, right?! Wrong! Just press the COMMODORE and F7 keys at the same time. Presto...Act Two, Scene Two, *Take Two.* Your work is restored.

Now cursor down to the bottom of the screen. When you get there, cursor down once more so the top line makes like a tumbleweed and scrolls away. Press COMMODORE/F7 and the top line is resurrected.

Cursor down to the bottom again and type four or five letters. They can be anything for our little demo. Now cursor up one line, then press and hold the space bar. When the cursor passes the end of the line your 64 will automatically insert a blank line and the letters you typed will go down like the Titanic. Press COMMODORE/F7 and there they are.

The important thing to remember when using *Take Two* is, don't panic! If you accidentally clear the screen or scroll a line into Never Never Land, just press the magic keys and get your second chance. The cursor always returns to the home (upper left) position...a nice, safe place after a near calamity.

Next time you glitch your screen, don't take a powder. *Take Two!* □ ***SEE PROGRAM LISTING ON PAGE 97***

FOOTBALL • BASKETBALL • BASEBALL

SPORTS FANS...THE SPORTS SIMULATIONS YOU HAVE BEEN WAITING FOR ARE HERE!

3 IN 1 FOOTBALL

• with Stats Compiler for each player and team • you choose from 14 offensive plays and 6 defensive formations • includes 180 college teams, the 28 NFL teams and 12 '74 WFL teams from the '86 season PLUS 174 great college and 189 great pro teams of the past

NEW! 3-POINT SHOT **FINAL FOUR COLLEGE BASKETBALL & BASKETBALL: THE PRO GAME**

• each player contributes as they did in real life • Stats Compiler • you determine starting lineup, substitutions, shot selection, passing, offensive and defensive styles of play and more • the College game includes 292 teams from the '86-'87 season plus 70 all-time greats • the Pro game features the 23 NBA teams from '86-'87 and more than 125 great teams of the past

FULL COUNT BASEBALL

• Includes all 26 teams from the most recent and 52 great National and American League teams from the past • 29 man rosters • Ball park effects • Stats Compiler automatically keeps all player and team stats as well as past schedule results. • Complete boxscore to screen and/or printer after each game. • One player vs. computer manager, two-player, and auto-play options. • Input your own teams, draft or trade players from teams already included. • You choose the starting lineups, batting order, relief pitchers, plus game decisions like when to hit away, bunt for a hit, sacrifice, steal, hit & run, bring in the corners or the entire infield, take an extra base, DH option and more!

OTHER PAST SEASONS' TEAMS DISKS AVAILABLE AND NEW SEASONS' READY PRIOR TO PLAYOFFS FOR ALL GAMES.

CHECK YOUR LOCAL DEALER

OR

Send check or money order for **$39.99** each. Visa and MasterCard accepted on phone orders only.
Please add $2.00 for postage and handling.

LANCE HAFFNER GAMES

P.O. Box 100594 • Nashville, TN • 37210 • 615/242-2617

DEALER INQUIRIES WELCOME

Reader Service No. 177

ALL NEW

Kracker Jax Revealed: BOOK II

LEARN ABOUT COPY PROTECTION FROM THE EXPERTS!

Our knowledge of protection schemes has made us famous. And we can pass that knowledge on to you! **Kracker Jax Revealed: BOOK II** is our latest release in a series of tutorial guides designed to instruct you in the fascinating areas of copy protection schemes and how to defeat them.

BOOK II continues the tradition which began with the original: with nothing more than a basic grasp of machine language, you can learn to control some of the newest, most advanced copy protection routines on the market today! Here's what you'll get with **BOOK II:** ■ Detailed info using 20 current new programs as examples! ■ An enhanced, all new utility disk with 20 new parameters! ■ The famous Rapidlok™ copy system REVEALED! ■ EXTRA BONUS—The legendary Hes Mon™ cartridge!

Don't be intimidated by complex protection routines. Learn how to take control of your expensive software. After all, knowledge IS power.

BOOK I IS STILL AVAILABLE!

Only $23.50 each. Please allow 2 weeks for delivery.

Orders outside of North America must add $7.50 for shipping!

ALL NEW

Kracker Jax

THE REVOLUTIONARY ARCHIVAL SYSTEM!

Kracker Jax is the powerful parameter-based copying system that has taken the country by storm! What IS a parameter? It's a custom program that allows your 1541 or 1571 disk drive to strip ALL copy protection from your expensive software, leaving you with UNPROTECTED, TOTALLY BROKEN BACKUPS that can even be copied with a simple fast copier!

We declare **Kracker Jax** to be the best system of its kind on the market today! A bold claim? Maybe.

But don't take our word for it—if you want the REAL story on how good **Kracker Jax** is, just ask one of our customers. Don't worry. You won't have any problem finding one.

■ Easy to use—no special knowledge is required! ■ Powerful—will easily back up titles that nibblers can't! ■ Superfast—strips protection in a matter of seconds! ■ Great value—each volume has approx. 100 parameters! ■ Current—new **Kracker Jax** volumes released quarterly!

ALL NEW VOLUME SIX IS NOW AVAILABLE—ORDER TODAY!

Kracker Jax Volumes 1–5 are still available.

All **Kracker Jax** Volumes are **$19.95** each.

The C128 Cannon

IT'S JUST WHAT YOU'VE BEEN WAITING FOR!

Here's the package that you C128 owners have been waiting for! The C128 CANNON gives you more power than you ever hoped for! Just look at some of these utilities:

■ NIBBLER—Works with single or dual 1571/1541 drives!
■ FAST COPIER—Use for data disks or **Kracker Jax!**
■ FILE COPIER—Easy file maintenance and manipulation!
■ 1581 FAST COPIER—For the new high speed 3.5" drive!
■ 1581 FILE COPIER—For high speed file manipulation!
■ MFM COPIER—Copies unprotected IBM & CP/M disks!
■ T/S EDITOR—Works with 1541, 1571, and new 1581 drives! ■ ERROR SCANNER—Complete with on-screen display! ■ DENSITY SCANNER—Find altered densities track by track! ■ DIRECTORY EDITOR—Alter & organize disk directories! ■ **KRACKER JAX** BONUS—100 of our hottest parameters!

You've seen nibblers alone that sell for thirty-five or forty dollars. And the 100 **KRACKER JAX** parameters are a twenty dollar value. Yet the entire C128 CANNON package sells for just $34.95. Never before has this much power been integrated into a single, affordable product. If you own a C128, you don't need to feel left out in the cold anymore. Other companies may ignore you, but at **KRACKER JAX**, we know a powerful machine when we see one.

Let US show YOU just how powerful your C128 really is. Order your C128 CANNON today!

Only $34.95

ALL NEW

Shotgun II

THE DOUBLE BARRELED NIBBLER IMPROVED!

We've taken The Shotgun, our popular nibbler, and completely rewritten it to provide more power, more speed, and even more features than before! The result is **Shotgun II,** the new standard in high powered nibblers.

■ Capable of making copies using one or two drives!
■ Shotgun II can easily copy data clear out to track 40!
■ Auto density detection can easily be toggled on or off!
■ The single drive copier has an on screen GCR display!
■ Allows you to list directories from either disk drive!
■ Superfast new "True Dual" two drive copier mode!
■ Capable of copying Rapidlok™ programs automatically!

And here's the good part: we've increased the performance WITHOUT increasing the price! Like the original, **Shotgun II** is available in either of two formats. 1) The **Shotgun II,** which is the utility described above. 2) The Loaded **Shotgun II,** which is the same utility packaged along with 32 of the hottest **Kracker Jax** parameters ever produced! And if you already own the original Shotgun, just send us your disk along with $9.95 for **Shotgun II.**

Either way you order it, **Shotgun II** will do the job for you!

The Shotgun II: Only $14.95
The Loaded Shotgun II: Only $19.95

The Bull's-Eye

SO GOOD, EVEN WE CAN'T BELIEVE IT!

Rapidlok™. It's one of the toughest copy protection routines on the market today, and it's being used by several major software houses to copy-prohibit some of the finest titles available for the C64.

Now, you could go broke buying expensive "official" backups of programs you've already paid for. Or, you can exercise your legitimate right to make your own backups. No special knowledge or experience is required. All you need are a few blank disks and five minutes of time. Bull's-Eye lets you create your own custom Rapidlok™ copiers to backup your expensive software!

We've included several custom Rapidlok™ copiers that we created ourselves, just to get you started. **Bull's-Eye** also features a powerful new GCR nibbler developed specifically for this system!

And if all that isn't enough, **Bull's-Eye** also contains a revolutionary new copy system for GEOS™! It is the first copy system to be used exclusively within the GEOS™ environment. Fully icon driven, it runs directly from the GEOS™ desktop! And our utility doesn't just standardize GEOS™ programs, it actually neutralizes them; your GEOS™ programs are completely unprotected!

We've taken careful aim at your archival needs and hit the target dead center—right in the **Bull's-Eye!**

Only $19.95

GEOS™ is a registered trademark of Berkeley Softworks.™

On-Line Help

WORKING IN BASIC? LET YOUR COMPUTER HELP!

Picture this: you're hard at work on your latest program when, right in the middle of line 520, you need some obscure bit of information. You know you've got the info somewhere . . . maybe in a book or a magazine, maybe it's on an old wall chart, or maybe it's in the gigantic reference manual; you know, the one with 30 pages just for the index alone . . .

Good luck—by the time you finally find the information you need (if you ever do), you'll probably have forgotten what you were working on in the first place! But that can't happen to you if you're using ON-LINE HELP!

ON-LINE HELP is an invaluable new aid for BASIC programmers. Forget about all of those tattered books and lost charts—just load ON-LINE HELP into your C/64 at the beginning of a session. Then, at the touch of the F1 key, you're given a menu of available help screens to choose from!

ON-LINE HELP gives you 17 screens of info, including:
ASCII character set ■ POKEs ■ color codes ■ selected DOS commands ■ useful memory commands ■ BASIC keywords, abbreviations, and token values ■ sound registers ■ musical notes in all 8 octaves ■ and location 197 last key pressed! And ON-LINE HELP uses almost none of the RAM available for BASIC programming!

Once you've gotten the information you need, a simple touch of the "X" key returns you to BASIC, exactly where you left off, even if you were in the middle of a program run! Get ON-LINE HELP today—and let your computer do some of the work for you!

Only $19.95

MSD Dual Cannon

POWERFUL UTILITIES FOR POWERFUL EQUIPMENT!

If you own an MSD dual drive, you own a superb piece of high tech equipment. But if you don't own the right utilities, you're not getting all of the performance that your MSD drives can deliver. What kind of utilities? How about:

■ A NIBBLER—copies protected programs bit by bit!
■ A FAST COPIER—won't write errors/perfect for data!
■ A FILE COPIER—make your file maintenance tasks easy!
■ FULL AUTO MODE—copy disks without your computer!
■ A SECTOR EDITOR—created specifically for the MSD!
■ **KRACKER JAX** PARAMETERS—32 of our best parameters!

These utilities are special. For example, both the nibbler and the fast copier can copy a disk in about a minute. The file copier can file copy an entire disk in just one pass, regardless of the number of directory entries. And both the nibbler and the fast copier feature an AUTO MODE that, once loaded, allows you to disconnect your MSD from the computer. The source disk can stay in the drive—the indicator lights on the MSD tell you when to change destination disks. If you have another drive, you could use your system for other things while your MSD drives were working on mass duplication tasks. And the sector editor allows you to either disassemble or edit a sector. It identifies standard op-codes, undocumented op-codes, and BASIC tokens. It even has full control over printer options!

We've even included 32 free **Kracker Jax** parameters. We're making it very easy for you to own the best—order yours today!

Only $34.95

ALL NEW

C128 Helper

THE FIRST ELECTRONIC C128 REFERENCE MANUAL!

If you've ever found yourself needing information while right in the middle of programming, have we got a utility for you!

The C128 Helper is the first electronic reference manual for the C128. Let's say that you're right in the middle of writing a program in the powerful BASIC 7.0 language when you realize that you need more information on a specific command. Just touch the C128's HELP key. Almost instantly (thanks to the 1571's "fast" mode) a menu appears on your screen. Just select the command in question, and moments later a full screen of detailed information appears, including an example showing the command in use. And at the touch of another key, that screen of data is dumped to your printer. You're then returned to your BASIC program, exactly where you left off!

The C128 Helper is machine language driven for speed. It works in the C128's 80 column mode with an RGB or composite monitor. You can use either a 1571 or, with slightly slower response time, a 1541 drive.

The C128 Helper is co-resident with your BASIC program. With it, ALL BASIC 7.0 commands and functions are detailed with full explanations and examples. It also allows you to perform a screen dump from BASIC.

But perhaps the single most exciting feature is this: the program is user definable. Not only can you modify the C128 Helper itself, but you can actually edit and create your own custom files! The program guides you with prompts, helping you to easily construct your own custom applications, complete with menus! You could make your own memo pads, calendars, electronic helpers for other programs—the list is endless!

But even if you only use the C128 Helper itself, you'll be getting more than your money's worth. Get your copy today!

—ELECTRONIC HELP FOR ALL BASIC 7.0 COMMANDS—

—PLUS—

■ ASCII Code set! ■ BASIC keywords! ■ Screen POKE codes! ■ BASIC abbreviations! ■ Useful memory locations! ■ BASIC tokens!

Only $24.95

ALL NEW

SYSRES™ Enhanced

WE'RE GOING TO CHANGE YOUR MIND ABOUT BASIC!

Maybe you've never paid much attention to BASIC. Figured it was just a low powered language for kids and beginners. If that's what you think about BASIC, then you've never heard of SYSRES™.

SYSRES™ resides in memory, out of the way. It is the ULTIMATE BASIC enhancement system for the C64 or C128 in the 64 mode. SYSRES™ adds over 25 major commands and over 1000 additional functions to standard BASIC. No, that wasn't a typo. Twenty-five MAJOR commands. One THOUSAND additional functions. Impressed? There's more.

SYSRES™ features an extended Super DOS-wedge, reducing even the most complex command sequences to a few simple keystrokes. It also allows you to scroll both forward and backward through your BASIC programs. We've even added an all new fast loader routine to make loading up to 5 times faster.

SYSRES™ is addictive to programmers, but not to the programs themselves—no run time library is needed for programs created with SYSRES™. Don't take our word for it. Just ask any expert BASIC programmer what the best C64 BASIC extension system on the market is—he'll say "SYSRES™!"

—SAMPLE SYSRES™ COMMANDS—

■ APPEND ■ DELETE ■ LIST ■ RUN ■ AUTO ■ DUMP ■ LOAD ■ SAVE ■ BLOAD ■ EXEC ■ MERGE ■ SETD ■ BRUN ■ FIND ■ MON ■ SETP ■ CHANGE ■ GET ■ OLD ■ TRACE ■ CLOSE ■ KEYS ■ PUT ■ VERIFY ■ CMD ■ KILL ■ RENUMBER ■ WHY

SYSRES™ is unprotected and comes complete with over 110 pages of comprehensive documentation bound in an attractive, durable three ring binder. If you're REALLY interested in programming, order SYSRES™—and discover a BASIC that you never even knew existed!

Only $39.95

Hacker's Utility Kit

USE THE SAME TOOLS THAT THE EXPERTS USE!

Are you ready to take control of your software? Let us help! Our Hacker's Utility Kit contains the most impressive array of tools ever assembled in a single package!

Our top **Kracker Jax** programmers put together a "wish list" of tools that they wanted to work with—and then went to work creating the perfect set of utilities. The result: The Hacker's Utility Kit. Now YOU can use the same powerful utilities that WE do—at a fraction of their true development costs! Here's what you'll get:

■ WHOLE DISK SCANNER—usage, error, density info fast! ■ GCR EDITOR—view raw data the way your system sees it! ■ FAST DATA COPIER—absolutely will NOT write errors! ■ 1 OR 2 DRIVE NIBBLER—fast & powerful/state of the art! ■ FILE TRK/SCTR TRACER—find any sector link in a file fast! ■ BYTE PATTERN FINDER—finds any pattern anywhere! ■ CUSTOM COPIER CREATOR—the ONLY one of its kind! ■ RELOCATABLE M/L MONITORS—including drive monitor! ■ FAST FORMATTER—programmable tracks or whole disk! ■ DISK FILE LOG—quickly find file start/end addresses!

Professional mechanics and programmers have one thing in common: they both use the finest tools available. These tools were developed specifically to meet the demanding needs of our **Kracker Jax** programmers. They are utilities created by experts, refined under constant use, and perfected for you.

Only $19.95

SuperCat

THE ULTIMATE DISK CATALOG SYSTEM!

Are you tired of searching endlessly through your disks to find the one title that you're interested in? Frustrated by catalog programs that run out of memory or storage space every time your disk library grows? Then NOW is the time to invest in SuperCat, the most sophisticated disk cataloging system available for your Commodore 64!

SuperCat allows you to catalog up to 640 disk directories—up to 1,280 with two drives! You can index and alphabetize over 5,000 titles—and up to 10,000 with two drives! SuperCat will accept disks with duplicate ID's. With a printer, you'll be impressed by the variety of report formats available to you. You can list titles in alphabetical order or by disk. Disk header lists can be sorted by name, disk ID, date cataloged, blocks free on disk, and disk number! You can even print disk labels in any of three different formats!

SuperCat is incredibly fast—it can find ANY title in just 10 seconds, and can sort 1,000 titles in a mere 8 seconds! And SuperCat comes with a comprehensive, illustrated, indexed manual, although you probably won't need it much—our extensive menus and help screens see to that.

Face it—if you're going to go to the trouble of cataloging your library in the first place, you may as well use the best tool on the market. SuperCat.

Only $24.95

Graphic Label Wizard

THE GREAT NEW GRAPHICS LABEL UTILITY!

Oh boy. Another graphic labeling utility. Zzzz.

Don't kid yourself. We're the same people who brought you SuperCat, and we couldn't make a boring utility if our lives depended on it! Able to use Print Shop™, Print Master™, Software Solutions™, or compatible graphic images, The Label Wizard is designed to take advantage of the huge library of graphics utilized by these programs. And that's just the beginning. Take a look at these features—and then order your copy today!

■ Print a graphic & up to 8 lines of text on a mailing label! ■ Easy to use menus featuring fast Pop Up Windows! ■ Save labels to disk for later modification & printing! ■ Print one label or print all labels from your data disks! ■ Automatically print multiple copies of your favorite labels! ■ Flexible—you can print your labels 1, 2, 3, or even 4 across! ■ Label Wizard includes over 50 exciting new graphics—FREE! ■ Print catalog showing 28 disk graphics and title per page! ■ Use Epson compatible or create your own custom printer file! ■ Print text in any combination of styles your printer supports! ■ Hi res display allows you to load and preview up to 4 graphics simultaneously—even from 4 different disks!

Only $24.95

ALL NEW

Graphic Art Disks

HOT NEW CLIP ART FROM SOFTWARE SOLUTIONS™!

Let's face it: you can be a bright, talented, creative person—and STILL not be able to draw a straight line with a ruler.

Well, we can help. Each of our Graphic Art Disks features 100 outstanding hi res graphics, covering a wide range of subjects and topics, created by professional artists.

We've got graphics for holidays, graphics for sporting events, animal and people graphics, pets, kids, cars, boats, planes, signs, things, places, the list goes on and on. Your use for them is limited only by your own imagination. For signs, cards, banners, invitations, flyers, or whatever you have in mind, you'll find an image that's just right!

Each disk features these graphics in BOTH Print Shop™ (side A) and Print Master™ formats! And these graphics also work with our own superb Label Wizard programs as well. Graphic Art Disks: great art was never so affordable!

DISKS 1-5 AVAILABLE
Only $14.95 each

ALL NEW

Super Snapshot Slideshow Creator

THE DYNAMIC NEW COMPANION UTILITY FOR SUPER SNAPSHOT 64 OWNERS!

This is HOT! You know that Super Snapshot 64 can capture a multicolor or hi res display on your screen and save it to disk as a "file." Our new Slideshow Creator lets you display a series of these images, with dynamic options such as fade in and out, shutter on and off and pop on and off, and your choice of 10 different fonts for creating your own custom scrolling captions! We've even included programming to allow you to easily integrate hi res or multicolor screens into your own M/L or BASIC programs with full control! Check out these features:

■ REQUIRES the Super Snapshot cartridge to create! ■ Does NOT need Super Snapshot cartridge to display! ■ Display at least 12 slides with 1541 or 24 with 1571! ■ Slideshow can even be ported to the new 1581 disk drive ■ Super Snapshot Slideshow Creator supports two drives! ■ Includes fade in/out and pop on/off special effects! ■ 10 fonts available for custom scrolling text displays! ■ Built in fast loader routine for high speed displays! ■ Amazing low price—ORDER YOURS TODAY!

Only $14.95

COMPUTER MART

Need more info? Call or write for our free catalog

Program submissions wanted! Good Commissions—National Marketing.

CHECKS, MONEY ORDERS OR VISA/MASTERCARD.
Mail your order to: Computer Mart
2700 NE Andresen Road/Vancouver, WA 98661
Phone orders welcome: 206-695-1393
Same day shipping/No C.O.D. orders outside U.S.

VISA MasterCard DISCOVER

PLEASE NOTE: Free shipping & handling on all orders • C.O.D. add $4.00 to total order • All orders must be paid in U.S. funds. Washington residents add 7.30% sales tax to order. Orders outside of North America add $4.00 per software selection and $7.50 per book or hardware.

DEALERS—WE HAVE THE SUPPORT YOU'RE LOOKING FOR!

"SOMETHING TO BYTE INTO"

ABACUS

Basic 128	$38.95
Basic 64	25.75
Cadpak 128	38.95
Cadpak 64	25.95
Chartpak 128	25.95
Chartpak 64	25.95
Cobol 64	25.95
Cobol 128	37.95
Speed Term	25.95
Super C Compiler 64/128	38.95
Super Pascal	48.95

BRODERBUND

Where in the USA is Carmen Dandiago	$25.95
Where in the World is Carmen Sandiago	21.95
P/S Library 1-2-3 ea	15.95
Print Shop	26.95
Print Shop Companion	21.95
Toy Shop	39.95
P/S Holiday Library	15.95

MICROLEAGUE

Box Score/Stat Compiler	$16.95
General Manager Disk	24.95
Micro League Baseball	24.95
Team Disks	16.95

RIBBON

(Min. 6 per order)

Axiom Elite 5 LCD	$ 5.95
Brother 15, 25, 35	5.95
Commodore 1525	6.95
Commodore 1526	6.95
Epson 185	6.95
Epson 85	4.95
Epson mx, fx, rx 100	6.95
Epson mx, fx, rx 80	4.95
Gorilla Banana	6.95
Juki 6000	4.95
Juki 6100	3.95
Legend 880, 1080, 808	6.95
MPS 801	6.95
MPS 803	6.95
OKI 182, 192	7.95
OKI 82, 92, 83, 93	2.25
SG 10-15	2.25
Panasonic 1081, 1091	8.95

DATAEAST

Express Raiders	$22.95
Commando	21.95
Karate Champ	21.95
Kung Fu Master	21.95
Tag Team Wrestling	21.95

GAMESTAR

Baseball	$21.95
Basketball 2 on 2	21.95
Football	21.95

TIMEWORKS

Data Manager 128	$42.95
Data Manager II	29.95
Partner 128	42.95
Swift Calc 128 w/Sideways	42.95
Swift Calc 64 w/Sideways	29.95
Word Writer 128 w/Speller	42.95
Word Writer 3 w/Speller	29.95
Partner 641	38.95

MICROPROSE

Conflict in Vietnam	24.95
Crusade in Europe	24.95
F-15 Strike Eagle	21.95
Gunship	21.95
Silent Service	21.95
Top Gunner	18.95

SPRINGBOARD

Certificate Maker	$29.95
Clip Art I	20.95
Clip Art II	24.95
Clip Art III	24.95
Newsroom	29.95
Graphic Expander	21.95
Certificate Maker#1	21.95

ACCESS

Leader Board	$24.95
L.B. Tournament Disk	14.95
Mach 128	30.95
Mach 5	21.95
10th Frame	24.95
Triple Pack	14.95
World Class Leader Board	25.95

HOT SELLERS

Commando	$21.95
Fist II	19.95
Gato	19.95
Ghosts-n-Goblins	19.95
Kung Fu II	19.95
Parallax	19.95
Power	12.95
Rush-n-Attack & Yie Ar Kung Fu	19.95
Star Fleet 1	29.95
Strike Force Cobra	13.95
Tag Team Wrestling	21.95
Uchi Mata	19.95
Uridium	19.95
X-15 Alpha Mission	19.95

DATASOFT

Alternate Reality	$24.95
Black Magic	16.95
Crosscheck	19.95
Goonies	18.95
Mercenary	18.95
Mind Pursuit	18.95
Never Ending Story	18.95
Gunslinger	19.95
221B Baker St	19.95
Theatre Europe	21.95

NEW NEW NEW

Pirates!	$24.95
Phantasie III	24.95
California Games	24.95
Street Sports Baseball	24.95
Legacy of the Ancients	21.95
PHM Pegasus	21.95
Defender of the Crown	21.95
Geofile	31.95
Super Star Ice Hockey	24.95
Jeopardy	8.95
Family Feud	8.95
Wheel of Fortune	8.95

ACCESSORIES

Infocom Invisiclues	$ 6.00ea
AICP Disks (12)	7.95
Disk Notcher	5.95
Disk Storage Case (70)	8.95
Drive Cleaner	7.95
Flexidraw Light Pen	74.95
Messenger Modem	35.95
WICO Boss Joystick	11.50
WICO Bat Handle Joystick	15.50
WICO Three Way Joystick	18.95
Xetek Graphic Interface	54.95
Xetek Graphic Jr	34.95

ELA

America's Cup	$22.95
Artic Fox	22.95
Auto Duel	34.95
Bard's Tale	24.95
Bard's Tale II	27.95
Chessmaster 2000	26.95
Lords of Conquest	24.95
Marble Madness	21.95
Mind Mirror	21.95
Moebius	26.95
Movie Maker	24.95
Murder Party	29.95
Orge	26.95
Quizam	21.95
Scrabble	22.95
Ultima I	28.95
Ultima IV	39.95
Ultimate Wizard	22.95

MINDSCAPE

Bop and Wrestle	$18.95
Fairlight	18.95
High Roller	18.95
Indoor Sports	18.95
Infiltrator	18.95
Lords of Midnight	17.95

BERKELEY SOFTWARE

GEOS	$36.95
GEOS Fontpak 1	18.95
GEOS Desk Pack	22.95
Geodex	24.95
Writer Work Shop	31.95

AVALON HILL

Superbowl Sunday	$19.95
S.B. Sunday Stat Compiler	16.95
Team Disk	12.95

ACCOLADE

Dambusters	$18.95
Fight Night	18.95
Hard Ball	18.95
Law of the West	18.95
PSI 5 Trading Comp	18.95
Kill Until Dead	18.95
Ace of Aces	18.95
Deceptor	12.95
Comics	18.95

ACTIVISION

Aliens	$21.95
Alter Ego	29.95
Cross Country Road Race	19.95
Gamemaker	24.95
Gamemaker Sci/Fiction	14.95
Gamemaker Sports	14.95
Hacker II	21.95
Labyrinth	21.95
Murder on the Mississippi	21.95
Music Studio	21.95
Rocky Horrow Show	18.95
Shanghai	21.95
Tass Times in Tonetown	21.95
Titanic	15.95
Transformers	21.95

EPYX

Fast Load	$23.95
Multiplan 64/128	29.95
Programmers Toll Kit	27.95
Vorpal	21.95
World Karate Championship	18.95
World's Greatest Baseball	23.95
Super Cycle	24.95
World Games	24.95
World's Greatest Football	24.95
Movie Monster	24.95
Championship Wrestling	24.95
Destroyer	24.95
Winter Games	23.95

FIREBIRD

Elite	$19.95
Colossus Chess-IV	21.95
Music Systems	24.95
Advance Music Systems	49.95
The Pawn	28.95
StarGlider	24.95
Tracker	24.95

SSI

Battle of Antietam	$29.95
Carrier Force	36.95
Phantasie II	24.95
Rings of Zelphin	24.95
Wizard's Crown	24.95
Roadwar 2000	24.95

SUBLOGIC

Flight Sim II	$34.95
Football	27.95
Jet	27.95
Pure Stat Baseball	34.95
Scenery Disk 1-6 ea	14.95
Stadium Disk (baseball)	14.95
Up Periscope	18.95

CALL US TOLL FREE

Orders 1-800-634-AICP Only

Customer Service

718-351-1864

10AM to 6PM

E.S.T.

AMERICAN INTERNATIONAL COMPUTER PRODUCTS

P.O. Box 13-1861

Staten Island, N.Y. 10313-0010

Reader Service No. 167

ORDER INFO

In stock items shipped within 24 hours for prepaid orders (cert. Check, visa, mc) C.O.D. Orders accpeted, please add $4.00, must be cash or cert. check ONLY. NYS residents add 8¼% sales tax. Advertised prices reflect a 4% discount for cash, credit card add 4%. All orders add $3.50 shipping and handling withing the Continental U.S. Personal checks allow 2 wk. for clearance. Availability and pricing subject to change without notice. Free shipping in Continental U.S. on software orders over $150.00. DEFECTIVE EXCHANGE ONLY FOR SAME PRODUCT. Restocking fee on unopened no-defective items returned. Returns accepted within 15 days of shipping date only. All returns require Return Authorization numbers. WE DO NOT GUARANTEE COMPATIBILITY.

AMIGA SECTION

Featured This Month:

Guild of Thieves 53
512K RAM Expander 55

GUILD OF THIEVES

Firebird Licensees
Amiga (512K)
Disk; $44.95

The imaginary nation of Kerovnia, the backdrop for 1986's award-winning *The Pawn* (Firebird), serves as the setting for an entirely new set of exploits in *Guild of Thieves.* While the newer release is not a sequel in the strict sense of the term, it is presented in the same style and employs a system which barely varies from the one used in *The Pawn.*

This time, the player assumes the identity of a lowly student in the infamous Worshipful and Partially Honorable Guild of Professional Nocturnal and Surreptitious Entry and Removal Operatives of Kerovnia Thieves. This dreaded organization, possibly in league with the nation's locksmiths and safe manufacturers, trains the felons of tomorrow and generally represents the vested interests of Kerovnia's criminal element. Learning the principles of pilfering in a sterile classroom environment is an important part of the novice thief's training, but there is no substitute for actual "hands on" experience. The teachers have decided that it is time to see if the hero of *Guild of Thieves* has enough of the "wrong stuff" to become a major league lawbreaker.

The game begins when a master ferries the player's character to the outskirts of an unsuspecting town which the Guild judges as ripe for picking. The novice must stage a solo raid to show how well he has learned his lessons. A successful raid allows the character to join Kerovnia's Guild of Thieves.

This plot is a distant cousin of the "gilded hole" dungeons which dominated computer adventuring in the 1978-1981 period. Most previous attempts to inject a freewheeling "scoop up the loot" ambience into today's more sophisticated games have failed. It is hard to reconcile the protagonist's seemingly unbridled materialism with the heroic tradition. Casting the main character as an apprentice thief eliminates the problem. Computerists familiar with the innumerable fantasy novels about lovable rogues should have little trouble identifying with the main character in *Guild of Thieves.* There's nothing especially original about the story, but it is well constructed and enjoyable to play.

The design team wisely decided to keep the tone very light. All the stealing and cheating might become depressing if the computerist had to take it all seriously.

Magnetic Scrolls pulled out all the stops to make the instruction booklet as wild and wacky as possible. Unfortunately, the jokes are overly obvious. The 40-page instruction manual tries to simulate a popular magazine for Kerovnian thieves, but the angle of the humor is inconsistent. Typos and missing lines don't help the overall presentation either.

The rules, including a set of coded hints to aid the frustrated are embedded in the magazine. The explanation of the parser and other features is excellent and thorough. Numerous examples help even first-time adventurers get right into the action.


Guild of Thieves is basically a text adventure. The parser interprets the computerist's typed commands and responds with a block of text and, sometimes, a beautiful illustration. The parser, essentially the same as the one in *The Pawn,* understands more words and contexts than any rival system.

The artwork is much more detailed than in older illustrated adventures, though every location doesn't have a picture. The pull-down "graphics" menu gives the gamer a choice of three display modes: freehand, stipple, and dither. Clicking the desired choice facilitates switching among the alternatives.

Heavier use of the editorial blue pencil would have improved the text. The writing is detailed and not too flowery, but the descriptions are sometimes ambiguous. Fortunately, the parser's large vocabulary enables the player to circumvent any vague spots in the narrative.

At a time when action-adventures are pushing text quests out of the market, *Guild of Thieves* successfully bucks the trend. It unflinchingly addresses, and overcomes, most of the drawbacks of parser-driven games. This fantasy romp should provide many hours of stimulating adventuring for Amiga owners.

Firebird Licensees, Inc., P.O. Box 49, Ramsey, NJ 07446 (phone: 201-444-5700). *—Joyce Worley and Arnie Katz*



Though basically a text game,* Guild of Thieves *boasts much more detailed artwork than older illustrated adventures. *READER SERVICE NO. 174*

CINEMAWARE

PRESENTS


AWARD WINNING GRAPHICS


Best Graphics: 16 Bit Division.—*The Software Publishers Association, 1986*


Award For Special Artistic Achievement In A Computer Game.
—*Computer Gaming World, 1987*


Stunning graphics, life-like animation, and a good soundtrack add to the feeling of a movie-like story…
—*Computer Entertainer*

Defender (of the Crown) is the most detailed, most graphically brilliant, most beautiful software program ever released for any microcomputer.
—*The Guide to Computer Living*




















Our choice for the most innovative software product of 1986…with graphics that make your computer into a home movie theater.
—*Chicago Tribune*

Sinbad and the Throne of the Falcon is a brilliant tribute to those masterful films…I've never seen anything like it.
—*Computer Gaming World*

NOW PLAYING AT A SOFTWARE DEALER NEAR YOU

Exclusively distributed by Mindscape, 3444 Dundee Road, Northbrook, IL 60062
Call toll free in Continental U.S. (except IL): 1-800-443-7982 Illinois: 1-312-480-7667

Available for Amiga, Atari ST, MacIntosh, AppleIIgs, IBM PC and Commodore 64, which are trademarks respectively of Commodore-Amiga, Atari Inc., Apple Computer, Inc., International Business Machines and Commodore Electronics, Ltd. Not all products are available for all formats. Cinemaware is a trademark of Master Designer Software, Inc.

Reader Service No. 165

512K RAM EXPANDER

MicroBotics, Inc.
Amiga 500
Price: $159.00

Your new Amiga 500 came stocked with half a megabyte of RAM. That's twice as much as the 1000 originally had. Of course everyone I know dropped a RAM expander into their 1000 to boost it from 256K to 512K. And a bunch of other RAM expanders are available to take the 1000 into the megabyte and beyond range.

Just as the 1000's 256K was not enough for many users yesterday, the Amiga 500's 512K will not be enough today. And, like the 1000, the 500 is designed so that doubling its RAM is child's play. Your 500 manual describes Commodore's A501 memory and clock expansion cartridge. For my money, there's a better alternative.

MicroBotics formally calls its Amiga 500 RAM expander the "M5501 Memory and Clock/Calendar Expansion Unit." They describe their expander as "identically compatible in every feature with the Commodore unit designed for the same purpose."

An external look at Commodore's expander and MicroBotics' shows two metal cases, MicroBotics' being an inch shorter. Not much to see.

Inside the two units is where we find the similarities—and the differences. Each board has 16 256K dynamic RAM chips, an even larger number of capacitors, a ni-cad battery, a clock chip, and a handful of resistors and other components. The smaller size of the MicroBotics board is simply a function of placing the various components closer to one another.

(Remember that the size of dynamic RAM chips is measured in bits, not in 8-bit bytes. A 256K chip stores 256K bits, so it takes 8 of these chips to add 256K bytes to your computer.)

After the density of the components, the next thing that jumps out at you is the speed of the RAM chips. The Commodore unit uses 150 nanosecond (ns) chips, while MicroBotics uses 120ns. The 120ns chips are capable of operating about 20 percent faster.

Does this mean that the MicroBotics unit will run faster? Not really. The speed of your computer is controlled by other components. RAM just has to be fast enough to keep up. But I certainly wouldn't complain about having the faster, more expensive RAM on the MicroBotics board. At today's mail order prices, that's $55 to $60 worth of RAM chips.

Why all the capacitors on this (or any other) board? Technically, they are decoupling or bypass capacitors. Two principles of board design demand them. First, it is considered good practice to use a decoupling capacitor between the power and ground pins of a chip, no more than an inch or two from the chip's power supply pin. Too few decoupling capacitors and a board may work erratically. A second, related principle requires that a capacitor be placed between the power supply and ground close to every second TTL (transistor-transistor logic) chip. Whenever one of the logic gates in a TTL



RACE ANALYSIS SYSTEMS III

Introducing Race Analysis Systems III. As in all three included (Harness, Thoro, Greyhound), for one low price.

But don't let the low price fool you. Systems III utilizes a state-of-the-art Database Management System that is capable of storing the past performance lines of more than 2000 race entrants on a single 5¼" floppy disk. With an average record retrieval time of only four seconds, fast, accurate handicapping is virtually guaranteed.

There is more. Systems III performs a Complete Wager Analysis™ on every race. Checking the viability of eleven different wager types. Pin-pointing the most efficient way to wager on a given race.

Other features include full support of the C-128's numeric key-pad; screen dumps to printer; betting tips; Quickcapper™ mode; built in fast-loader, and much, much more.

C-64/128 Disk ..... ONLY $49.95

30 DAY MONEY BACK GUARANTEE

Race Analysis Systems III is part of The Alsoft Team of exceptional handicapping software. To Order: Ask your local retailer or call (412) 233-4659 for MasterCard & Visa orders. To order by mail send check or money order to ALSOFT, 305 Large Avenue, Clairton, PA 15025. Price includes shipping. All Orders are shipped within 24 hours of receipt.

Reader Service No. 178

TRY BEFORE YOU BUY!

Best selling games, utilities, educational, and classics, plus new releases!

- 100's of titles
- Low prices
- Same day shipping
- FREE brochure

YES, WE ACCEPT:





RENT-A-DISC
Frederick Building #345
Huntington, WV 25701
(304) 529-3232

Reader Service No. 182

Brand New AMIGA 500...$99.00
with TRADE-IN of your working C128, 1571 and 1702

All of our products are guaranteed and we accept TRADE-INS on all NEW and USED equipment including Commodore, IBM compatibles & Atari. CALL for a quote TODAY!

We also pay $CASH$ for your working or damaged equipment.

We carry the full line of Commodore/Amiga/PC products. Quantities of USED hardware, software & accessories vary. Please call!

NEW PRODUCTS

C128D SYSTEM	$499	STAR NX-10C	$199
C64C COMP	$159	STAR NP-10	$149
1581 DRIVE	$199	AVATEX 1200	$ 85
1802C MONITOR	$189	AVATEX 1200hc	$109
1902 MONITOR	$249	AVATEX 2400hc	$209
MPS1200 PRINT	$189	XETEC JR.	$ 39

USED PRODUCTS

AMIGA 2000	$1196	AMBER MONITOR	$ 55
C64 COMPUTER	$109	MPS-801 PRINT	$ 72
C1541 DRIVE	$119	C1660 MODEM	$ 34
INDUS GT DRIVE	$139	C1702 MONITOR	$139
VIC 20 COMP	$ 39	DATACASSETTE	$ 19
VOICE MASTER	$ 69	SOFTWARE	$CALL

CALL FOR SHIPPING/ HANDLING FEES.

Computer Repeats, Inc.
2017 13th St., Suite A
Boulder, CO 80302
VOICE: **(303) 939-8144**
MODEM: **(303) 939-8174**
MASTERCARD/VISA/CHOICE/C.O.D.
Prices are subject to change without notice.

Reader Service No. 179

switches, it will draw a burst of current capable of disrupting neighboring chips.

If you disassembled the two units from Commodore and MicroBotics, you'd also notice that the metal cases were slightly different. The MicroBotics case is heavier gauge metal and snaps together. The thinner Commodore case is soldered top to bottom. That's a mild pain for a reviewer. It is potentially more of a pain for you.

The clock in both these units relies on an internal power source, a ni-cad battery to keep the time and date when your Amiga is turned off or even unplugged. A ni-cad battery has a long life, but can't last forever. Eventually you will have to change it. With MicroBotics' snap-open case, you'll find opening the case to be no more difficult than popping out the battery once you're inside.

The thicker case of the MicroBotics did not fit into my 500 as closely as the Commodore unit. So when I snapped the plastic access cover back on the bottom of the Amiga, the MicroBotics unit bowed it out slightly. The cover fastened securely, however.

I bought one of the first Amiga 500's I could get my hands on. Long ago I gave up any delusion that I had enough will power to resist buying as much RAM as a computer would hold. Knowing that Commodore had a RAM expander to take the 500 to a meg, I just assumed I'd buy it. I hadn't even heard of the MicroBotics unit.

But when I bought my 500, I couldn't find a Commodore RAM expander. One dealer offered me the MicroBotics for less than the Commodore would cost when it became available. Was I suspicious. Not yet having ripped both units apart, all I knew was that MicroBotics somehow managed to be cheaper and quicker to market.

MicroBotics' explanation is simple and humble. As developers, they had received a 500 early on. They knew that you can't have too much RAM and chose their first product for the 500 accordingly. And they did not experience the "delays" that Commodore must have.

Installing a 512K expander (whether it's MicroBotics' or Commodore's) in your Amiga 500 is pure simplicity; no tools required. Just disconnect the cables, turn the 500 over, pop open the plastic access panel, set the RAM expander into the slot, and slide it toward and onto the pins protruding from one end of the slot. Pop the plastic cover back on, reconnect the cables, and 1 meg is yours. After the installation, you may want to leave your Amiga powered up for several hours to put a good charge on the ni-cad battery.

With the new Workbench 1.2, your Amiga will automatically recognize the new RAM. Startup-Sequence grabs a few K here and there so you'll have about 905K free memory with your new MicroBotics RAM expander. Without it, you'd have only 393K free. At the top of the Workbench screen is the Amiga's "memory meter" which will show free memory unless you're working in a window. (Since 1K equals 1024 bytes, 905K will show up as over 926,000 bytes of free memory on the meter.)

My 500's Workbench 1.2 disk automatically creates a 10K buffer for the disk drive (a little RAM area to speed up disk access) and opens a RAM disk complete with Workbench disk icon. Actually, it's the command "Dir RAM:" in the file Startup-Sequence in the S subdirectory that opens the RAM disk.

The Amiga's RAM disk gives you the best of both worlds—speed and flexibility. A RAM disk, by definition, uses some of your precious RAM to simulate a disk drive for quick access. On most computers, you must define the size of your RAM disk and reboot to increase or decrease that size. Amiga's RAM disk is dynamic. It starts out using only 1K, then grows as you copy programs or files to it and shrinks whenever you delete one of those files. (Try the INFO command to check this out.)

RAM disks are a good reason to drop a MicroBotics unit into your 500, especially if you're running with a single floppy drive. If you want access to all the Amiga DOS goodies, like CD Copy, Dir, List, Rename, Why, Delete, EndCLI, and Type, you can edit Startup-Sequence to copy all those files to the C subdirectory of the RAM disk. Then use an "Assign C: RAM:C:" to tell the Amiga to find them there and quit bugging you to "Please replace Workbench 1.2 in any drive" every time you need a DOS command.

If you try this trick with a stock 512K

NO SURCHARGE FOR CREDIT CARD ORDERS

MONTGOMERY GRANT

115 Nassau St. NY., NY. 10038
Bet. Beekman & Ann Sts.(212)732–4500
Open Mon–Fri, 8:30–6:30/Sat, 9:30–6
Sun, 9:30–5:30

Penn. Station, Amtrack Level Beneath
Madison Sq. Garden,NY.,NY. 10001
(212)594–7140 Open Mon–Wed, 8:30–8/Thurs
& Fri,8:30–9/Sat & Sun, 10–7

FOR ORDERS AND INFORMATION CALL TOLL FREE
1(800)345–7058
OPEN 7 DAYS EVERY WEEK FOR ORDERS
1(800)345–7059

IN NEW YORK STATE CALL
(212)732–4500
FOR CUSTOMER SERVICE CALL
(718)965–8686 Mon-Fri 9am-4pm

NO SURCHARGE FOR CREDIT CARD ORDERS

WE INVITE CORPORATE & EDUCATIONAL CUSTOMERS

commodore C64C



With Geos Program!

$149.95

commodore C128



$214.95

NEW C–128/D WITH BUILT–IN DISK DRIVE **$439**

Commodore AMIGA 500



- 68000 Processor
- 512k Ram Expandable to 9MB
- Graphics Processor

IN STOCK

AMIGA PERIPHERALS

A–501 512K EXPANSION
A–1010 3.5" FLOPPY DRIVE
A–1020T 5.25" DISK DRIVE with TRANSFORMER
A–1080 RGB COLOR MONITOR
A–1300 GENLOCK
A–1060 SIDECAR

THESE AND OTHER PERIPHERALS IN STOCK

WE WILL BEAT ANY PRICE

AMIGA 1000 w/ 512K $699
AMIGA 2000.....CALL

commodore



C64C COLOR PACKAGE

COMMODORE C–64C COMPUTER
COMMODORE 1541/C DISK DRIVE
COMMODORE COLOR PRINTER
COLOR MONITOR
GEOS SOFTWARE PROGRAM

$499

COLOR MONITOR – ADD $110

commodore



C64C COMPLETE PACKAGE

COMMODORE C–64/C COMPUTER
COMMODORE 1541 DISK DRIVE
COMPUTER PRINTER
12" MONITOR
GEOS SOFTWARE PROGRAM

$369

commodore



C128 COMPLETE PACKAGE

COMMODORE 128 COMPUTER
COMMODORE 1541 DISK DRIVE
12" MONITOR
COMPUTER PRINTER

$469

TO SUBSTITUTE 1571 FOR 1541 – ADD $60

commodore



C128 DELUXE PACKAGE

COMMODORE 128 COMPUTER
COMMODORE 1571 DISK DRIVE
COMMODORE 1902 COLOR MONITOR
COMMODORE 1515 80 COLUMN PRINTER

$729

EPSON EQUITY II



IBM PC/XT COMPATIBLE PACKAGE

- Equity II Computer - 640K RAM
- Power - 360K Disk Drive - 10 MHz
- Serial/Parallel Ports - 12" High Resolution Monitor - Keyboard

$899

Same Package with 20MB Hard Drive **$1169**

BLUE CHIP



IBM PC/XT COMPATIBLE PRINTER PACKAGE

- Blue Chip Keyboard - 512K RAM Expandable to 640K - 6 Expansion Slots
- All Hook–up Cables and Adaptors - Brother 80 Column Printer - 12" Monitor
- Package of 10 Diskettes optional–20MB Hard Drive

$499

Same Package with 20MB Hard Drive **$769**

apple PACKAGES



Apple IIC or IIE Computer 5.25" Drive 12" Monitor All Hook–up Cables and Adaptors Package of 10 Diskettes

APPLE IIC PACKAGE **$669**

APPLE IIE PACKAGE **$869**

commodore PC10–1

IBM PC/XT COMPATIBLE PACKAGE



- PC10–1 Computer
- 512K Expandable to 640K
- 360K Disk Drive
- Enhanced Keyboard
- Serial & Parallel Ports
- 12" Monitor
- All Hook–up Cables & Adaptors
- Package of 10 Diskettes

$519

Same Package with 20MB Hard Drive **$769**

COMMODORE PC–10/2 640K COMPUTER w/2 360K DRIVES & ABOVE PACKAGE **$619**

COMPUTER PRINTERS

commodore



MPS–803C PRINTER **$129**

MPS–1000 PRINTER **$179**

MPS–1200 PRINTER **$219**


DPS–1101 DAISY WHEEL PRINTER **$169**

EPSON



FX–86E	$309.95
FX–286E	$429.95
LQ–800	$399.95
LQ–1000	$559.95
EX–1000	$489.95

Panasonic



1091I–II	$189.95
1092	$285.00

OKIDATA

OKIDATA–120	$199.95
OKIMATE–20 W/PLUG'N'PRINT	$189.95

star

NX–10	$149.95	NR–15	$405.95
NX–10C	$169.95	NB–15	$639.95
NX–15	$289.95	NB–2410	$399.95
ND–15	$369.95	NB–2415	$539.95

PERIPHERALS

commodore



1902 RGB COLOR MONITOR **$229.95**

1802 COLOR MONITOR **$169.95**

2002 COLOR MONITOR **$239.95**

THOMPSON RGB COLOR MONITOR **$289.95**

DISK DRIVES



1541/C DISK DRIVE **$159.95**

1571 DISK DRIVE **$209.95**

1581 DISK DRIVE **$199.95**

1351 MOUSE **$39.95**

#1700 128K EXPANSION MODULE	$99.95
#1750 512K EXPANSION MODULE	$169.95
#1764 EXPANSION MODULE	$129.95
#1670 AUTOMODEM	$129.95
XETEC JUNIOR INTERFACE	$34.95
XETEC SENIOR INTERFACE	$54.95
C–128 POWER SUPPLY	$29.95
C64/C64–C POWER SUPPLY	$29.95

20MB HARD DRIVES FOR C–64/C...$769 C–128...$849

MasterCard · DISCOVER · VISA

NO SURCHARGE FOR CREDIT CARD ORDERS

Certified check, Bank check, Mastercard, Visa, Am–Ex, Diner's Club, Carte–Blanche, Discover Card and C.O.D.s accepted. * No additional surcharge for credit card orders. Non–certified checks must wait 4–6 weeks clearance. Money orders are non–certified checks. N.Y. residents add applicable sales tax. Prices and availability subject to change without notice. Not responsible for typographic errors. Return of defective merchandise must have prior return authorization number, or returns will not be accepted. IBM PC/XT are registered trademarks of International Business Machine Corp. All orders can be shipped Air Express–call for details.

Amiga (and copy all the C subdirectory files), you will have less than 215K free. With a MicroBotics unit, you'll still have over 720K left.

One of the nicest things about MicroBotics' unit isn't the RAM at all, but how well it works with the new Workbench 1.2 that comes with your 500. Amiga has always had a very conservative approach to memory management. Under older Workbenches a memory management error, like an application program using a portion of RAM that it shouldn't, was enough to cause the Amiga to reset after a "software failure." Or, if the system ran out of memory, it was liable to crash.

But the new Workbench 1.2 seems to be pretty solid with the MicroBotics unit. Not only is all your extra RAM automatically recognized, but even running out of RAM does not seem to be a problem. All I could get was a mild-mannered "Ran out of memory. Please free some and try again" message.

Another nice feature is the clock/calendar (which works just like the Commodore expander's). To set the clock, you issue the "SetClock opt save" command from the CLI after having entered the date and time. Then put the "SetClock opt load" command in Start-up-Sequence and your Amiga will boot up with the correct time and date. Timestamping your files, so you can tell one version from another, is nothing to sneeze at either.

Of course the best thing about 1 meg of RAM is...1 meg of RAM. Unless you limit yourself to playing 512K games and producing small- to medium-size documents with a word processor, that RAM will be a real benefit. *VIP Professional*, for instance, is a great spreadsheet, but it leaves only 36K for data on a 512K Amiga. With the MicroBotics expander, you will have over 560K, enough room to build a proper spreadsheet.

Like spreadsheets, many database programs can make good use of additional RAM. And, naturally, graphics programs love the stuff. Hi-res graphics use enough RAM to make you wish your 500 would hold two MicroBotics boards.

Finally, if you're a bit adventuresome, all that RAM will come in handy for multiprocessing. That's running two or more programs (executing two or more processes) at the same time. The Amiga can assign each of several processes its own priority and, since the 68000 CPU can handle only one at a time, juggle the various processes with each one running according to its priority.

An easy way to see this is to open three CLI windows (with the NewCLI command) and arrange them so they do not overlap. Then run an application in each one. Or select several of the graphics demos from the Workbench 1.2 demo drawer at once. As you add each one, you'll see the speed of the individual demos degrade.

Your Amiga does a lot of multiprocessing behind the scenes. Change a disk while a program is running and the Amiga will log in the new disk without your ever being aware, unless you notice the green light or disk sound. But this well-mannered computer will wait until your application is "resting"; it won't interrupt.

(Exec is the set of Amiga routines that is responsible for managing lists of tasks, switching tasks, posting messages between tasks, allocating memory, etc. For a good discussion of multiprocessing, try Robert Peck's *Programmer's Guide To the Amiga* from Sybex.)

So, you've got your new Amiga 500, a nice monitor, and a fistful of software. What's your next purchase? I recommend the MicroBotics M5501. The extra RAM is great whether for programs or as a RAM disk, the clock is handy, the warranty is 120 days (⅓ longer than Commodore's), and the price (about 20 percent less than Commodore's) is definitely right.

MicroBotics, Inc., 811 Alpha Drive, Suite 335, Richardson, TX 75081 (phone: 214-437-5330).

—Richard Herring

Coming Amiga Reviews

- **Digi-Paint**
- **Compu Save 20 Meg Hard Drive**
- **VizaWrite**

And—Best Amiga Games of 1987

Re-ink ANY FABRIC RIBBON for LESS THAN 5 CENTS with

MAC INKER™



MAC INKER

IMAGEWRITER I AND II	**$42.00**
UNIVERSAL (cartridge or spool)	**$68.50**
MULTICOLOR IMAGEWRITER	**$80.00**
MULTICOLOR ADAPTER ONLY	**$40.00**
Shipping (first unit)	$3.00

■ Black, blue, brown, red, green, yellow, purple, orange - 2 oz. bottle $3.00; pint $18.50. Gold, silver, indelible and OCR inks available. Heat transfer MacInkers and ink available plus a complete range of accessories for special applications.

■ Top quality, GUARANTEED, double density ribbon cartridges and reloads available.

■ DEDICATED MACINKERS AVAILABLE FOR EXTRA LARGE OR SPECIAL CARTRIDGES.

MERCURY MODEM

$149.00

Shipping $4.00



■ 24 month warranty. ■ Status lights. ■ Speaker. ■ 300/1200 baud. ■ Call progress detection.

Quick Link communications software:

MS DOS and Macintosh	**$29.95**
with modem	**$15.00**
Cable	**$15.00**

*Hayes is a trademark of Hayes Microproducts.

PROTEUS™

The "Siamese" Buffer



64K	**$199.00**
256K	**$299.00**
Cable	**$10.00**

shipping $4.00

■ Proteus directs two printers (working simultaneously) and frees your computer for other applications.

■ Now you can merge a form letter with your mailing list, set up one printer with letterhead, the other with envelopes, press "START" and RELAX while

■ Compact. ■ 2 parallel ports. ■ Multiple copy capability. ■ "Flexible Capacity" buffer for each port.

For orders of $100.00 or more. Say you saw it in and get a free keychain, beeper and flashlight combined! A $15.00 value!

ORDER TOLL-FREE
1-800-547-3303
In Oregon (503) 626-2291 (24 hour line)
We are and always will be your

Computer Friends®

14250 N.W. Science Park Drive
Portland, OR 97229, Telex 4949559
Dealer Inquiries Welcome.

Reader Service No. 184

THE INS AND OUTS OF THE C-64/128 EXPANSION PORT

Some Hard Facets and Soft Aspects to This Bidirectional Gateway to the Heart of the Machine

By Morton Kevelson

The unique aspect of the personal computer as a home appliance is its lack of a specific application. While all other home appliances are rigidly designed to serve but a single purpose, the personal computer is characterized by its flexibility, which enables it to perform a multitude of diverse tasks. All that is required to change the machine's mission is simply to have it read off a new set of instructions from a storage medium such as a floppy disk. The C-64 and the C-128 have been designed to be flexible in hardware as well as in software. The 44-pin expansion port which is built into these machines permits the installation of a wide range of powerful hardware options that greatly expand the capabilities of the computer. A small sampling of the available products may be seen in the *Reviews* sections of this month's and last month's *Ahoy!*

We now present a detailed description of the hardware aspects of the expansion port on the C-64 and the C-128. Software hackers take note. You will find this information to be invaluable, as it will lead to a better understanding of the workings of your favorite computer by adding meaning to some of the cryptic PEEKs and POKEs you have to deal with.

The physical arrangement of the expansion port is a 44-pin edge card connector. The contacts are arranged in parallel rows of 22 each with their centers spaced one tenth of an inch apart. If you look into the port from the back of the computer, the top row of contacts is numbered from 1 to 22 going right to left. The bottom row is numbered A to Z, also from right to left. Because there are only 22 contacts on each row, the letters G, I, O, and Q are not used. In view of the close spacing and the presence of normal operating voltages on these contacts, it is a good idea not to insert anything in or remove anything from this port while the power is on.

We will now present a pin by pin description of each contact and the purpose it serves in the C-64 and C-128 scheme of things. Note that the port is superficially identical in both the C-64 and C-128 computers. In fact it is designed to function identically when the C-128 is in C-64 mode. There are some internal differences which we will point out as we go along.

We will deal with the contacts in the order of their complexity. Contact numbers 1, 22, A, and Z are tied to the system ground. In electrical terms ground represents the point to which all voltages are referenced. The measurement of voltage, or electrical potential, is always done with reference to a point of known potential. In the case of the C-64/128 and most other computers, all voltages associated with the operation of the logic circuitry will be either at

PLA MEMORY CONFIGURATIONS IN THE C-64

Config #	Control Bits: CHAREN	HIRAM	LORAM	EXROM	GAME	CONTENTS OF MEMORY: $8000	$A000	$C000	$D000	$E000	$F000
1	1	1	1	1	1	RAM	BASIC	RAM	I/O	KERNAL	
2	0	1	1	1	1	RAM	BASIC	RAM	CHAR	KERNAL	
3	1	1	0	X	1	RAM	RAM	RAM	I/O	KERNAL	
4	0	1	0	X	1	RAM	RAM	RAM	CHAR	KERNAL	
5	1	0	1	X	1	RAM	RAM	RAM	I/O	RAM	
6	0	0	1	X	1	RAM	RAM	RAM	CHAR	RAM	
7	X	0	0	X	1	RAM	RAM	RAM	RAM	RAM	
8	1	1	1	0	1	CART.	BASIC	RAM	I/O	KERNAL	
9	0	1	1	0	1	CART.	BASIC	RAM	CHAR	KERNAL	
10	1	1	1	0	0	CART.	CART.	RAM	I/O	KERNAL	
11	0	1	1	0	0	CART.	CART.	RAM	CHAR	KERNAL	
12	1	1	0	0	0	RAM	CART.	RAM	I/O	KERNAL	
13	0	1	0	0	0	RAM	CART.	RAM	CHAR	KERNAL	
14	X	0	1	0	0	RAM	RAM	RAM	I/O	RAM	
15	X	0	0	0	0	RAM	RAM	RAM	RAM	RAM	
16	X	X	X	1	0	CART.	NOT-USED		I/O	CART.	

INTRODUCING ANOTHER WWF® CHAMPION...



Official WWF Product

WORLD WRESTLING FEDERATION®

FEATURING EXCLUSIVE DIGITIZED VIDEO ACTION.

Computer game players...bored with "pretend" animation and "pretend" wrestlers? Your head and wrist limp from joystick coordination? Then take the challenge of the *only* strategy simulation good enough to be sanctioned by the World Wrestling Federation! MicroLeague Wrestling®.

Defend Hulk Hogan's™ claim to the championship! Or you can be Randy "Macho Man" Savage or "Mr. Wonderful" Paul Orndorff and try to capture the belt. See the real WWF Superstars perform the moves *you* want.

MicroLeague Wrestling has all the action and drama of live WWF matches including interviews by Mean Gene Okerlund and ringside commentary by Vince McMahon, Jesse "The Body" Ventura, not to mention the lengendary, Bruno Sammartino. And who knows what lurks in the mind of Bobby "The Brain" Heenan or in the heart of the lovely Miss Elizabeth?



So check it out, dude! Orndorff's devastating pile driver, Savage's awesome elbow drop–and everything else that's in the book or whatever you can get away with! It's MicroLeague Wrestling. The *ultimate* in computer sports simulation!

If your computer/software store is out of stock, no need to retaliate with the Hulkster's Atomic Drop. Just call us at (302)368-9990. And for VISA and MC orders phone us at 1-800-752-9225. Or drop us a (clothes) line to **MicroLeague Sports, 2201 Drummond Plaza, Newark, DE 19711.**

AVAILABLE FOR ATARI ST AND COMMODORE 64/128 COLOR TV/MONITOR REQUIRED. 1–2 PLAYERS.

Reader Service No. 149

ground potential (zero volts or logical zero) or at five volts (logical one) with respect to ground.

If you wish to observe the voltages on the expansion port, one lead of your test instrument should be connected to the system ground. A simple voltmeter will not be adequate to observe most voltages on the expansion port. With the exception of the power supply voltage, all of the logic signals are continuously and rapidly changing in response to the demands of the system. An oscilloscope may be used to observe the voltage on a single contact.

A multiple channel digital storage oscilloscope would be required to properly monitor the status of several signals at the expansion port. This type of instrument has the ability to simultaneously display several channels at once in real time. In digital logic circuits the value of groups of signals at a particular instant is of importance; for example, all eight signals which form the data bus or all sixteen signals which represent the 6510's address bus.

Contact numbers 2 and 3 are connected to the system's 5 volt power supply. A small amount of current (less than a quarter of an Ampere) is available at these contacts to power peripherals connected to the expansion port. The actual available current depends on what is used by other peripherals which may be connected to the computer's user port, joystick port, and cassette port, as these each have a contact to the 5 volt supply as well. Note that peripherals connected to the serial port do not impose a load on the computer's 5 volt power supply, as they are self-powered. The exception may be a printer interface equipped with a separate lead to the 5 volt contact in the cassette port or to one of the joystick ports.

The limitation on the amount of current which may be drawn from the 5 volt contact in the expansion port is due to the minimal capacity of the C-64's power supply. The C-128, which has a heavier duty supply, can deliver additional current to expansion port peripherals. It is possible to obtain greater currents from the C-64's expansion port by upgrading the power supply. Commodore actually provides the equivalent of a C-128 power supply when you buy their 256K memory expansion module, the 1764.

Keep in mind that although the power supply may be upgraded, the printed circuit traces to the expansion port will remain the same size. These will be the ultimate limitation on the amount of current which can be delivered via this port. Expansion port peripherals which require large amounts of power supply currents should have their own 5 volt source. In this case the external 5 volt line should be isolated from the C-64's built in 5 volt supply. However, the grounds of the two systems must still be tied together.

We now turn our attention to expansion port contacts 14 through 21. These are connected directly to the microprocessor's data bus and bear the designation of D7 through D0. Whenever the microprocessor sends data to or reads data from any of the support chips, the voltage pattern on these contacts will correspond to the value of the data. The presence of the data lines on the expansion port allows for the bidirectional transmission of data between the computer and any peripherals. All the computer's hardware resources share this data bus, including the RAM, ROM, VIC, SID, and CIA chips.

The value of each data line is equal to the number 2 raised to the power of its numerical position. For example, the value of D0 is equal to 2 raised to the power of 0. The value of D4 is 2 raised to the power of 4, or 2 multiplied by itself four times. The largest bit value is D7, which is 128. The sum of all the data bits would be 255. To evaluate a data byte, simply add up the bit values for all the bits at 5 volts or logical one.

Sixteen additional contacts, F through Y, represent the system's address bus. On the C-64 these lines are tied directly to the microprocessor. On the C-128 the address lines go through some decoding before being brought to the expansion port. On the C-128 the address bus is actually arranged in two groups of eight bits each. Contacts R through Y, the lower eight bits, are the shared address bus designated SA7 through SA0. Contacts F through P, the upper eight bits, are known as the translated address bus designated TA15 through TA8.

Addresses may be evaluated just like data bytes, except that there are twice as many bits to consider. The most significant bit is A15, which represents a value of 2 multiplied by itself 15 times, or 32768. The largest possible value which may be attained by the address bus is 65535. Don't forget to count address zero in the C-64's total of 65536 bytes of RAM. In addition to this RAM the C-64 contains 20 kilobytes of ROM and 4 kilobytes of addressable input/output (I/O). Since the 6510 microprocessor can only manage 64 kilobytes on its own it gets some help from a custom programmed logic array (PLA). We will look at this memory management in some detail later on.

The internal complexity of the C-128's address bus reflects the additional system resources which are provided with this computer. The C-128 has two microprocessors, two video display processors, and more than twice the RAM as well as over four times the ROM of the C-64. Management of all this hardware requires that precise control be maintained at all times.

The 8501 microprocessor in the C-128 is no better at memory management than the 6510 in the C-64. In fact the two microprocessors are functionally identical. To help out the 8501 the C-128 includes a sophisticated memory management unit (MMU) which was actually designed to cope with up to 256 kilobytes of RAM, as well as all the ROM and other good stuff. Since the C-128 can emulate the C-64, it also contains a version of the PLA. A description of the C-128's MMU is beyond the scope of this article. (Sorry folks, maybe some other time.)

We now turn our attention to the more specialized contacts on the expansion port. We expect that the next two contacts will be of great interest to many users of the C-64. Contacts 8 and 9 are designated $\overline{\text{GAME}}$ and $\overline{\text{EXROM}}$. The horizontal bar written across the top indicates that they perform their function when they are at zero volts, which is also a logical zero. This arrangement is sometimes referred to as active low.

Contacts 8 and 9 are directly connected to the C-64's PLA. As we mentioned above, the PLA is the chip which is responsible for managing the various memory configurations of the C-64 above and beyond the basic 64 kilobytes of RAM. The $\overline{\text{GAME}}$ and $\overline{\text{EXROM}}$ lines are normally main-

tained in a logical one state (+5 volts) by a connection to the 5 volt power supply through built-in resistors. When one or both of these contacts are pulled to a logical zero by simply connecting the contact to ground, the C-64's memory configuration will change.

The actual memory configuration is also dependent on the contents of addresses zero and one. These addresses are actually a hardware input/output (I/O) port built into the 6510 microprocessor. As a result it is actually impossible to access the first two bytes of the C-64's RAM. Address 0 determines which bits of address one will function as input or output lines. In particular it is bits 0, 1, and 2 of the 6510's I/O port which control memory. These are always set for output. The Commodore designation for these bits is LORAM, HIRAM, and CHAREN. Like EXROM and GAME, these three I/O bits are tied directly to the PLA. Bits 3, 4, and 5 of the I/O port are associated with the cassette port. Bits 6 and 7 are not used at all.

There is one memory configuration which is not affected by the contents of the 6510's I/O port. This occurs when GAME is pulled low and EXROM is high. This results in the Max memory configuration, which is named after the Ultimax computer. The Ultimax was intended to be a game machine and minimal C-64 with a membrane keyboard. It was never sold in this country, although we understand it achieved some popularity in Japan. The Max memory configuration may contain up to 16 kilobytes of cartridge ROM or RAM in the address ranges of $8000 to $9FFF (32768 to 40959) and $E000 to $FFFF (57344 to 65535) with only 4 kilobytes of active internal RAM in the address range of $0000 to $0FFF (0 to 4095). The I/O block at address range $D000 to $DFFF (53248 to 57343) is also active.

There are a total of 14 unique memory configurations possible with the C-64 as managed by the PLA. These are summarized in the table on page 59.

When interpreting the memory maps shown in the table, remember that these represent only what the 6510 microprocessor sees. Other system chips, such as the VIC chip, may see a different memory map. Note that configuration numbers 5 and 7 are identical to numbers 14 and 15.

The first five columns in the table show the status of the three memory control bits in the 6510's I/O port and the two hardware control lines on the expansion port. A 0 or a 1 in these columns corresponds to the logical status of the corresponding bit. An X in these columns indicates that the corresponding bit has no effect on the memory configuration. With the exception of the Max configuration in the last line, all memory maps have RAM in the address range of $0000 to $7FFF (0 to 32767). The Max configuration has RAM only in the first four kilobytes of this block. The address range of $1000 to $7FFF (4096 to 32767) is not used by the Max.

The term CART. in an address range column refers to the ROM or RAM in an external cartridge which has been installed in the computer's expansion port. The four kilobyte block from $D000 to $DFFF (53248 to 57343) may contain the I/O chips or the character generator ROM or RAM. The VIC chip always sees the character generator ROM in this block. The I/O chips also include one kilobyte of color RAM starting at $D800 (55296). The terms BASIC and KERNAL refer to the respective ROMs which are built into the C-64.

It is possible to place the C-64 into any of the memory modes which are listed in the first seven rows of the table by POKEing an appropriate value into address 1. The BASIC command line might be:

```
POKE 1,(PEEK(1) AND (248+A))
```

The value of A is 7, 3, 6, 2, 5, 1, and 0 corresponding to the lines in the table. All of these values, except for the first two, will crash the machine as they will swap out BASIC, the Kernal, or both from the microprocessor memory map. The second value will disable the I/O, which of course includes the disk drive. It is possible to experiment with some machine language monitors which may not need the BASIC ROM for their operation; for example, the public domain *Micromon*. Since virtually everything requires the Kernal to update the screen display, it is generally not possible to view the RAM under the Kernal directly. The *Super Snapshot* cartridge reviewed last month will let you work with all of these configurations without crashing the machine.

The C-128 will have the same memory map configurations when in C-64 mode. If either EXROM or GAME are grounded, the C-128 will automatically revert to C-64 mode on power up or after a system reset. The C-128 also has two banks of color RAM in the one kilobyte $D800 (55296) block. Refer to the *C-128 Graphic Bit Map* in the May 1986 *Ahoy!* to see how to manipulate the C-128 color RAM.

Getting back to the expansion port, we turn our attention to ROML at contact 11. ROML is an output line which goes high whenever EXROM is low and the current address falls in the range of $8000 to $9FFF (32768 to 40959). This line simply decodes the status of address lines A15, A14, and A13 along with EXROM. If A14, A13, and EXROM are all low, and A15 is high, then ROML will go high. Contact B (ROMH) functions similarly for the address range of $A000 to $BFFF (40960 to 49151) when GAME or EXROM is low. In the Max configuration ROMH goes high for the address range of $E000 to $FFFF (57344 to 65535). The ROML and ROMH contacts are used to enable cartridge ROMs which map into their respective address ranges.

Contact 6, which bears the designation R/W, indicates whether the microprocessor is performing a read or write operation. A logical 1 indicates a read while a 0 signifies a write.

At this point we have described enough of the expansion port's contacts to construct a ROM cartridge.

We have also run out of space for this issue. Next month we will show the wiring for two different C-64 cartridge types. We will show why as a rule only one cartridge may be used in the expansion port at a time and we will look at what has to be done to get around this limitation. We will also finish looking at the rest of the connections to the expansion port. □

PHOTOS BY MORTON KEVELSON


TURBO PROCESSOR


Swisscomp
Commodore 64
Cartridge; $189.95


Faster is better! More bits are better! These are the maxims with which microcomputers are promoted today. In simpler terms, the faster the microprocessor runs and the more bits it can process with every instruction, the better is its performance. The very first microprocessor was the Intel 4004 which was developed in 1971. It could manipulate only four data bits at a time. It was able to address 1280 half-bytes, or nybbles, of data in conjunction with four kilobytes of programmed instructions. It ran at a clock rate of about 60,000 operations per second.

Just four years later the 6502 was developed by MOS Technology, a company which was subsequently bought by Commodore. The 6502 processes eight data bits at a time and it is able to address 64 kilobytes of data and instructions. It runs at a clock rate which lets it execute over one million instructions per second. The 6502 is the microprocessor used by most microcomputers built in the 70's and early 80's including the KIM, PET, VIC 20, C-64, the C-128, the Apple II series, and the 8 bit Ataris. Although the 6502 is not as big and fast as the latest crop of 32 bit number crunchers, the computers based on it are still in use.

The immense popularity of the 6502 has spurred independent development efforts to improve its performance. Less than three years ago the Western Design Center developed the 65C816, a 16 bit version of the 6502 which could also run more than four times as fast.







ABOVE: Microtroll's immediate mode screen display. Digital oscilloscope screen is to the left; monitoring of the 16 channel analog to digital convertor is on the right.

TOP LEFT: The Microtroll. A bigger C-64 cartridge will be hard to find. Power supply section occupies top third of board. Six 6821 PIA chips span center third. Across bottom third to left are digital/analog and analog/digital conversion sections. Clock/calendar is in center and PROM programmer with 8K user PROM is to right. Small board at end of ribbon cable contains the operating system in an additional 8K of ROM. This board connects to the 64's expansion port. All I/O is available at twin 34 pin edge connectors at bottom. The board has been predrilled for user installation of dual headers at connectors.

READER SERVICE NO. 211

TOP RIGHT: Largest chip on the Turbo Processor board is the 65C816. To its left is reset pushbutton; above it are 32K PROM chip and twin 32K RAM chips. Miniature control switches are in upper left corner next to variable speed control. Red LED in upper right is for power indication.

READER SERVICE NO. 210

PHOTOS BY MORTON KEVELSON

"...dramatic improvements over 1541 in quality and reliability... while keeping 1541 compatibility."
COMPUTE!'s *Gazette* August '87

DRIVE THE BEST



NOTHING DRIVES THE COMMODORE 64 OR 64C BETTER THAN THE FSD-2 EXCELERATOR+ PLUS.

COMPATIBLE. RELIABLE. GUARANTEED.

*The FSD-2 Excelerator+Plus Commodore compatible disk drive. Faster, quieter and more reliable than the 1541 and 1541C. Breakthrough Direct Drive technology. Guaranteed 100% compatibility. It even **enhances** GEOS! Full One-Year Warranty.*

ECI

Emerald Components International
P.O. Box 1441/Eugene, OR 97440
In Oregon: 683-1154/Fax: 503-345-5037
Telex: 23-499-6100 EUG SECSVC

1-800-356-5178

*Commodore is a registered trademark of Commodore Business Machines, Inc.

Reader Service No. 170

To take advantage of the popularity of the 6502, the 65C816 architecture and instruction set is a superset of the 6502. This means that the 65C816 can be used as a replacement for the 6502 with minor hardware modifications.

C-64 owners were ecstatic! Here was the opportunity to replace but a single chip with the potential to improve the performance of their computers by a factor of eight. Alas, this was not the case. Although it was possible to perform the substitution, there was nothing to be gained by doing so. The operating system and the supporting hardware remained the same, which resulted in no change in performance. Nevertheless the possibility was intriguing to say the least, and Swisscomp with their Turbo Processor actually did something about it.

Swisscomp has developed a cartridge for the C-64 (not the C-128) which utilizes the 65C816 microprocessor. As with other cartridges it plugs into the expansion port and takes control of the machine. The result is that the C-64 is managed by a 16 bit microprocessor executing its instructions at speeds up to four million times per second.

In addition to the 65C816, Turbo Processor has its own 64 kilobytes of battery-backed static RAM, two operating systems in 32 kilobytes of ROM, and a collection of digital "glue" chips which hold everything together and provide the interface to the C-64. The board also has two potentiometers to fine tune the timing so as to match the C-64. A third potentiometer serves as an optional speed control allowing for the adjustment of clock speed over the range of one to four MHz. A set of eight miniature switches are used to configure the board according to the user's needs. A handy reset pushbutton is also provided.

All this hardware is crammed on a double sided 4" wide by 6" deep circuit board, of which four inches protrudes out the back of the computer. The variable speed control adds an additional quarter inch to the width. The rechargeable battery is positioned to provide a supporting foot at the back of the board. The circuit board is completely unenclosed, opening up the possibility of accidental contact with small (or large) metal objects. The lack of an enclosure, or any other shielding, may also result in local interference with TV and radio reception.

In operation the Turbo Processor emulates a C-64 running at about four times its normal speed. Since a direct emulation is being performed, there is no real utilization of the 65C816's 16 bit capabilities. Other than the addressing of ROM and RAM without bank switching, there is also no utilization of the microprocessor's 16 megabyte address space. The Turbo Processor's manual does mention the pending availability of a one megabyte expansion card. A close examination of the Turbo Processor did not reveal how this extra megabyte would be interfaced.

While we are on the subject of the manual we must point out that it was apparently translated from some other language to something which bears a passing resemblance to English. The resemblance was close enough that we were initially misled into believing it actually was written in English. We soon found out the truth as we were reduced to the trial and error technique of deciphering some of the Turbo Processor's operations. This was after we were blessed with a revision to the first version of the manual. We strongly suggest that Swisscomp USA retain the services of a qualified writer to come up with a better manual.

The user has a choice of several operating modes via the Turbo Processor's eight miniature switches. The default settings result in a standard C-64 running at a four MHz clock speed. This does not necessarily result in the expected four times speed improvement, as all of the I/O operations as well as the sound chip, video chip, and the built-in real time clock must still operate at the original one MHz clock speed. Nevertheless, speed increases greater than three times will be obtained even with BASIC programs. We clocked a simple FOR/NEXT loop at a better than 3.7 times speed increase. Including a simple floating point calculation in the loop still gave us a more than 3.5 times speed increase. Upon adding a print to the screen in each iteration of the loop we still found the speed factor to be greater than 3.3 times normal.

If you are a machine language programmer you can get even better performance, and if you can write 65C816

$ WIN THE LOTTO $

With Your Computer!

Forget random numbers. This program for home computers does an actual analysis of the past winning numbers. This amazing program will quickly provide you with all the data you need to predict which numbers will likely come up in subsequent drawings. All consistent lottery winners use some kind of system based on the past winners. Using the real power of your computer gives you a definite edge. It's menu driven and all you do is add the latest winners each week and the program does the rest in seconds. On screen or printer it shows hot and cold numbers, frequency, groups, sums-of-digits, odd/even, wheels numbers and more. No thick manual to read. It even has a built-in tutorial.

Ask your software dealer or call or write:

SOFT BYTE

SOFT-BYTE
P.O. Box 556 F. Park
Dayton, Ohio 45405
(513) 233-2200

THE LOTTO PROGRAM is designed for all 6 & 7 draw lotto games (up to 49 numbers)!

DON'T PLAY LOTTO WITHOUT IT!


APPLE & M/S DOS IBM 24.95
COMMODORE & ATARI 21.95
TRS-80 & MOD III, IV 21.95
MACINTOSH (super version) 29.95

Please add $2.00 shipping/ handling. Fast service on charge cards.

MasterCard VISA

Reader Service No. 198

CHIP CHECKER



TESTS and/or IDENTIFIES

- Over 600 Digital ICs
- 74/54 TTL + CMOS
- 14/4 CMOS
- 9000 TTL
- 8000 National and Signetics
- 12-24 Pin Chips (.3" + .6" widths)

Pressing a single key identifies/tests chips with ANY type of output in seconds. Inexpensive software updates will be offered as new chip tests are developed. The CHIP CHECKER is available for the Commodore C64 and C128 for only $159.

DUNE SYSTEMS
2603 Willa Drive
St. Joseph, MI 49085
(616) 983-2352

Reader Service No. 195

COMMODORE AUTHORIZED SERVICE

POWER SUPPLY (C-64)	$29.95
C-64 REPAIR	44.95
1541/1571 ALIGNMENT	35.00
1541 REPAIR & ALIGNMENT	75.00
C-128 REPAIR	75.00
1571 REPAIR	95.00
POWER SUPPLY (C-128)	84.95
EXTENDED WARRANTY	CALL

Free Return Freight - Continental US
Add $10 for APO, FPO, AIR
Save COD charge - send Check or Money Order. (Purchase Order Accepted)

Second Source Engineering

2664 Mercantile Drive
Rancho Cordova, CA 95670
(916) 635-3725

Reader Service No. 206

TIRED OF WRITING PROGRAMS THAT RUN IN SLOW MOTION?

TRY:

64—TRAN

The first FORTRAN Development Environment for the Commodore 64 or 128 (in 64 mode)

- Comprehensive manual included
- Generates relocatable machine code
- Creates fast, saveable programs
- Allows for low overhead by linking only the system rountines required
- EXEC statement allows access to 6502 registers, kernal and user written machine language rountines
- Block IF-THEN-ELSE-ENDIF constructs
- Minimum requirement of C64 and one disk drive
- $50.00 each (MD residents add $2.50 tax)

Orders and Info Call:
(301) 992-9527

Or Write To:
TRIDENT SOFTWARE
P.O. Box 180 Glenelg, MD 21737

VISA MASTERCARD

Dealer Inquires Welcome

Reader Service No. 197

code for 16 bit operation you can do better yet. You will have to be rather clever about it, as the manual provides no information on how to access the 16 bit facilities of the 65C816.

Upon turning our attention to the control switches we found that the first switch simply disables the Turbo Processor, leaving a native C-64. This will let you run software, such as games, whose machine language timing loops would be affected by the increased clock speed. Unless you are an absolute masochist, you will not enjoy playing most arcade games at four times the usual speed.

The second switch enables the manual control of processor speed over a one to four MHz range. The third switch supports the replacement of the onboard 32 kilobyte ROM with a 64 kilobyte ROM. If you are ambitious and have the technical knowhow, you can write yourself up to two more operating systems to fit into this ROM.

The fourth switch banks in up to 16 kilobytes of cartridge ROM which may be on board the Turbo Processor. The manual mentions an assembler for this slot but gives no further details. The fifth switch selects between the two onboard operating systems. The default operating system is the C-64 emulation mode mentioned above. The alternate operating system supports an optional Turbo Loader kit which adds a parallel interface between the C-64 and the 1541 disk drive. We will discuss the Turbo Loader in a while. The alternate operating system also includes a full-featured DOS wedge with some programmer's aid extension to BASIC. The latter commands include auto line numbering, enhanced screen editing, a program unnew feature, and a rudimentary monitor. The monitor is limited to the display of memory and the loading or saving of program files.

The sixth switch permits asynchronous operation of the Turbo Processor with respect to the C-64. In this mode the two clocks will not be locked to each other and all access to the I/O will be lost. Synchronous operation may be resumed under software control. Asynchronous operation should result in an additional speed increase of 10% to 20%. We did not have the opportunity to verify this. The seventh and eighth switches control the hardware and software selection of the Turbo Processor's one MHz and four MHz operating speeds.

We have mentioned the 64 kilobytes of battery-backed RAM provided with the Turbo Processor. The battery for this RAM is a 2.4 volt, 100 milliampere hour nickel cadmium unit which may require recharging when the Turbo Processor is first powered up. This could take up to half an hour, during which time the C-64 will be disabled. Once charged up, the battery should be good for several months. Thus the problem is not likely to recur. The charging of the battery and the additional load of the Turbo Processor may pose a problem for C-64s with marginal power supplies.

Once the battery is recharged it will retain all data in the onboard RAM after the C-64 is turned off. This data will be instantly available when the computer is turned on. This includes any autostart programs which may be in RAM. In fact we initially had some difficulties getting out of an autostart program we had loaded in. Although the manual mentioned several power on methods under keyboard control which were supposed to bypass any autostart programs, we could not get any to work. Even the sequence which was supposed to clear RAM had no effect. We were about to resort to the unsoldering of the battery to clear the RAM when we tried switching to the alternate operating system. Wallah! Apparently all of the alternate startup procedures are implemented only in the alternate operating system—something which the manual was not too clear about.

The alternate operating system is required when the optional Turbo Loader kit is installed. This kit consists of a replacement ROM for the 1541 disk and a parallel connection cable between the 1541 and the C-64. Note that different kits are required for the 1541 and the 1541C. On the 1541 side you will have to remove the VIA chip which is closest to the drive's 6502 microprocessor. An adapter socket is then installed and the VIA chip is replaced. The cable taps into the unused 8 bit I/O port on this VIA chip. The other end of the cable is connected to the C-64's user port via an adapter card which also extends the port for other peri-

pherals. The card contains a second reset pushbutton (the first reset pushbutton is on the Turbo Processor card). The Turbo Loader resulted in a more than six times improvement in loading speeds.

Overall compatibility with disk-based software was quite good. The onboard switches made it simple to configure the Turbo Processor so it would run with any program. A close examination of the Turbo Processor's edge card connector revealed that several lines were not in use, in particular I/O 1, I/O 2, GAME, EXROM, ROML, and ROMH. If you have read the accompanying report on the expansion port (page 59), you will realize that these include the key lines by which the C-64 recognizes the presence of an external cartridge. Apparently the Turbo Processor uses the NMI line along with extensive direct memory access (DMA) to control the machine.

The unconnected control lines led us to the subsequent discovery that a plug-in ROM cartridge would not work while the Turbo Processor was active. The control of the machine is so complete that even when we hardwired EXROM and GAME to ground they were still ignored. Interestingly enough, we found an unexpected side benefit. A standard C-64 ROM cartridge could be plugged in parallel with the Turbo Processor by using a two-slot expansion chassis. No switching is required of either cartridge. When the Turbo Processor is active the ROM cartridge will be ignored. If the Turbo Processor is disabled the ROM cartridge will assert itself in the expected fashion.

The Turbo Processor is a fascinating hardware extension for the C-64. The increased speed it offers will be of value for many users, especially for productivity software. We found *Multiplan's* performance to be real snappy at four MHz. The major shortcoming of this package is the lack of complete documentation. A sophisticated product of this sort requires a detailed description of its operating system and hardware to be most effective. At the very least we would like to see support for the 65C816's 16 bit operating mode.

Swisscomp Inc., 5312-56th Commerce Park Blvd., Tampa, FL 33610 (phone: 813-628-0906).

—Morton Kevelson

MICROTROLL

Slide Mountain Systems
Commodore 64
Price: $180.00

As microcomputer users we often hear about input/output (I/O) without giving it a second thought. On occasion we might ponder just which part of the computer is I/O and why the topic always seems to crop up. The I/O is the part of the computer which lets it communicate with the outside world. The bottom line is that a microcomputer consists of a microprocessor, some associated memory (RAM and/or ROM), and a program to run. All the rest is I/O and in most computers the I/O actually represents a much greater investment than the basic machine. Although the bottom line computer may be quite content with its introspective cogitations, it would not be of much use to the rest of us. Without some means of finding out what it was up to or some way for us to guide its thoughts, it would not be likely to perform for our benefit.

In the C-64 we thus classify the game ports, keyboard, video display, SID chip, serial port, cassette port, and user port as I/O. As we show in our dissertation on the expansion port we may find I/O there as well. As a result, with an I/O here and an I/O there the C-64 becomes a most useful device. At this point we might very well believe that the C-64 is equipped with a more than ample supply of I/O. Not so! As with RAM, a computer can never have enough I/O. In spite of its innate versatility, the C-64 lacks the means to perform the vast majority of the mundane tasks which occupy our daily lives. When was the last time your C-64 prepared your dinner, made your bed, or commuted to work for you? Interestingly enough, many of today's appliances have built-in microprocessors which let them perform some of these tasks. However, these devices lack the necessary I/O, as well as the ability to readily change their program, which would provide them with the flexibility of the C-64. In fact they are microcomputers dedicated to a single task.

While the Microtroll from Slide Mountain Systems will not endow your C-64 with the above mentioned capabilities, it will vastly expand its I/O. Please note also that the Microtroll

READER SERVICE INDEX

Page	Company	Svc. No.
38	Access Software, Inc.	163
C-4	Access Software, Inc.	162
55	Alsoft	178
52	American Int'l Computer	167
46	The Avalon Hill Game Co.	155
16	Avantgarde 64	185
10	Baudville	208
9	Briwall	172
31	Central Point Software	176
83	Cheatsheet Products Inc.	173
54	Cinemaware/Mindscape	165
37	Complete Data Automation	171
24-29	Computer Direct	146
58	Computer Friends	184
14	Computer Mart	189
50,51	Computer Mart	169
77	Computer Mart	180
56	Computer Repeats	179
6	CompuServe	145
79	Compusystems	158
19	Cosmi	164
17	Data East USA Inc.	160
48	Data East USA Inc.	161
65	Dune Systems	195
42	Electronic Arts	152
64	Emerald Component Int'l.	170
42	Epyx	151
53	Firebird Licensees, Inc.	174
C-3	Firebird Licensees, Inc.	150
75	Floppy House Software	181
73	Free Spirit Software, Inc.	159
86	Grapevine Data Products	187
41	Intellicreations	207
78	Intelligence Simulation Devices	202
70	Jason-Ranheim	175
43	Ketek	192
49	Lance Haffner Games	177
4,5	Lyco Computer	188
10	Master Software	199
60	MicroLeague Sports	149
15	MicroProse	147
47	MicroProse	148
57	Montgomery Grant	193
13	Pro-Tech-Tronics	183
10	Quail Electronics	204
34	QuantumLink	156
44	QuantumLink	153
56	Rent-A-Disc	182
12	Richwood Software	196
30	S & S Wholesalers	190
8	Schnedler Systems	209
66	Second Source Engineering	206
C-2	Sir-Tech Software, Inc.	166
23	Skyles Electric Works	154
63	Slide Mountain Systems	211
65	Soft-Byte	198
63	Swisscomp	210
74	TC Electronics	201
66	Trident Software	197
76	Ultra-Byte	205
12	Unlimited Software Inc.	200
69	USS Photo	203
11	Utilities Unlimited	191
45	Value Soft Inc.	168
22	Wedgwood Rental	186
7	Xetec, Inc.	194
68	*Ahoy!* Binders	–
71	*Ahoy!* Access Club	–
80	*Ahoy!* Disk	–
85	*Ahoy!* Back Issues	–

The publisher cannot assume responsibility for errors in the above listing.

does not reside under a bridge, nor does it have any dealings with the three microgoats gruff which may happen to pass over. Physically the Microtroll is an imposing double sided, 9" circuit board. It interfaces with the C-64's expansion port via a 7" flat ribbon cable. The computer end of the cable is terminated in a small cartridge board which contains the Microtroll's 8 kilobyte operating system in ROM.

The Microtroll is supplied without an enclosure; however, the board is predrilled with appropriate mounting holes for easy installation in a suitable box. The end user should provide a suitable enclosure for physical protection as well as RFI shielding.

Power for the Microtroll is derived from an external 9 volt AC transformer rated at a bit over 3 amperes. The onboard power supplies convert this to the various DC voltages (+5 volts, +/−15 volts, +/−25 volts) required by the Microtroll. An alternate power source would be an unregulated 9 to 20 volt DC supply rated at two amperes. If the optional 3 volt batteries are installed, there will also be backup power for the onboard real time clock. Most of the available output from the power supply is used by the Microtroll. There is a small amount left over for user devices (5 volts at 250 milliamperes and +/−15 volts at 10 milliamperes.

The bulk of the Microtroll's circuitry consists of six 6821 PIA (peripheral interface adapter) chips, an ADC0817 analog to digital converter, a pair of DAC-08 digital to analog converters, an MSM5832 real-time clock/calendar, an 8 kilobyte EPROM, and the associated PROM programming circuitry. There are additional chip select lines for up to two more PIAs. The board even has mounting holes for user designed "piggy back" circuit boards.

The 6821 CIA is equipped with two bidirectional, 8 bit I/O ports. The ADC0817 is equipped with an 8 bit analog-to-digital converter with a 100 microsecond conversion time and a 16 channel multiplexer. The DAC-08s can accept 8 bit digital input data. The MSM5832 provides complete date and time information in a 12 or 24 hour format.

The onboard operating system is a hybrid of machine language and BASIC. On power on the BASIC portion of the operating system is downloaded into user RAM and linked to the machine language portion. The Microtroll then continues operating in its immediate mode. In immediate mode the operating system sets up an intricate display, as shown in the screen photograph on page 63, and waits for user input. This provides the following functions which illustrate the Microtroll's capabilities:

1. A capacitor checker with a basic range of 0.1 to 200 microfarads.
2. The real time clock display.
3. A rudimentary digital storage oscilloscope. The sampling interval can be adjusted from a range of a small fraction of a second to several days.
4. Monitoring and setting of the 16 digital I/O lines.
5. Direct access to both digital to analog conversion channels.
6. Display of the 16 analog to digital conversion routines.
7. Access to the PROM programmer for user programs.

The immediate mode program is intended to be expanded upon by the user. Up to an additional eight kilobytes of BASIC program may linked to the immediate mode routines. This program may then be permanently programmed into the onboard ROM. The Microtroll will then automatically link the user code into its BASIC operating system for automatic execution on power up. If the user code includes access to a disk drive, then program overlays can be used to extend the program even further.

The documentation provided with the Microtroll is extensive. It includes detailed descriptions of the hardware with complete schematic drawings. Thoroughly documented listings of both the BASIC and machine language portions of the operating system are provided, plus a full set of manufacturer's data sheets for major chips.

The Microtroll is intended for a variety of end users. At the very least it is a low cost I/O board with tremendous appeal to the hardware hacker. It can form the basis of a detailed education in the intricacies of microcomputer interfacing. The Microtroll will also be of interest to the industrial user, serving as a microcomputer-based control system for a variety of manufacturing processes. As such the Microtroll stands to save considerable in-house engineering development time by providing an easy interface to a fully developed I/O interface.

Slide Mountain Systems, P.O. Box 6481, Colorado Springs, CO 80934 (phone: 303-449-4783).

—Morton Kevelson

Keep Your Collection Looking Shipshape with Ahoy! Binders



Don't be caught at sea the next time you need valuable programming information from a back issue of *Ahoy!* Our official binders turn a year's worth of *Ahoy!* into a textbook on Commodore computing! These quality-constructed binders use metal rods to hold each magazine individually, allowing easy reference to any issue without removal. Sporting a navy blue casing with a gold *Ahoy!* logo imprinted on the spine, these binders will be the pride of your computer bookshelf.

To order, send $12.45 (US funds) for each binder desired to:
Ahoy! Binders
45 West 34th Street—Suite 407
New York, NY 10001

(Outside Continental US add $2.50 per binder. Allow 4 to 6 weeks for delivery.)

AHOY!'S BULLETIN BOARD SYSTEM

Call *Ahoy!'s* BBS 24 hours a day, 7 days a week for information on upcoming issues, program and article corrections, and more.

Set your modem for 300/1200 baud, full duplex, no parity, 1 stop bit, and 8-bit word length, and dial 718-782-3239.

Continued from page 14

Prix courses, including Australia's Salzburgring and Great Britain's Silverstone. Two players can compete on side-by-side screens, or a single player against computer-controlled bikers. A sweepstakes sponsored by Broderbund will award a 650cc Suzuki motorcycle, plus 10 software libraries and 10 Broderbund sweatshirts.

Broderbund Software, Inc., 415-492-3200 (see address list, page 12).

128 DISK UTILITY

Peek a Byte 128 ($35.00), based on the C-64 disk/memory utility, allows users to read, edit, and write to any sector, edit the data, recover a scratched file, modify memory, and more. Data can be displayed as hex values, screen or PETASCII characters, or disassembled to machine code. Included are HELP screens listing all keystrokes, un-NEW programs, and the *Disk Mechanic,* offering the ability to read raw track GCR data, edit sector GCR data, read or write up to track 40 even with DOS header errors, and more.

Quantum Software, 305-622-7962 (see address list, page 12).

MIDI DITTIES

MIDImouse has announced a variety of new products for Commodore 64-interfaced musicians: ROM and RAM cartridges for use with a Commodore 64-interfaced Roland D-50 or ENSONIQ ESQ-1, sound programs on disk and tape for the TX81Z, FB-01, Matrix 6, and Matrix 12, and several new entries in the DIgital Horizon collection of sample disks.

MIDImouse Music, 503-622-4034 (see address list, page 12).

AMIGA SOFTWARE

Four productivity packages for the Amiga from Abacus:

The *TextPro* intermediate level word processor ($79.95) features fast on-screen formatting, automatic hyphenation, 30 user-definable function keys, flexible printer driver installation, and the capability to mix graphics with text.

The *BeckerText* professional word processor ($150) boasts WYSIWYG formatting, multiple (up to 5) column printing, realtime online dictionary, automatic index generation, and lines up to 999 characters.

DataRetrieve ($79.95) lets the database user define files and enter information using flexible screen templates. Data fields can be stored and displayed in different type styles and sizes, and easily changed in definition and format. Also included are search and sort capabilities and RAM disk support. Up to 8 files can be accessed simultaneously, and each record can contain up to 64,000 characters.

The *AssemPro* machine language development package ($99.95) comprises an integrated editor, high speed macro assembler with 32-bit arithmetic, debugger with 68020 single-step emulation, disassembler, and reassembler. The program runs from Workbench or using the CLI.

Abacus, 616-241-5510 (see address list, page 12).

U.S.S. PHOTO

ASK ABOUT OUR SAME DAY SERVICE AND OVERNIGHT SHIPPING

Send Money Orders to 3126 Ave. U Brooklyn, NY 11229 Mon–Fri: 9:30am–8:00pm Sunday: 10:00am–8:00pm

OUT OF STATE CALL TOLL FREE FOR ORDERS ONLY 1-800-BUY-AT U.S. 1-800-289-2887

FOR CANADA, CUSTOMER SERVICE & INFORMATION CALL (718) 646-3633 ASK FOR COMPUTER DEPT.

N.Y. & ALASKA RESIDENTS CALL TOLL FREE TO ORDER 1(800) 289-2887

commodore C128 • 128k Ram • AC Adapter • All Cables $209.95

commodore C64C • 64k Ram • Geos • AC Adapter • All Cables $144.95

commodore PC10–2 • 640k Ram • 2 360k Floppy Drives • MS DOS • 3.2 Parrellel & Serial Port $649.95 PC10-1.....$499

Commodore AMIGA 1000 • 512k Ram • 1080 Monitor • Amiga Software Package $939.95 AMIGA 500 NOW IN STOCK

commodore C64C COMPLETE PACKAGE • Commodore 64C • Commodore 1541 Disk Drive • 12" Monitor • Printer GEOS INCLUDED $379.95

commodore C64C COLOR PACKAGE • Commodore 64C • Commodore 1541C Disk Drive • Color Monitor • Printer for Commodore $489.95

commodore C128D New from Commodore CALL

C128 ENHANCED PACKAGE • C128k Computer • C1571 Disk Drive • C1902 Color Monitor • 80 Column Printer $689.95

PRINTERS
Commodore
MPS 803.....$109
MPS 1000.....$189.95
MPS 1200.....$229.95
Epson & Star
NB2410.....$459.95
SG 10C.....$169.95
NX 10C.....$189.95
FX 86E.....$309.95
FX 286E.....$449.95
HP Laser Jet.....$1599

PERIPHERALS
• 1541C Disk Drive.....$155.95
• 1571 Disk Drive.....$205.95
• 1902 RGB Color Monitor.....$229
• 1802 Color Monitor.....$169
• Amiga 1080 Color Monitor.....$299

IBM PC/XT COMPATIBLE SYSTEM • 640k Ram • One 360k Drive • MS DOS • 4.7/8 Mite Turbo • Mono Card • 12" Monitor $799

SEAGATE 20MB...$329.95

LAPTOPS NOW IN STOCK

EPSON PC/XT COMPATIBLE PACKAGE • 256k Ram • Dual 360k Drives • 12" Monitor • Serial Parrellel Port $589.95

BLUE CHIP IBM PC/XT COMPATIBLE • 512k6 Expansion Slots • 12" Monitor $498.95

RETAIL STORES
BROOKLYN 3126 AVE U, BROOKLYN, NY | QUEENS 136-17 38TH AVE, FLUSHING, NY
Come visit our over-the-counter showrooms

Company Policy: All Merchandise is brand new. Visa, Mastercard, Am-Ex, Diner's Club, money orders, bank checks welcome. Allow 4 weeks clearance on personal checks. Please call for C.O.D details. N.Y. residents add sales tax. Exchange or refund (less shipping) within 15 days-only if returned in original carton, packing, and unfiled warranty card. Please call for authorization code prior to return. Quantities are limited and subject to availability. * = after mfrs. rebate. IBM pc/xt are registered trademarks of International Business Machines. No credit card fee. Prices effective thru November 25, 1987. Not responsible for typo errors. Call for shipping and handling charges.

JASON—RANHEIM
PRODUCTS OF QUALITY FOR YOUR COMMODORE COMPUTER

promenade™C1 The Eprom programmer respected around the world for value. Programs all popular types.
With disk software 99.50

CAPTURE II
The best utility cartridge of its kind is now even better. Make backup disks or auto-start cartridges of your memory resident software.
Still only 39.95

CAPTURE UPGRADE KIT
Upgrade your capture to Capture II capability with new easily installed rom.
Includes file combiner 12.95

CPR-3 CARTRIDGE KIT
For use with Capture II. 72 K Eprom cartridge with case. (Requires promenade for programming Eproms.) 29.95

STARTER SET
Includes Promenade C1, Capture II and CPR-3 kit 149.95

DELUXE SET
As above with datarase Eprom eraser and 2 CPR-3 kits 199.95

CCSZ CLOCK/CALENDAR
Cartridge provides time and date plus 8K of battery backed ram. Independent of power failures or resets.
Many useful features 49.95

CARTRIDGE BOARDS AND CASES
PCC-2 ..... 4.95
Basic 64 mode cartridge board
PSC-2 ..... 5.95
As above, socketted.
PCC-4 ..... 17.95
4 socket, bank switched
PRB-4 ..... 24.95
Ram/Eprom, battery back-up.
CPR-B 12.95
Same as in CPR-3 kit. Board only.
PCCH-2 ..... 2.25
Plastic case for above.

EPROM ERASERS
Datarase 34.95
2 at a time, hobbyist type
PE-140 ..... 89.00
7-9 Industrial quality

SHIPPING AND HANDLING
USA: UPS Surface 3.00
UPS 2nd day air 5.00
Mexico, Canada air mail 7.00
Other foreign air mail 13.00
To order toll free: 800-421-7731
From California: 800-421-7748
Technical support: 916-823-3284
From outside USA: 916-873-3285
MC, VISA, AMEX Welcome

JASON-RANHEIM COMPANY
1805 Industrial Dr.
Auburn, California 95603

Reader Service No. 175

REDIRECT

For the C-64 & C-128

By Buck Childress

Ever notice how your disk drive rarely enters a filename in the directory where you think it will—or should? How come the twentieth save can be first in line? There is a logical explanation, but it really doesn't matter when your directory has been thrown out of whack. I wonder if Murphy's Law applies here. What the heck! Put everything back in order with *Redirect.*

Redirect lets you put your disk directories in any order you want, quickly and easily. There are versions for both the C-64 and C-128. It works on either the 1541 or 1571 drive. Here's how to use it.

After saving a copy of *Redirect*, run it. You'll be prompted to enter a filename. After answering and pressing RETURN, *Redirect* verifies that the file exists, then asks for another filename. Enter it and press RETURN. *Redirect* again verifies the existence, then swaps the two locations in the directory. You can rearrange as many files as you want with ease. If you want to see the directory, press the $ key instead of entering a filename.

You'll notice that the prompts have a quotation mark in them. This puts your entry in quote mode and allows you to enter all keyboard characters (including CURSOR, HOME, FUNCTION, etc.), just in case you saved a file with a strange name. Don't put end quotes. *Redirect* automatically does this when you press RETURN.

After a swap is made, *Redirect* asks if you want to make another. Press Y if you do, N if you don't, or $ if you want to see the directory.

Since *Redirect* actually changes the directory entries, it's a good idea to test it on an unimportant disk first, in case you made any typos while entering it.

Give *Redirect* a spin in your drive. Put Murphy's Law back in the books instead of your disks. □

SEE PROGRAM LISTING ON PAGE 97

SPRITE-ON

For the C-64

By Buck Childress

Do those C-64 sprite positioning blues have you down? Are you chomping at the bit because you can't seem to get those little devils placed exactly where you want 'em without spending 27.3 hours POKEing 'em all over the screen? Relax! Place your sprites right on the spot, the easy way...with *Sprite-On.*

Sprite-On lets you move a sprite around the screen while it tells you the horizontal (X) and vertical (Y) positions. When you've got the sprite where you want it, you'll instantly know the X and Y locations to put in your program. Here's how to use *Sprite-On.*

After saving a copy, run it. The loader POKEs the machine language data into memory and checks for errors. It also creates a solid block sprite for you to move around. Now type SYS 53000 and press RETURN.

At the top of your screen you'll see the X and Y positions. Your little block sprite starts at 170 for both. The CURSOR keys move the sprite in the same direction as they do the cursor...left, right, up, or down, depending upon whether you're pressing the SHIFT key, too. If you want to slow the movement to a crawl, press the CONTROL key at the same time. As you move the sprite, the numbers change to reflect the new position. If the numbers turn to reverse video, you've crossed the seam. If you're not familiar with the seam, the *Commodore 64 Programmer's Reference Guide* explains it.

Sprite-On makes it a breeze to position sprites. Take the bit out of your mouth, throw the blues away, and get right on target, with *Sprite-On.* □

SEE PROGRAM LISTING ON PAGE 106

...Announcing

THE COMMODORE USERS

Ahoy Access Club!



FREE TO ALL SUBSCRIBERS



An incredible offer from the publishers of *Ahoy!*...The ***Ahoy!* Access Club.** The ***Ahoy!* Access Club** offers members: discounts, rebates, coupons on products and services for your Commodore, a Commodore calendar of events, and much, much more! Members will also receive "The Clipper," an exclusive bi-monthly news bulletin. But the best thing about the ***Ahoy!* Access Club** is that it's **FREE!** to all *Ahoy!* subscribers. Subscribe today! and along with your first issue of *Ahoy!* you'll receive your official ***Ahoy!* Access Club** membership card...your ticket to super savings and bonuses you can only get from *Ahoy!* Don't miss out on this fantastic offer. The ***Ahoy!* Access Club**...if you own a Commodore — this club is for you!

THE COMMODORE MAGAZINE THAT OFFERS YOU MORE

TIPS AHOY!

Compiled by Michael R. Davila

Contributors to *Tips Ahoy!* will be compensated at highly competitive industry rates immediately upon acceptance. Send your best programming and hardware hints to *Tips Ahoy!*, c/o Ion International Inc., 45 West 34th Street—Suite 500, New York, NY 10001. You must include a stamped and self-addressed envelope if you want your submissions returned.

MAGIC FORMAT

This is a short program that takes advantage of several of the C-64's inversed character symbols. After you type in the name for the disk header, the program will ERASE your disk, putting the name on it in an unusual fashion. The ultimate result is a directory that clears the screen and prints the disk name in white. It's an interesting change from the usual dull directory.

—Marty Grebing
Cape Girardeau, MO

```
•10 INPUT"[CLEAR]DISK NAME";NM$
•20 INPUT"DISK I.D. (2 CHAR.)";ID$
•30 OPEN15,8,15
•40 PRINT#15,"N0:"CHR$(141)CHR$(147)CHR$(
 5)NM$","ID$
•50 CLOSE 15
```

RESAVER 128

Resaver 128 is a utility that eliminates the risk associated with the infamous Save With Replace function of Commodore's DOS.

If you've used the Save With Replace function (e.g.: DSAVE"@filename"), you may have been bitten by the Save With Replace demon. It strikes randomly but effectively, corrupting files on your disk. Some experts say the demon does not exist; nevertheless, I've been bitten by it! With *Resaver 128* activated in your system, the demon will never have anything to byte into again!

Resaver 128 works by patching into the Save vector ($332-$333) which normally points to the Kernal Save routine. Whenever a file is to be saved, *Resaver 128* first attempts to scratch the file entry from the disk before turning control over to the Kernal Save routine. Therefore, never use the @ symbol when saving a file (*Resaver 128* takes care of that for you). Also, if you are going to use the ML monitor to save a file, precede the filename with a colon. Example: S":filename",08,1400,1420.

Resaver 128 only occupies 46 bytes of RAM, which is a small price to pay to keep the demon away. As listed, the utility is stored starting at 5555. But by changing the value of S, it can be relocated elsewhere. The utility is deactivated with the RUN STOP and RESTORE combination, and reactivated with a SYS to the starting location.

—Shawn K. Smith
Bronx, NY

```
•100 REM* RESAVER 128 ---- SHAWN K. SMITH
•110 S=5555:B=46:REM S RELOCATES UTILITY!
•120 FORD=STOS+B:READY$:POKED,DEC(Y$)
•130 NEXT:X=S+11:L=INT(X/256)
•140 POKES+45,PEEK(818):POKES+B,PEEK(819)
•150 POKES+3,L:POKES+1,X-256*L:SYS(S)
•160 PRINT:PRINT"RESAVER 128 ACTIVATED!
•400 DATA A9,00,A2,14,8D,32,03,8E,33,03
•410 DATA 60,A5,BA,20,B1,FF,A9,6F,85,B9
•420 DATA 20,93,FF,A9,53,20,A8,FF,A0,00
•430 DATA 20,AE,F7,20,A8,FF,C8,C4,B7,D0
•440 DATA F5,20,AE,FF,4C,00,00
```

ALTERNATOR

Have you ever wanted to store your high resolution screen into another part of the C-128's memory, so that you could work on a different screen while still being able to access your original screen? *Alternator* is definitely your answer.

This short relocatable machine language routine will switch between two hi-res screens. One screen will be stored in memory, while the other is currently being viewed. Since the bit map will be stored in Bank 1, you must first reserve memory for the screen. To do this, simply add a line with 'POKE 58,219:CLR' to your BASIC program. Whenever you want to swap screens, use a SYS S, where S is the starting address of where the ML routine is stored. (Note: To see the effects of *Alternator*, it is best to first enter the high resolution mode of the C-128 and then execute the routine.)

When you first swap screens, you will see a screen full of garbage. Simply clear the hi-res screen with another 'GRAPHIC 1,1' and LOAD or design your alternate hi-res screen. Now, every time you execute the routine, the screens will be switched.

—Michael Jaecks
Alamogordo, NM

```
•10 REM ALTERNATOR BY MICHAEL JAECKS
•20 REM  INCLUDE 'POKE 58,219:CLR' AT
•30 REM  THE BEGINNING OF YOUR BASIC
•40 REM  PROGRAM IN ORDER TO RESERVE
•50 REM  MEMORY IN BANK 1
•60 S=4864
•70 FORI=0TO61:READA:POKES+I,A:B=B+A:NEXT
 I
•80 IFB<>10168THENPRINT"ERROR IN DATA!":E
 ND
•90 PRINT:PRINT"SYS"S"TO SWAP SCREENS"
•100 DATA 169,0,133,250,133,252,169,28
•110 DATA 133,251,169,219,133,253,160,0
•120 DATA 177,250,72,169,252,162,1,32
•130 DATA 116,255,145,250,169,252,141
•140 DATA 185,2,104,162,1,32,119,255,169
•150 DATA 63,197,250,208,5,197,251,208
•160 DATA 1,96,230,250,230,252,208,216
•170 DATA 230,251,230,253,208,210
```



SUPER DISK UTILITIES

for the C128 & 1571

Super Disk Utilities is the ultimate utilities disk for the 1571 disk drive and C128 computer. Super Disk Utilities is a full featured disk utility system that will perform virtually every CBM DOS function available. No need for numerous utility disks to perform various functions. SDU does it all!

- Copy whole disks (with 1 or 2 drives)
- Perform many CP/M and MS-DOS utility functions
- Edit any track or sector with the Super Disk Editor
- Perform numerous DOS functions such as rename a disk, rename a file, change disk format (without affecting data), scratch or unscratch files, lock or unlock files, erase a track or a whole disk, create auto-boot and much more!

SDU helps you learn the inner workings of the 1571 drive with the 1571 Memory Monitor and unique RAM Writer. With these options you can assemble, disassemble any section of drive RAM or ROM. Use the Ram Writer to program the 1571 RAM yourself! SDU uses an options window to display all possible choices available at any given time. No need to memorize hidden commands. SDU fully supports a second 1571 drive. Many of the utility functions also work on the 1541 drive. SDU performs many MFM utility functions including analyze MFM disk format, format MFM disks, read a CP/M + directory, format in CP/M + (GCR format) and more. Super Disk Utilities is available for only $39.95!

THE COMMUNICATOR

Fastest, easiest, most efficient, most feature-packed terminal program for the C64. Among its many features are:

- Menu selected options
- User selected/defined baud rates
- Very large buffer capacity
- Macro Key options
- Send/receive files with or without X-modem protocols
- Video attribute options including 40, 64, 80 column display
- File conversion options include text to BASIC, Pet-ASCII to ASCII, program to image
- Terminal emulation capability includes Tektronix -4010 graphics protocol
- Alarm Clock/Timer
- Autodial features
- DOS Command menus, file copy utility
- Written 100% in assembly language
- Easy to use instruction manual

All these features and more for only **$39.95!**


Super Disk Librarian - Full featured disk cataloging & library system for the C128 in 128 mode - **$29.95**

Super 64 Librarian - Disk cataloger for the C64 - **$29.95**

Mr. Quizzer - Test making program for the C64 or C128 - **$19.95**

Spirit Writer - Word processor for the C64. Includes 30,000 word spelling checker. Only **$29.95!**

Fun Biorhythms - Print personalized Biorhythms on your printer. For the C64. Only **$9.95!**



1541/1571 Drive Alignment

1541/1571 Drive Alignment reports the alignment condition of the disk drive as you perform adjustments. On screen help is available while the program is running. Includes features for speed adjustment and stop adjustment. Complete instruction manual on aligning both 1541 and 1571 drives. Even includes instructions on how to load alignment program when nothing else will load! Works on the C64, SX64, C128 in either 64 or 12 mode, 1541, 1571 in either 1541 or 1571 mode! Autoboots to all modes. Second drive fully supported. Program disk, calibration disk and instruction manual only **34.95!**

CHRISTMAS CLASSICS

Place your C64 or C128 in a holiday mode with Free Spirit's renditions of these all-time Christmas favorites. Joy to the World, Deck the Hall, Twelve Days of Christmas; O Tannenbaum and Jingle Bells are among the over 40 songs included. Only **$9.95!**

Free Spirit Software, Inc.

538 S. Edgewood
LaGrange, IL 60525
(312) 352-7323

FREE SHIPPING & HANDLING!

Order with check, money order, VISA/Mastercard. Illinois residents add 8% sales tax.

MasterCard VISA

Reader Service No. 159

WORD PROCESSOR

If you have a Commodore 64 and can't afford a costly word processor, you should like this little tip. This short program is a small word processor that lets you type up to 16000 characters (400 lines), then print them. After every 2 lines you type (80 characters long) you have to press RETURN to place them into memory. When you press RETURN the screen turns red for a second. While it is red you have a chance to print whatever you have typed on the printer by pressing P. Note that if you have left 2 lines (80 characters long) blank, the program will think it's the end of whatever you're printing and will stop printing it. Also, when it has finished printing, it automatically returns to the beginning.

—Kevin M. Ashby
Mississauga, ONT

```
·10 DIMA$(200):POKE53280,0:POKE53281,0
·20 PRINT"[CLEAR][RED][7"[DOWN]"]"
·30 PRINT"[13" "]WORD PROCESSOR"
·40 PRINT"[DOWN][DOWN][13" "]BY KEVIN ASH
 BY"
·50 FORT=1TO3000:NEXT:PRINT"[CLEAR]"
·60 FORF=1TO200
·70 INPUTB$
·80 A$(F)=B$
·90 POKE53280,2:POKE53281,2:FORH=1TO100:G
 ETR$
·100 IF R$="P"THEN 140
·110 NEXTH
·120 POKE 53280,0:POKE53281,0
·130 NEXTF
·135 PRINT"SORRY NO MORE SPACE WOULD YOU
 LIKE TO PRINT":INPUTY$
·137 IF Y$="Y"THEN 140
·138 IF Y$="N"THEN END
·139 GOTO 135
·140 OPEN1,4:CMD1:FORF=1TO200
·150 PRINT A$(F)
·160 IF A$(F)="" THEN PRINT#1:CLOSE1:GOTO
 175
·170 NEXT
·175 POKE 53280,0:POKE53281,0
·176 CLR
·180 GOTO 10
```


COMPUTER REPAIR
800-221-7770

AMIGA $100.00		AMIGA $100.00	AMIGA $100.00
Commodore Disk Drive 1541 2031	$60.00	Commodore Monitor 1701 1702	$75.00 *
Commodore SX-64 Portable Computer	$99.00 *	PET 64 VIC 20 64 Computers	$45.00
Commodore Printer MPS 801 MPS 803	$50.00	Commodore Printer 1526 MPS 802	$75.00
MSD SD1, SD2 CBM 128 CBM 1571	$85.00	Commodore Computer 8032 8050	$85.00 *

WE BUY ALIVE

64	60.00
1541 NEWT	75.00
1541 ALPS'	60.00
SX64	150.00
MSD	100.00
APPLE 2E	450.00
1526/802	45.00
MPS801	35.00
SFD 1001	85.00
DEAD	
64	40.00
1541 NEWT	60.00
1541 ALPS'	40.00
MSD	75.00
SX64	100.00

MUST BE COMPLETE

C= commodore SERVICE CENTER

CABLES AND MISC.

REG 6 PIN DIN	3.95
12' 6 PIN DIN	7.95
18' 6 PIN DIN	9.95
1 EEE TO EEE PIG BACK	24.95
1 EEE TO PET PIG BACK	19.95
POWER SUP 64	24.95
WICO BAT HANDLE	15.95
WICO 3 WAY	18.95
WICO BOSS	11.95
MEDIA MATE 5 CASE	6.25
TYMAC CONNECTION	48.95
FUJI DSDD	8.95
8050 OR 8032	295.00

5.00 SHIPPING
25.00 MIN ORDER
15.00 APO AND BUSINESS EQUIPMENT

PARTS

901225-01	10.85
901226-01	10.85
901227-03	10.85
901229-05	15.85
7701/8701	9.85
8721	16.85
8502	9.85
82S100	12.85
6502	3.85
6532	6.29
6520	3.85
6522	3.85
6526	9.85
6567	12.85
6581	9.85
6510	9.85
4164	.99
74LS629	4.95
6560	9.85

TC ELECTRONICS *
HWY 36 PO 1129
HARTSELLE, AL. 35640
205-773-1077

SEND FOR OUR COMPLETE LIST OF PARTS AND SOFTWARE

WINDOW BORDER

Seems to me that windows in 80 columns are great, except they never have borders that are usable. This shortie provides as simple a border routine as my simple mind can create. It not only provides a routine for bordering menus or announcements, but includes simple GOSUBS for uninitiated starts in the program. I use these routines for our club BBS newsletter.

Note that 60000-end is the main frame. 60100 is a centering device. Titles can be added to the early lines in GOSUBs to be centered. Text can be entered as print statements. It works well for me.

—John M. Elwood
Little Rock, AR

```
·10 PRINT CHR$(14)
·20 PRINT"[HOME]"
·100 A$="[s M][s E][s M][s B][s E][s R][s
  S] [s A][s N][s N][s O][s U][s N][s C][
 s E][s M][s E][s N][s T][s S]"
·110 GOSUB 60000
·200 PRINT"[s U]SE [s G][s O]-[s S][s U][
 s B]S TO DIRECT YOUR MENU TO YOUR COMMEN
 TS."
·202 PRINT"OR SUB-DIRECTORIES."
·204 PRINT"[s U]SE ANOTHER [s G][s O]-[s
 S][s U][s B] FOR [s G][s E][s T][s K][s
 E][s Y]"
·206 PRINT"[s G][s O]-[s S][s U][s B] TO
 ENTER A CHOICE[4"."]"
·208 GOSUB 10000
·210 SCNCLR:PRINT"[s S]TOPPED ON LINE 210
 ":STOP
```


Reader Service No. 201

FREE!

BONUS GIFT WITH ANY SOFTWARE ORDER — AN EXCELLENT PUBLIC DOMAIN VERSION OF AN ARCADE HIT GAME ON ITS OWN DISK.

ARCADE GAMES

Bop & Rumble	$19.95
California Games	26.95
Cauldron	19.95
Championship Baseball	19.95
Elite	19.95
Flight Simulator II	32.95
FS II Indiv. Scenery Disks	14.50
Gauntlett	23.95
GFL Football or GBA Basketball	23.95
Mini Putt	19.95
NBA Basketball	26.95
Paperboy	23.95
Pirates	26.95
Sentry	26.95
Street Sports Baseball	26.95
Sub Battle Simulator	26.95
Superbowl Sunday	20.95
Superbowl Sun. Data Disks	13.95
Superbowl Sun. General Manager	19.95
Superstar Ice Hockey	23.95
Top Fuel Eliminator	19.95
World Class Leader Board	26.95
W.C. Famous Courses 1 or 2	13.95

ADVENTURE AND MIND GAMES

Bard's Tale II	$28.95
Blue Powder, Grey Smoke	34.95
Bridge Baron	26.95
Chessmaster 2000	28.95
Defender of the Crown	23.95
Eternal Dagger-Wizard Crown 2	26.95
Guild of Theives	26.95
Intrigue	19.95
Jewels of Darkness	17.95
Legacy of the Ancients	21.95
Little Computer People	11.95
Maniac Mansion	23.95
Phantasie I II or III	26.95
Plundered Hearts	23.95
Silicon Dreams	17.95
Strip Poker	20.95
Strip Poker Data Disks	14.95
Vegas Gambler	19.95
Where (USA) is Carmen SanDiego	29.95

EDUCATIONAL PROGRAMS

Algae Blaster	$33.95
Cave of the Word Wizard	18.95
Donald Duck's Playground	17.95
Evelyn Wood's Dynamic Reader	21.95
Magic Spells	23.95
Perfect Score SAT	49.95
Rainy Day Games	19.95
Reader Rabbit	26.95
Sky Travel	28.95
Stickybear Series (each)	19.95
ABC, Math, Numbers, Reading Reading Comprehension, Typing	
Talking Teacher	26.95
Ticket to Paris (or London)	21.95

WORD PROC.-DATA BASES SPREADSHEETS-BUSINESS

Filer's Choice	$26.95
Fleet System 2+	37.95
Fontmaster II	34.95
Planner's Choice	26.95
Pocket Filer II	39.95
Pocket Planner II	39.95
Pocket Writer II	39.95
Superbase 64	55.95
Superpack (all 3 Pocket Series)	69.95
Superscript	34.95
Writer's Choice	26.95
Word Writer 3	34.95

GRAPHICS & MUSIC

Advanced Art Studio	$27.95
Advanced Music System	49.95
Business Card Maker	40.95
Computer Eyes	99.00
Create a Calendar	19.95
Create with Garfield Deluxe	26.95
Doodle	26.95
Flexidraw	CALL
Graphics Integrator 2	23.95
GEOS	40.95
GEODEX	26.95
GEOFILE	34.95
GEOS Deskpack I	21.95
GEOS Fontpack I	19.95
GEOS Writer's Workshop	34.95
Icon Factory	26.95
Newsroom	33.95
Newsroom Clip Art I or 3	19.95
Newsroom Clip Art 2	24.95
Perspectives II	44.95
Photo Finish	23.95
Printmaster Plus (Program)	23.95
Printmaster Art Gallery 1 or 2	15.95
Printshop (Program)	29.95
Printshop Graph. Lib. 1, 2 or 3	15.95
Printshop Holiday Edition	15.95
Screen FX	25.95
Teddy Bear-rels of Fun	26.95
Toy Shop	39.95
Video Title Shop	20.95


COMMODORE 64 MISC.

1541 Physical Exam	$33.95
Assembler/Monitor 64	26.95
Basic Compiler	26.95
Bob's Term Pro 64	36.95
Bulls Eye	15.95
Copy II 64/128	26.95
CSM Disk Alignment	32.95
Family Tree	45.95
Kracker Jax-Vol. 1 to 6 each	15.95
Loaded Shotgun	15.95
Merlin 64	34.95
Micro Lawyer	41.95
Oxford Pascal	34.95
Snapshot	40.95
TSDS Super Assembler	38.95

COMMODORE 128 SOFTWARE

1571 Clone Machine	$37.95
1571 Physical Exam	33.95
Big Blue Reader	21.95
Big Blue Reader (incl. CP/M)	31.95
Bob's Term Pro	59.95
CAD Pack 128	42.95
Digital Superpak II	69.95
Geos 128	47.95
Fleet System 4 (w/Filer)	56.95
Fontmaster 128	41.95
Mach 128	32.95
Merlin 128	48.95
Partner 128	47.95
Pocket Filer II	39.95
Pocket Planner II	39.95
Pocket Writer II	39.95
S. Porter's Pers Financial Plan	47.95
Super PASCAL	42.95
Term Paper Writer	33.95
The C128 Canon	25.95
Timeworks Data Manager 128	47.95
Timeworks Swiftcalc w/Sideways	47.95
Timeworks Word Writer 128	47.95

AMIGA SOFTWARE - CALL



Reader Service No. 181

HARDWARE & PERIPHERALS

1351 Commodore Mouse	$ 32.95
1764 RAM Expansion	134.00
Avatex 1200HC Modem	119.00
PRO-TECH Vinyl Covers	PRICE
C-64/C-64C/C128, 1541/1571	5.95
Most Printers	6.95
Most Monitors	10.95
CPS 10 (Servicable) Power Sup	29.95
CPS 30 (Servicable) Power Sup	31.95
Disks DS/DD 10 pack black/grey	6.95
Disks DS/DD 100+ (Per 10)	5.45
Disks DS/DD 10 pack (Colored)	6.95
Epyx 500XJ Joystick	13.95
Estes 128 Servicable Power Sup	59.95
Incontroller	13.95
Inland File Box (Holds 60)	7.95
Inland File Box (Holds 120)	11.95
Microflight Joystick (For FSII)	54.95
Mouse House	5.95
Mouse Pad	6.95
PRINTER RIBBONS	PRICE
Commodore MPS 801 or 1525	6.95
Commodore 802/1526	7.95
Commodore MPS1000/Epson LX80	5.95
Epson MX/FX/RX 80	5.95
Epson MX/FX/RX 80 Color	6.95
Panasonic 1090/1091/etc.	8.95
Seikosha SP1000	7.95
Seikosha SP1000 Color	8.95
Star Gemini 10x/SG10	1.95
Star Gemini 10x/SG10 Color	3.50
Star NX10/NP10	5.95
Star NX10/NP10 Color	6.95
Peak RS232 Modem Interface	24.95
Six Outlet Surge Suppressor	19.95
Tac-2 Joystick	9.95
Xetec Super Graphic Jr.	39.95
Xetec Super Graphic Sr.	59.95

LEROY'S C-64 CHEATSHEETS $2.95 ea.

Basic	Blanks (Set of 3)
Calc Result (Adv)	Calc Result Easy
Comal	Consultant
Data Manager 64	Disk 1541
Doodle	Easy Calc
Easy Script	Elite
Fleet System 2	Flight Sim. II
For the Beginner	GEOS
HES Writer	LOGO Sheet 1 or 2
Manager	Multiplan
Newsroom	Paperclip
Pocket Writer	Practicalc
Practicalc II	Printer 1525/801
Printer 1526/802	Printer Epson MX
Printer Gemini 10	Printer Okidata
Programmer's Aid	Quick Brown Fox
Script 64	Simon's Basic
Sky Travel	Smart Terminal 64
Speedscript	Sprites Only
Superbase 64	Superscript
Swiftcalc	Term 64
Vidtex	VIP Terminal
Word Pro 3/+	Word Pro 64
Write Now	

LEROY'S 128 CHEATSHEETS $6.50 ea.

Basic 7.0	Blanks (Set of 3)
Data Manager 128	Disk 1571
Easy Script	Elite
Fleet System 3	Flight Sim. II
For the Beginner	Multiplan
Newsroom	Paperclip 128
Paperclip II	Pocket Writer
Superbase 128	Superscript
Word Pro	Word Writer 128

MAILING CHARGE ON LEROY'S CHEATSHEETS $1.00

ORDERING & TERMS

- VISA & Master Card - no additional charge
- $2.50 Shipping charge - Shipping free on orders over $100.00
- LEROY'S total mailing charge $1.00 for any quantity
- C.O.D. orders - add $1.90 extra
- PA residents add 6% Sales Tax
- FPO & APO - no additional charge
- We try to keep our prices as low as possible to serve our valued customers. In order to do this we are prosecuting credit card fraud to the full extent of the law.

```
•220 STOP
•60030 GOSUB 60100
•60040 GOSUB 10000
•9000 REM MENU
•9010 SCNCLR
•9020 A$="[s M][s E][s N][s U] [s F][s O]
 [s R] [s C][s O][s M][s M][s E][s N][s T
 ][s S]/[s S][s U][s B] [s S][s C][s R][s
  E][s E][s N][s S]"
•9030 GOSUB 60100
•9040 GOSUB 10000
•10000 PRINT"[s P]RESS '[s N]' FOR NEXT P
 AGE"
•10010 PRINT"[s P]RESS '[s M]' FOR MENU"
•10020 GOSUB 50000
•50000 GETKEY K$
•50010 IFK$=""THEN50000
•50020 IFK$="M"ORK$="[s M]"THEN9000
•50030 IFK$="N"ORK$="[s N]"THEN210
•60000 SCNCLR
•60010 COLOR6,11:COLOR5,1
•60020 B$="[s -]":TL$="[c A]":TR$="[c S]"
 :BL$="[c Z]":BR$="[c X]"
•60030 LL$="[50"[s *]"]"
•60040 PRINTSPC(10)TL$+LL$+TR$
•60050 FOR I =1TO22:PRINTTAB(10)B$TAB(61)
 B$:NEXTI
```




V4.0 ULTRABYTE DISK NIBBLER

POWERFUL NEW GCR NIBBLER
FOR COMMODORE 64 and 128 (in 64 mode)

- Automatically copies most disks in 2 minutes or less including variable density and rapid locked protection
- 105 new parameters to make unprotected copies of recent disks. Send stamped envelope for list
- Copies up to 40 tracks using 1 or 2 1541 or 1571 drives. Copies both sides on 1571
- Copies itself (for this reason, no refunds given)

SPECIAL — BUY A NIBBLER V4.0 AND GET YOUR CHOICE OF A FREE $14.95 PROGRAM
$39.95 plus $4.00 shipping

1. Disk Surgeon V2.0 -- new disk utility $14.95
2. Ultramail -- mail list and labels..... } both for
   Handy-Capper -- race handicapper ..... } $14.95
3. McMurphy's Mansion -- text adventure ... } both for
   Soluware -- solutions to 10 adventures ... } $14.95

(Above may be ordered separately for $14.95 plus $4.00 shipping. Foreign orders add $2.00)

Mastercard, Visa, Check or M.O., Calif. add 6.5% ($2.60) sales tax. Foreign orders / COD add $2.00. Payment must be in U.S. funds

UPDATES - Return original Ultrabyte disk with $15.00 plus $4.00 shipping. Foreign add $2.00. No free disk with update

To order, write or call 24 hr. order line. For info. write.

ULTRABYTE (818) 796 - 0576
P.O. Box 789 LaCanada, CA 91011 USA

DEALERS & DISTRIBUTORS WANTED

Reader Service No. 205


```
•60060 PRINTSPC(10)BL$+LL$+BR$
•60070 WINDOW11,1,60,21
•60075 COLOR5,8
•60100 PRINTTAB((50-(LEN(A$)))/2)A$
•60105 COLOR 5,1
•60110 FORI=1TO50:PRINT"[c T]";:NEXTI
•60120 RETURN
```

DRIVE PATROL

Ever switch your disk drive off while a program is running? Maybe you want to let it cool down or get a bite to eat. Many programs access the drive but, unfortunately, most of them don't check the drive's status before they attempt to use it. So, if you accidentally leave it off, the results can be, shall we say, upsetting...crashed programs or lost data...what a mess!

Whether you're a BASIC or machine language programmer, *Drive Patrol* will protect you. *Drive Patrol* lets you know if the drive is off before your program tries to access it. *Drive Patrol* freezes everything until you give it the go ahead. There are versions for both the C-64 and C-128. There's also a version for the C-128 using an 80 column display. It works with both the 1541 and 1571 disk drives.

Drive Patrol is really a subroutine that can be appended to your own programs. Just have your programs GOSUB or GOTO DRIVE PATROL to POKE the data into memory. Be sure to use the correct routine for your computer and display. The default address is 700 for the C-64 and 3072 for the C-128. These addresses can be relocated by changing the variable S in line 63002.

Drive Patrol is easy to use. Just prior to any call for disk drive operation (OPEN, LOAD, SAVE, etc.), have your BASIC program SYS to DRIVE PATROL—SYS 700 for the C-64 and SYS 3072 for the C-128 (or to your new location, if you changed it). If you're an ML programmer, you can save the object code and JSR or JMP to it from within your ML programs.

If your drive is off, *Drive Patrol* freezes everything and the border on your monitor changes color. On the C-128 with an 80 column display, the entire screen changes color. Should this happen, flip on the drive and insert the necessary disk. Now press the SHIFT and CONTROL keys at the same time. The screen returns to its original color and your program will zip along as though nothing ever happened.

You can check out *Drive Patrol* by itself. Run it and leave your drive on. Type SYS 700 for the C-64, or SYS 3072 for the C-128, then press RETURN. Nothing happens. Now turn the drive off, SYS to it again, and watch the screen. Okay, press the SHIFT and CONTROL keys and see what happens.


Remember, if you're using *Drive Patrol* in a program when the screen changes color, turn on the drive and insert a disk *before* you press the keys.

—Buck Childress
Salem, OR

C-64 VERSION

```
•63000 REM *** DRIVE PATROL (C-64) ***
•63002 S=700:REM *** CHANGE S TO RELOCATE
```

Now you can operate your own HOLIDAY ORNAMENT FACTORY



Attention GEOS™ Owners...

Add a new dimension to your Christmas holiday. In fact, have **three**-dimensional fun by using your C-64 or C-128 to create your own colorful, innovative, full-size Christmas tree ornaments.

We supply:

- Instruction manual
- Diskette
- Colorful holiday paper and plans for 20 different ornaments.

Your printer marks the cut-and-fold lines on the reverse side of the beautiful holiday paper provided. Then ON-SCREEN ANIMATION will take you step by step through the construction of your work of art. Result: your own distinctive, unique holiday ornaments. It's fanciful fun. Order your Factory today.

(Bonus:Package will provide you with **Easter** decorations, as well!)

GEOS™ compatible, Icon driven, Mouse compatible. Works on C-64 or C-128 in 64 mode.

™ Tradename of Berkeley Softworks.

HOLIDAY ORNAMENT FACTORY

ONLY $24.95

Unleash the graphics potential of your C-128... with BASIC 8.

By Lou Wallace & David Darus

At last, your Commodore 128 can rival the 16-bit micros! Imagine your 128 (or 128-D) producing resolution of 640 x 200 in monochrome and 640 x 192 in 16 colors without any additional hardware. Sound impossible? Not with **Basic 8,** the new graphics language extension.

Basic 8 adds over 50 new graphics commands to standard C-128 Basic. Just select one of many graphics modes and draw 3-D lines, boxes, circles and a multitude of solid shapes with a single command. We've even added commands for windows, fonts, patterns and brushes.

To demonstrate the power and versatility of this new graphics language, we have created **Basic Paint,** a flexible icon-based drawing application. Written in **Basic 8, Basic Paint** supports an expanded Video RAM (64K), RAM Expanders, Joystick and the New 1351 Proportional Mouse.

Also included is an icon-based desk-top utility which provides quick and convenient access to each of your very own **Basic 8** creations.

All this graphics potential is yours at the special introductory price of $39.95. The package includes **Basic 8, Basic Paint,** the desk-top utility, a 180-page manual and a run time module. (80-Column RGB Monitor Required)

NEW with this package:

BASIC WRITE

BASIC PRINT

BASIC 8 Package

ONLY $39.95

Buy **BOTH** packages and SAVE... pay only **$59.95**



Mail your order to:
Patech Software, Inc., P.O. Box 6216, Vancouver, WA 98661
Phone orders welcome: 206-695-1393
Same day shipping. No C.O.D. orders outside USA.
CHECKS, MONEY ORDERS OR VISA / MASTERCARD / DISCOVER.
PLEASE NOTE: Free shipping & handling on all orders.
C.O.D. add $3.00 to total order. All orders must be paid in U.S. funds.

```
***
·63004 FORJ=STOS+47:READA:POKEJ,A:X=X+A:N
EXTJ
·63006 IFX<>6790THENPRINT"ERROR IN DATA[3
"."]":END
·63008 DATA165,254,72,169,2,133,254,198,2
54,48,31,169
·63010 DATA0,133,144,169,8,32,177,255,32,
183,255,16
·63012 DATA238,238,32,208,173,141,2,201,5
,208,249,206
·63014 DATA32,208,169,0,133,198,104,133,2
54,76,174,255
```

C-128 VERSION

```
·63000 REM *** DRIVE PATROL (C-128) ***
·63002 S=3072:REM *** CHANGE S TO RELOCAT
E ***
·63004 FORJ=STOS+47:READA:POKEJ,A:X=X+A:N
EXTJ
·63006 IFX<>6860THENPRINT"ERROR IN DATA[3
"."]":END
·63008 DATA165,254,72,169,2,133,254,198,2
54,48,30,169
·63010 DATA0,133,144,169,8,32,177,255,32,
183,255,16
·63012 DATA238,238,32,208,165,211,201,5,2
08,250,206,32
·63014 DATA208,169,0,133,208,104,133,254,
76,174,255,0
```

C-128 80 COLUMN VERSION

```
·63000 REM *** DRIVE PATROL (C-128) 80 CO
LUMN DISPLAY ***
·63002 S=3072:REM *** CHANGE S TO RELOCAT
E ***
·63004 FORJ=STOS+71:READA:POKEJ,A:X=X+A:N
EXTJ
·63006 IFX<>9448THENPRINT"ERROR IN DATA[3
"."]":END
·63008 DATA165,254,72,169,2,133,254,198,2
54,48,50,169
·63010 DATA0,133,144,169,8,32,177,255,32,
183,255,16
·63012 DATA238,162,26,142,0,214,174,0,214
,16,251,238
·63014 DATA1,214,165,211,201,5,208,250,16
2,26,142,0
·63016 DATA214,174,0,214,16,251,206,1,214
,169,0,133
·63018 DATA208,104,133,254,76,174,255,65,
0,72,0,83
```


Something New Under The Sun

PROLOG THE FIFTH GENERATION LANGUAGE

The leading artificial intelligence language in Europe -- official language of Japan's Fifth Generation Project, Prolog is the revolutionary new computer language that is creating excitement around the world and being hailed as the dawn of a new day in AI programming. Like no other language before it, Prolog frees the programmer from the CPU's mechanical restrictions. Programming in Prolog can be like having a dialog with an intelligent assistant. This may be the reason many beginners find Prolog easier to work with than BASIC or Pascal.

PROGRAMMERS: Prolog's built-in inference engine makes it the perfect language for expert systems and experimental AI applications. Memory constraints of the Commodore™ 8-bit machines do not permit serious commercial applications of Prolog, but the AL/Prolog™ interpreter allows these machines to be used for developing non-trivial, personal AI applications and to gain experience in working at the very edge of software technology. If you've been curious about Prolog, this interpreter offers the most economical and ideal introduction available anywhere.

STUDENTS: If you are planning on a higher education in computer science, AL/Prolog™ can be your preview of what courses in the 1990's will be like. Experts are predicting that AI programming and Prolog will come to dominate computer science and applications before the turn of the century.

ADVENTURE GAMERS: Prolog's not only great for developing your own adventure games, but because of its interactive nature, the interpreter itself can be seen as the ultimate adventure game where the terrain being explored is a computer mapping of your own reasoning processes. The next adventure game you buy may entertain you for 10 or 15 hours. For about the same price, you can load up AL/Prolog™ and begin an adventure that might go on forever.

ONLY 45.00

Dealer & Quantity Discounts

FREE UPDATES FOR 1 YEAR

AL/PROLOG™
STANDARD EDINBURGH SYNTAX
LOGIC TRACE
LIST PROCESSING
BUILT IN INFERENCE ENGINE

Automatic Logic

☐ C128 Version ☐ C64 Version
Enclose 45.00 + 3.00 Handling
Outside U.S. Add 10.00
☐ Check ☐ VISA ☐ Mastercard
CARD# | | | | | | | | | | | | | | | | |

Name _____
Address _____
City _____
State _____ Zip _____
Phone _____

P.O. BOX 185 BUFFALO CREEK, CO 80425

Reader Service No. 202

PRICED TO SAVE YOU MONEY, SHIPPED FAST ANYWHERE.

BEST PRICES YET!

Lotus 123	Paradox	dBase III Plus	Rapid File	Multimate Advantage	Word Perfect 4.2
$195	**$195**	**$220**	**$299**	**$179**	**$142**

Software

Word Processing

FANCY FONT	$ 83
FINAL WORD II	$119
MICROSOFT WORD 3.0	$167
MULTIMATE	$149
MULTIMATE ADVANTAGE	$179
OFFICE WRITER/ SPELLER 5.0	$155
PFS: PROF WRITE	$ 96
SAMNA WORD IV	$226
THINK TANK	$ 65
TURBO LIGHTING	$ 42
VOLKSWRITER 3	$ 95
VOLKSWRITER SCIENTIFIC	$155
WORD PERFECT 4.2	$142
WORDSTAR 2000	$161
WORDSTAR 2000+	$187
WORDSTAR PRO	$155
XYWRITE III	$129

Database Systems

CLIPPER	$226
CONDOR III	$220
DBASE III PLUS	$220
FOXBASE +	$220
KMAN 2	$220
PARADOX	$195
PFS: PRO FILE	$ 96
Q&A	$148
QUICKCODE III	$103
QUICKREPORT	$103
QUICKSILVER	$223
R BASE SYSTEM V	$233
RAPIDFILE	$250
REFLEX	$ 57
REVELATION	$324

Spreadsheets/ Integrated Packages

ENABLE	$236
FRAMEWORK II	#239
JAVELIN	$300
LOTUS 1-2-3	$195
MULTIPLAN	$ 81
OPEN ACCESS II	$148
SMART SYSTEM	$285
SPREADSHEET AUDITOR	$ 64
SUPERCALC 4	$187
SYMPHONY	$291
TWIN	$ 51
VP PLANNER	$ 38

Graphics

CHARTMASTER	$135
CLICKART	$ 77
DIAGRAPH	$200
DIAGRAM MASTER	$122
ENERGRAPHICS 2.0	$194
FREELANCE PLUS	$233
GEM DRAW	$ 96
GRAPHWRITER COMBO	$200
HARVARD PRESENTATION GRAPHICS	$155
IN-A-VISION	$168
MAPMASTER	$142
MS CHART	$122
PC DCRAW	$135
PC PAINTBRUSH PLUS	$ 70
PICTURE PERFECT	$159
PRODESIGN II	$122
SIGNMASTER	$ 90
WINDOWS/DRAW	$ 77

Project Management

HARVARD TOTAL PROJECT MANAGER	$181
MICROSOFT PROJECT	$161
PROJECT SCHEDULER NETWORK	$220
SUPERPROJECT PLUS	$161
TIMELINE 2.0	$168

Communications/ Productivity Tools

CARBON COPY	$ 83
CROSSTALK XVI	$ 64
CROSSTALK MKIV	$ 90
PROKEY	$ 55
RELAY GOLD	$83
REMOTE	$ 70
SMARTERM	$ 80
SMARTCOM II	$64
SUPERKEY	$ 35

Statistics

SPSS/PC +	$454
STATGRAPHICS	$304
STATPAC GOLD-WALONICK	$259
SYSTAT	$304

Accounting

BBP	$200
GREAT PLAINS	$311
IUS EASYBUSINESS	$226
ONE WRITE PLUS	$103
OPEN SYSTEMS	$265
REAL WORLD	$259

Network Applications

CROSSTALK XVI	$272
DBASE III LAN PAK	$389
KMAN 2	$584
MULTIMATE	$415
MULTIMATE ADVANTAGE	$846
REVELATION	$647
WORD PERFECT SERVER	$200
WORD PERFECT STATION	$ 48

Languages/Utilities

COPYWRITE	$ 29
FASTBACK	$ 57
LATTICE C	$168
MICROSOFT C COMPILER	$187
MS BASIC COMPILER	$161
MS FORTRAN	$148
NORTON UTILITIES	$ 38
QUICK BASIC	$ 44
TURBO PASCAL	$ 44
TURBO PROLOG	$ 44
XENIX	$ 35
ZERO DISK	$ 45

Desktop Environments

GEM DESKTOP	$ 25
MS WINDOWS	$ 42
SIDEKICK	$ 38

Hardware

Mass Storage/Backup

IOMEGA 10+ 10 W/INTFC	$1299
IOMEGA 20+ 20 W/INTFC	$1689
IRWIN 120D 20MB TBU	$ 304
IRWIN 145AT 40MB TBU	$ 304
MOUNTAIN DRIVECARD 20MB	$ 467
PLUS HARDCARD 10MB	$369
PLUS HARDCARD 20MB	$454
PRIAM 42MB AT	$ 616
SEAGATE 20B W/INT	$ 259
SYSGEN SMART IMAGE 20MB (INT)	$ 406
TALLGRASS	$ 400
TECMAR QIC-60AT TBU (INT)	$ 779

Multifunction Boards

AST ADVANTAGE (128K)	$226
AST 6 PAK PLUS (64K)	$109
AST I/O MINI II	$109
AST PREMIUM PAK	$233
AST RAMPAGE PC	$181
AST RAMAGE AT	$285
INTEL ABOVEBOARD	$200
JRAM AT-3 (0K)	$239
JRAM 3 (0K)	$116
PC TURBO 286 (1 MB)	$579
PC TINY TURBO 286	$298
QUADBOARD (64K)	$ 90

Display Boards

HERCULES GRAPHICS CARD PLUS	$122
HERCULES COLOR CARD	$103
ORCHID TURBO EGA	$462
PARADISE AUTO SWITCH EGA	$239
PARADISE MODULAR GRAPHICS	$168
QUADRAM EGA +	$220
SIGMA COLOR 400	$291
STB EGA PLUS	$194
TECMAR EGA MASTER	$194
TSENG ULTRA PAK	$278
TSENG EVA 480	$304

Emulation Boards

AST 5211-11 +	$421
AST 5251-12	$324
AST BSC	$317
AST SNA	$389
FORTE	$389
IRMA	$471
SMART ALEX 5251	$454

Modems

AST REACH 1200	$233
HAYES 1200	$252
HAYES 1200B	$226
HAYES 2400	$376
HAYES 2400B	$356
TRANSNET 1000	$131
US ROBOTICS 1200B	$ 70
US ROBOTICS 2400B	$122
VENTEL 1200 HALF CARD	$239
VENTEL 1200 PLUS	$194
WATSON	$220

Monitors

AMDEX 310A	$103
AMDEX 600/722	$278
NEC MULTISYNC	$389
PRINCETON HX-12	$291
PRINCETON MAX-12E	$116
PRINCETON SR-12	$389
PRINCETON HX-12E	$350
PRINCETON HX-9	$343
TAXAN 122 AMBER	$103
TAXAN 630/640	$304

Networks

AST PC NET	$399
NOVELL	$389
ORCHID PC NET	$349

Printers/Plotters

EPSON EX-1000	$454
EPSON FX-85	$259
EPSON FX-286	$376
EPSON LQ-800	$382
EPSON LQ-1000	$499
HP 7475A	$974
NEC 2550	$579
OKIDATA 192 +	$252
OKIDATA 193	$369
OKIDATA 292	$350
OKIDATA 293	$350
TOSHIBA P321	$324
TOSHIBA P341	$499
TOSHIBA P351 MODEL 2	$779

Input Devices

KEYTRONICS 5151	$109
KEYTRONICS 5153	$194
MICROSOFT MOUSE	$ 83
PC MOUSE W PAINT +	$ 83

Accessories

CURTIS RUBY	$ 42
DATASHIELD S-100	$ 51
MICROFAZER II	$174
256K RAM SET	$ 25
8087 MATH CHIP	$ 77
80287 MATH CHIP	$122

NEC Multisync	Plus HardCard 20	Quadram EGA+	US Robotics 1200 B	US Robotics 2400B	IRMA Board
$389	**$454**	**$220**	**$70**	**$122**	**$471**

OUR COMPANY POLICY:

All orders must be prepaid. Company and Personal Checks Accepted. Allow 10 working days for checks to clear.
No Sales Tax Added. Allow 10 days for refund on all returned items. All prices are Fixed. All Products have an unconditional Money back Guarantee upon return with receipt of purchase. Allow Four to Six Weeks for delivery.

FREE DELIVERY
PRICES ARE FIXED
TECHNICAL SUPPORT
(818) 336-8111
5% DISCOUNT FOR PURCHASES OVER $2,000.00
Make Checks Payable to:
Compusystems, Co.

Reader Service No. 158

COMPUSYSTEMS
279 South Beverly Drive
Suite 320
Beverly Hills, CA 90212-3898

Ahoy! DISK

Why type in the listings in this month's *Ahoy!* when we've done it for you? All the programs in this issue are available on the current *Ahoy! Disk* for $8.95. Isn't your time worth more than that?

Use the coupon at the bottom of this page to order disks for individual months, a disk subscription, or the special anthology disks described below. (You can also subscribe to the *Ahoy! Disk Magazine*—disk and magazine packaged together at a special reduced rate. See the card bound between pages 66 and 67.)

BEST OF '84

Address Book (3/84)
Air Assault (5/84)
Alpiner (6/84)
Checklist (7/84)
Construction Co. (12/84)
DOS (9/84)
Emerald Elephant (10/84)
I Got Biorhythm (5/84)
Lawn Job (10/84)
Lunar Lander (4/84)
Math Master (5/84)
Micro Minder (8/84)
Multi Draw 64 (1/84)
Name That Star (4/84)
Post Time (6/84)
Salvage Diver (9/84)
Space Lanes (VIC) (3/84)
Space Lanes (64) (3/84)
Space Patrol (12/84)
VIC 40 (10/84)

BEST OF '85

Ahoy! Dock (9/85)
Auto Line Numbers (3/85)
Directory Manipulator (12/85)
File Lock (9/85)
Fontasia (2/85)
Futurewar! (2/85)
Gameloader (12/85)
Home Budget (3/85)
Jewel Quest (12/85)
Lightning Loader (11/85)
Midprint (1/85)
Music Tutor (1/85)
Salmon Run (3/85)
Screen Dump (8/85)
Telelink (2/85)
Tile Time (5/85)

BEST OF '86

Disk Cataloger (8/86)
Dogcatcher (9/86)
Fidgits' Music School (7/86)
Flap! (8/86)
Guardian (11/86)
Head to Head (2/86)
Highlight (8/86)
JCALC (4/86)
Meteor Run (8/86)
Mine Canyon (9/86)
Mountaineer Mack (10/86)
Star Strike (6/86)
Step On It (8/86)
Syntax Patrol (9/86)
Teleporter (11/86)
Tenpins (11/86)
1541 Alignment Check (2/86)

BEST UTILITIES

Auto Append (7/85)
BASIC Trace (4/85)
Base Conversions (9/84)
Booter (4/85)
Commodore Font Editor (5/85)
DOS (9/84)
Fastnew (9/85)
Formatter (8/85)
Lucky Lottery (7/85)
Maestro (10/85)
Micro Minder (8/84)
Printat (7/85)
Screen Bit Dump (6/85)
Screen Magic (6/85)
Start & End File Address (9/85)
Two Column Directory (5/85)
Windows (8/85)
1541 Cleaning Utility (10/85)

BEST UTILITIES II

Alarm Clock (1/86)
BASIC Relocator (1/86)
Bigprint (5/86)
Chrono-Wedge (4/86)
Disk Checkup (10/86)
Failsafe (5/86)
Long Lines (11/86)
Programmer's Aid (3/86)
Quick Change (10/86)
Reversed Remarks (7/86)
Screen Sleuth (7/86)
Screen Window (4/86)
Speech64 (9/86)
The Editor (12/86)
Trackdown (6/86)
Very-Able (3/86)
128 to 64 Autoboot (10/86)

BEST GAMES

Alpiner (6/84)
Construction Co. (12/84)
Disintegrator (8/85)
Dragon Type (9/85)
Duck Shoot (6/85)
Emerald Elephant (10/84)
Gators N Snakes (8/85)
Gravinauts (10/85)
Lawn Job (10/84)
Mystery at Mycroft Mews (10/85)
Name That Star (4/84)
Post Time (6/84)
Salvage Diver (9/84)
Script Analysis (7/85)
Space Patrol (12/84)
Tile Time (5/85)
Wizard of Im (7/85)

BEST GAMES II

Actionauts (4/86)
Air Rescue (4/86)
Brickbusters (3/86)
Crabfight (2/86)
English Darts (5/86)
Got a Match? (6/86)
Haunted Castle (1/86)
Head On (7/86)
Knockout (1/86)
Micro City (12/86)
Minotaur Maze (12/86)
Penguins (10/86)
Ski Folly (5/86)
Star Search (5/86)
Swoop (4/86)
The Last Ninja (9/86)

BEST C-128

Ahoy!Term (3/86)
Dark Fortress (1/87)
Dual Dump (9/86)
Extended Background Mode (4/87)
Infoflow (4/87)
List Formatter (4/87)
More BASIC 128 (2/87)
Nebergall Run (7/86)
Planet Duel (4/87)
Queen's and Bishop's Tours (6/86)
Rescue 128 (3/87)
The Artist (12/86)
Variable Manager (9/86)
Wordcount (7/86)
128 to 64 Autoboot (10/86)

We've collected Ahoy!'s best programs onto the Anthology Disks described here. Please note that many of these programs will be unusable without the documentation printed in the issues of Ahoy! listed in parentheses.

SINGLE ISSUE AND SUBSCRIPTION PRICES

(Postage and Handling Included)	U.S.A.	CANADA	ELSEWHERE
❑ December '87 *Ahoy!* Disk	$ 8.95	$ 12.95	$ 13.95
❑ 12-Month Disk Subscription	$ 79.95	$ 99.95	$124.95
❑ 24-Month Disk Subscription	$149.95	$179.95	–

BACK ISSUES $8.95

In Canada add $2.00 per issue; outside US and Canada add $4.00 per issue.

❑ ___	$8.95	❑ ___	$8.95
❑ ___	$8.95	❑ ___	$8.95
❑ ___	$8.95	❑ ___	$8.95
❑ ___	$8.95	❑ ___	$8.95

ANTHOLOGY DISKS $10.95 EACH

❑ Best of '84
❑ Best of '85
❑ Best of '86
❑ Best of C-128
❑ Best Utilities
❑ Best Utilities II
❑ Best Games
❑ Best Games II

Send coupon or facsimile to: ***Ahoy!* Program Disk**
Ion International Inc.
45 West 34th Street, Suite
New York, NY 10001

MC and VISA Accepted Call 718-979-9330

NAME_____

ADDRESS_____

CITY_____ **STATE**_____ **ZIP**_____

Make check or money order payable to **Double L Software**. N.Y. State Residents must add 8¼% sales tax.

COMMODARES

PROGRAMMING CHALLENGES

By Dale Rupert

Each month, we'll present several challenges designed to stimulate your synapses and toggle the bits in your cerebral random access memory. We invite you to send your solutions to:

Commodares, c/o *Ahoy!*
P.O. Box 723
Bethel, CT 06801

We will print and discuss the cleverest, simplest, shortest, most interesting and/or most unusual solutions. Be sure to identify the *name* and *number* of the problems you are solving. Also show sample runs if possible. Be sure to tell what makes your solutions unique or interesting, if they are.

Programs on diskette (1541 format only) are welcome, but they must be accompanied by listings. You must enclose a stamped, self-addressed envelope if you want any of your materials returned. Solutions received by the middle of the month shown on the magazine cover are most likely to be discussed, but you may send solutions and comments any time. Your original programming problems, suggestions, and ideas are equally welcome. The best ones will become *Commodares*!

PROBLEM #48-1: COIN CHALLENGE

This problem was submitted by Wally Sito (Iselin, NJ). Write a program which determines whether the value of the coins entered is more than, less than, or equal to one dollar, and displays the exact value. The program should ask for the numbers of each type of coin from penny through half-dollar. Let's see some solutions to this from you first-time *Commodarers*.

As an added challenge for you veterans, specify the coins needed, or identify the excess coins to make exactly one dollar.

PROBLEM #48-2: RANDOM WALK

Justin Smalley (Boulder, CO) suggested this challenge. He described the random walk as being the simplest random fractal (see *Fractals* in the April 1987 *Rupert Report*). A random walk will be defined to be a movement one unit of distance either up, down, left, or right. Write a program to display a random walk. You may use a single character to display the current position and all previous positions of the cursor. The cursor should not move off the screen, and the screen should not scroll.

A more advanced challenge is to use one type of character to show the current position and a different character at the cursor's previous positions. Justin also suggests using the standard Commodore graphics line characters to show the path. C-128 users may prefer to use graphics commands.

PROBLEM #48-3: TIME MACHINE

The user enters the current time and a number of minutes. The program calculates and displays the time which is that many minutes before and after the current time. For example, if the user enters 8:43 and 20, the computer displays 8:23 and 9:03. This shouldn't be any harder than it sounds, should it?

PROBLEM #48-4: MORE INCOME

Write a program to solve this old standard. You are offered a job with an annual salary of $15,000. You must choose between one of two salary increase plans: either get a raise of $3000 every year, or get a raise of $750 every six months. Which plan would you choose? Your program should display the payment schedules for both plans.

We have a very smart, sophisticated group of readers who send their results each month. It is always a pleasure to read such informative explanations and ideas. The hardest part is deciding which programs to list. Correct solutions which we didn't have room for this month were sent by:

R.C. Marcus (Agincourt, ONT)	Cliff Dedmore (Kaneohe, HI)
Louis Allen (Ft. Pierce, FL)	W. Eisenhauer (Beaverton, OR)
Jim Aspin (Flint, MI)	David Hoffner (Brooklyn, NY)
Tom Barber (Toledo, OH)	Gary Jones (Williamsport, IN)
D. Batten (Mineralwells, WV)	Jeffrey Miller (Norfolk, VA)
Gary Bond (Topeka, KS)	K. Mundt (Apple Valley, MN)
David Brouse (Harrisburg, PA)	Gene Oakley (Coram, NY)
Carlos Centeno (Lares, PR)	Luis Padua (Mexico City, MX)

As we have mentioned before, a brief description of the nuances and significant aspects of your solutions is the best way to guarantee that your program gets a second look. It does not take a book to document a 10-line program, but a sentence or two might ensure that we do not overlook the merits of your work.

This month we will look at the best solutions to *Commodares* from the August 1987 edition of *Ahoy!* Even though James Bickers (Shepherdsville, KY) warned us that his *Problem #44-1: Added Difficulty* was *hard*, several readers took the challenge in stride (although several admitted that this one was definitely tough). The problem was to print all possible sums of positive integers which equal a given integer. The numbers in each sum must be in order, and no repeated sums are allowed.

This solution for the C-128 from Timothy Slate (Brattleboro, VT) is the most compact (should I say "the densest") one received.

```
•1 REM ================================
•2 REM    COMMODARES PROBLEM #44-1 :
•3 REM      ADDED DIFFICULTY
•4 REM    SOLUTION BY
•5 REM      TIMOTHY SLATE
```

```
•6 REM ================================
•10 INPUT"[CLEAR][DOWN]ENTER A COUNTING N
 UMBER HIGHER THAN 1  ";NU:IFNU<2ORNU<>IN
 T(NU)THEN10:ELSEDIMSP(NU+1):SP(1)=1:PS=1
 :D$=CHR$(20):DO:NM=0:FORT=1TOPS-1:NM=NM+
 SP(T):NEXT
•20 Q1=NU-NM:IFQ1>0THENFORT=TTOT+Q1-1:SP(
 T)=1:NEXT:FORT=TTONU+1:SP(T)=0:NEXT:GOSU
 B50:SP(PS)=SP(PS)+1:PS=PS+1:LOOP:ELSEIFQ
 1=0THENSP(PS)=0:GOSUB50
•30 PS=PS-2:IFPSTHENSP(PS)=SP(PS)+1:PS=PS
 +1:SP(PS)=1:LOOP:ELSEEND
•40 FORT=1TONU:IFSP(T)>1ANDSP(T)<SP(T-1)T
 HENRETURN:ELSENEXT:IFQ1THENFORT=1TOQ1:PR
 INT"1+";:NEXT
•50 FORT=1TOPS-1:PRINTMID$(STR$(SP(T)),2)
 "+";:NEXT:IFSP(2)THENPRINTD$:RETURN:ELSE
 PRINTD$D$D$:PRINT"DONE"
```

Although Timothy sent a description of this program, it is still difficult to explain its workings. For this one, the proof is in the pudding. It works, so use it. The best way to understand it is to "play computer" with paper and pencil.

Here is a good C-64 solution to the same problem from Jim Lostetter (Kelseyville, CA).

```
•1 REM ================================
•2 REM    COMMODARES PROBLEM #44-1 :
•3 REM      ADDED DIFFICULTY
•4 REM    SOLUTION BY
•5 REM      JIM LOSTETTER
•6 REM ================================
•20 INPUT"[CLEAR]SHOW ALL COMBINATIONS TH
 AT ADD UP TO";N
•30 F=F+1:IFF>N/2THENPRINTC;"COMBINATIONS
 ":END
•40 M=F+1:L(0)=F:LS=F:GOSUB100
•50 L(L)=L(L)+1:LS=LS+1:IFL(0)+F>N THEN30
•60 IF L>0 AND L(1)>L(0) THEN L=0:LS=L(L)
 :GOTO 50
•70 GOSUB 100:MS=M:GOSUB 100:MS=0:IFL(L)<
 =M THEN 50
•80 L=L+1:L(L)=M+1:LS=LS+L(L) :IF LS+F<=N
  THEN 70
•90 L=1:LS=L(L)+L(0):GOTO 50
•100 REM SUBROUTINE
•110 FS=N-LS-MS :IF FS<F OR FS/F<>INT(FS/
 F) THEN RETURN
•120 FOR P=F TO FS STEP F:PRINTF;:NEXT:IF
 MS=0 THEN 140
•130 FOR P=M TO MS STEP M:PRINT M;:NEXT
•140 FOR P=L TO 0 STEP-1:PRINT L(P);:NEXT
 :PRINT:C=C+1
•150 IF MS=0 THEN RETURN
•160 MS=MS+M:GOTO 110
```

Jim said he succeeded with this solution in about a week, then spent another two weeks condensing it. His variables correspond to the names Number, First, FSpace, Middle, MSpace, Last, and LSpace. Again, to really understand this program, you must step your way through it.

Carlton Burton (Easton, TX) sent a very interesting, but lengthy, solution written in Pascal. Carlton stored the addends in a linked list for flexibility. If you would like a copy of the Pascal listing, send me a self-addressed (long) stamped envelope with your request clearly stated.

Congratulations also to David Shobe (Lawrence, KS—Rock Chalk Jayhawks!), Matt Shapiro (Fort Lee, NJ), and Jim Speers (Niles, MI) for their solutions. Jim suggested that this problem would be more easily solved in a language which allows recursive subroutine calls. No doubt a list-processing language such as LISP could solve this problem very simply. Any LISP programmers out there to meet the challenge?

Before we take a breather, let's look at some solutions to another workout, *Problem #44-2: Frank's Children* submitted by Necah Buyukdura (Ankara, Turkey). The description of the problem is longer than Necah's solution to it. The problem concerns Frank's five children:

1. Andy is older than Bill by half of Carl's age.
2. Bill is older than Emma by half of Andy's age.
3. Carl is older than Emma by two years plus twice Emma's age.
4. Dave is one year older than Emma.
5. Emma's age is one-fourth the sum of Carl's and Dave's ages.

Calculate and print a list of Frank's children's ages.

This was a very unusual problem in several ways. First of all, it has no solution. Second, of the grand total of 14 solutions submitted, only five of those correctly concluded that there was no solution. Third, and most surprising of all, the nine readers who said there was a solution all made the same incorrect interpretation of the problem and obtained the same wrong answers. Fourth, Keith Kushner (Brooklyn, NY) correctly surmised that the statement about Carl's age was wrong, and he figured out what it should have been!

The third statement should have read "Carl is older than Emma by two years plus Emma's age." (Perhaps the nine readers who found a solution assumed this correction, although none of them mentioned it.)

As stated, the third statement gives the equation C = 2 + 3*E. The correct statement leads to the equation C = 2 + 2*E. With the correct statement, the ages turn out to be 14, 10, 8, 4, and 3 for the five children in alphabetical order.

Keith Kushner did some algebraic manipulations to arrive at the equations in his solution shown here.

```
•1 REM ================================
•2 REM    COMMODARES PROBLEM #44-2 :
•3 REM      FRANK'S CHILDREN
•4 REM    SOLUTION BY
•5 REM      KEITH KUSHNER
•6 REM ================================
•10 R$=CHR$(13):FORE=1TO99:D=E+1:C=2*E+2:
 B=2*E+C/2:A=2*E+C:ON-(E=(C+D)/4)GOSUB20:
  NEXTE:END
•20 PRINT"ANDY:";A;R$;"BILL:";B;R$;"CARL:
```

```
";C;R$;"DAVE:";D;R$;"EMMA:";E;R$:RETURN
```

This neat little program tries ages 1 through 99 for Emily. The fifth equation is contained in the ON/GOSUB statement. If E is one-fourth the sum of Carl's and Dave's ages, then −(E=(C+D)/4) has the value of 1 (remember that the conditional statement E=(C+D)/4) has the value −1 if it is true and 0 if it is false). Consequently the program calls the subroutine at line 20 only when the conditional statement is true. Otherwise the program falls through to the NEXT E statement. This program would print all solutions (assuming Emma is not a centenarian) if there were more than one. Necah included this most-impressive solution to his own problem.

```
•1 REM ================================
•2 REM    COMMODARES PROBLEM #44-2 :
•3 REM     FRANK'S CHILDREN
•4 REM    SOLUTION BY
•5 REM     NECAH BUYUKDURA
•6 REM ================================
•10 A=B+C/2 : B=E+A/2 : C=2+2*E : D=E+1 :
 E=(C+D)/4
•20 IF (A=V)+(B=W)+(C=X)+(D=Y)+(E=Z)+5 TH
EN V=A : W=B : X=C : Y=D : Z=E : GOTO 10
•30 PRINT"ANDY:";A,,,,"BILL:";B,,,,"CARL:
";C,,,,"DAVE:";D,,,,"EMMA:";E
```

According to Necah, this program uses a form of recursion. This program finds the solution after a number of iterations. Initial values for A through E are calculated in the original equations in line 10. Initially A and B are 0, C is 2, D is 1, and E is ¾ from this line.

The conditional expression in the IF/THEN statement has a value of 0 (false) only when A through E equal V through Z respectively. Since V through Z are 0 initially, and since only A and B are 0, the expression has a value of 3 (true), and the THEN clause is executed.

This begins the second iteration. New values are assigned to V through Z, and A through E are reevaluated. Eventually the values of A through E converge to the solutions of the problem. If you want to see the iterative steps, add this line to the program. It makes the process seem almost magical:

```
15 P=P+1 : PRINT "PASS NO.";P : PRINT A;
B;C;D;E
```

Necah said that this method works in solving many problems involving simultaneous equations. However some sets of equations tend to *diverge* rather than *converge* to the desired results. See this for yourself with these equations in line 10:

```
10 A=(E+2)/4 : B=D-A : C=B+4 : D=2*A+3 :
E=3*B+1
```

The second equation has a negative term which causes divergence. But all is not lost. Simply move the second equation to the first or last position and the problem is solvable in 151 passes. Furthermore, with the second equation in the fourth position, a solution is reached in only 77 iterations. Thanks to Necah for this very informative discussion.

Wallace Leeker said this problem reminded him of this story he read 20 years ago. An old man died, leaving 17 horses to his three sons. The oldest son was to get half of the horses, the middle son gets one-third, and the youngest son gets one-ninth of the horses.

Since ground horse meat was out of the question, the sons called in the wise man who provided this solution. He lent the sons one of his horses, making 18. One got half, 9 horses; one got one-third, 6 horses; and one got one-ninth, 2 horses. Since this was a total of 17 horses, the wise man took his horse back, and everyone was happy (except you who now must figure out what is going on here!).

Problem #44-3: Inner String challenged you to write an unordered INSTR (instring) routine. The user enters two strings. The program tells whether or not all the letters of the first string are contained within the second string regardless of order. Any duplicate letters in the first string must be duplicated in the second.

Among the shortest solutions was this one from Larry Schafer (Fowler, MI).

```
•1 REM ================================
•2 REM    COMMODARES PROBLEM #44-3 :
•3 REM     INNER STRING
```




Write for FREE Catalog of Software and Accessories

Reader Service No. 173

```
·4 REM    SOLUTION BY
·5 REM     LARRY SCHAFER
·6 REM ================================
·10 DIM P(80):INPUT A$,B$:FOR J=1 TO LEN(
 A$):FOR A=1 TO LEN(B$)
·20 IF MID$(B$,A,1)=MID$(A$,J,1) AND P(A)
 <>1 THEN P(A)=1:NEXTJ:PRINT"YES":END
·30 NEXTA:PRINT"NO":END
```

Larry uses P( ) as a flag array to keep track of which letters in B$ have been used. Each letter in A$ is checked for the same letter in B$. If the letter is found in B$ and P(A) is not 1, indicating that the letter in B$ has not already been used, the J loop is repeated to test the next letter in A$.

Larry's use of a separate array to keep track of the letters used in B$ gives a speed advantage at the slight expense of additional memory. Most other solutions used string instructions to modify F$, deleting each used character from it. For example, when the Jth letter in B$ is used, that letter is eliminated from B$ with one of these string concatenation instructions:

```
B$=LEFT$(B$,J-1) + RIGHT$(B$,LEN(B$)-J)

B$=LEFT$(B$,J-1) + MID$(B$,J+1)
```

The second statement has the advantage of not needing the length of B$. The MID$ statement is most often used with three parameters: MID$(B$,Starting Position,Number of Characters). One of the more obscure of the MID$ instruction is that if the third parameter is omitted, as shown above, the entire right hand portion of the string is used beginning at the Starting Position.

Do you see that MID$(B$,J) is not the same as RIGHT$(B$,J)? The MID$ starts at position J and takes all characters to the right end of B$, whereas the RIGHT$ takes J number of characters counted from the right end of the string. If B$="HELLO" and J=2, then MID$(B$,J) is "ELLO", and RIGHT$(B$,J) is "LO". (For what value of J are the two statements equivalent? Look at the two concatenation instructions discussed above.)

The only other different approach to this problem was in this program submitted by David Shobe (Lawrence, KS).

```
·1 REM ================================
·2 REM    COMMODARES PROBLEM #44-3 :
·3 REM     INNER STRING
·4 REM    SOLUTION BY
·5 REM     DAVID SHOBE
·6 REM ================================
·10 INPUT"ENTER TWO STRINGS";A$,B$
·20 DIM A(255),B(255)
·30 FOR J=1 TO LEN(A$)
·40 X=ASC(MID$(A$,J,1)) : A(X)=A(X)+1
·50 NEXT J
·60 FOR J=1 TO LEN(B$)
·70 X=ASC(MID$(B$,J,1)) : B(X)=B(X)+1
·80 NEXT J
·90 IS$="DOES"
·100 FOR J=0 TO 255
·110 IF A(J)>B(J) THEN IS$="DOES NOT"
·120 NEXT J
·130 PRINT"[DOWN][DOWN]THE SECOND STRING
 ";IS$;" CONTAIN"
·140 PRINT"THE LETTERS OF THE FIRST STRIN
 G."
```

David used a "hashing" technique in which arrays store the number of occurrences of each character in each string. For example, the ASCII value of "C" is 67. If there are two C's in A$ and only one C in B$, then A(67) equals 2 and B(67) is 1. The loop at line 100 merely compares each element in A( ) with B( ) to make sure that B$ contains at least as many occurrences of each character as A$ does. The output message IS$ is changed if some element of B( ) is less than the corresponding element of A( ).

Finally *Problem #44:4 Key Functions* asked for your favorite function key definitions. The listing below shows how some readers make their lives easier.

```
·1 REM ================================
·2 REM   COMMODARES PROBLEM #44-4:
·3 REM     KEY FUNCTIONS
·6 REM =========  C-128 ONLY  ==========
·10 REM ---- JIM SPEERS ----------------
·20 KEY 5,CHR$(27)+"QDSAVE"+CHR$(34)
·30 KEY 7,"LIST[5" "]-4[3"9"][9"[LEFT]"]"
·40 KEY 1,"X%=A/256:B%=A-256*X%:PRINTB%;X
 %"+CHR$(13)
·50 KEY 3,"X=A:FORI=3TO0STEP-1:B=INT(X/(1
 6[UPARROW]I)):PRINTCHR$(48+B-7*(B>9));:X
 =X-B*16[UPARROW]I:NEXT"+CHR$(13)
·60 KEY 5,"X=(A>32767):PRINTCHR$(48-X);:B
 =A+32768*X:FORI=14TO0STEP-1:PRINTMID$(ST
 R$(-((BAND(2[UPARROW]I))=(2[UPARROW]I[3"
 )"],2,1);:NEXT"+CHR$(13)
·100 REM---- WALLACE LEEKER ------------
 ---
·110 C$=CHR$(13):KEY1,".12"+C$:KEY2,".25"
 +C$:KEY3,".37"+C$:KEY4,".50"+C$:KEY5,".6
 2"+C$:KEY6,".75"+C$:KEY7,".87"+C$
·200 REM---- JOHN LOCKE ----------------
 ---
·210 R$=CHR$(13):Q$=CHR$(34):E$=CHR$(27)
·220 KEY1,"[CLEAR][HOME][HOME]DIRECTORY:"
 +E$+"R"+R$
·230 KEY7,E$+"I"+"RUN:"+R$
·240 KEY2,"DLOAD[3"[009]"]"+E$+"@"+R$
·250 KEY6,"[INSERT][INSERT]SCRATCH[3"[009
 ]"]:"+E$+"@"+R$+"Y"+R$
·260 KEY3,"[HOME][5"[009]"]"+E$+"T[DOWN]D
 IRECTORY"+R$
·270 KEY4,E$+" CLOSE4:OPEN4:CMD4:LIST"+R$
 +"PRINT#4,7:CLOSE4"+R$
```

You cannot run this program as listed. The computer stops

BACK ISSUES OF AHOY!

#2—FEB. '84 Illustrated tour of the 1541! Artificial intelligence! Synapse's Ihor Wolosenko interviewed! String functions! And ready to enter: Music Maker Part II! Screen Manipulation! Night Attack! Relative Files!

#3—MAR. '84 Anatomy of the 64! Printer interfacing for VIC & 64! Educational software series begins! VIC game buyer's guide! And ready to enter: Address Book! Space Lanes! Random Files on the 64! Dynamic Power!

#5—MAY '84 Future of Commodore! Inside BASIC storage! Memory management on the VIC & 64! Guide to spreadsheets! Hurray for arrays! And ready to enter: Math Master! Air Assault! Biorhythms! VIC Calculator!

#6—JUNE '84 Game programming column begins! Code generating programs! Rupert on inputting! Memory management continues! And ready to enter: Post Time for the 64 & VIC! Alpiner! Sound Concept!

#7—JULY '84 MSD dual disk drive! Database buyer's guide! Training your cursor! Screen displays! File Sleuth! Users Groups! And ready to enter: Renumbering! Checklist! Math Defender! Brisk! What's My Job?

#8—AUG. '84 Choosing a word processor! Computational wizardry! Creating your own word games! Sound on the 64! And ready to enter: Micro-Minder! Directory Assistance! The Terrible Twins! Words Worth!

#9—SEPT. '84 Program your own text adventure! Build a C-64 cassette interface! Video RAM! Word processors, part II! And ready to enter: Salvage Diver! DOS! Sound Explorer! The Castle of Darkness! Base Conversions!

#10—OCT. '84 C-64 graphics programs! Bit-mapped graphics! Joystick programming! Graphics processing! And ready to enter: VIC 40 Column Operating System! BAM Read & Print! Emerald Elephant! Lawn Job!

#11—NOV. '84 Music programs & keyboards for the 64! Graphics feature continues! 2-D arrays! And ready to enter: PTE word processor! Block Editor! Alternate Character Set for the 64! Tunnel of Tomachon!

#12—DEC. '84 Buyer's guide to printers! 1525 printer tutorial! Fast graphics with custom characters! User Guide to KMMM Pascal! Diving into BASIC! And ready to enter: Construction Co.! Space Patrol! Cross Ref!

#13—JAN. '85 VIC and 64 OS exposed! Sprites! Insert a 1541 device # disconnect switch! Ghostbusters! And ready to enter: Ultra Mail! Music Tutor! Alice in Adventureland! Midprint! To the Top! Tape/Disk Transfer!

#14—FEB. '85 Printer interfacing! Multicolor sprites! Modems! Bulletin Boards! Theory of game design! Buying a modem! And ready to enter: Futurewar! Fontasia! VIC Eraser! Insurance Agent! Flankspeed! Telelink 64!

#15—MAR. '85 Creating multiscreen gameboards! Inside the Plus/4! Commodore DOS! And ready to enter: Old Routine! Programmable Functions! Automatic Line Nos.! Home Budget! Salmon Run! Numerology!

#16—APR. '85 Assembly language column begins! Programming the joystick! 1541 disk drive alternatives! The Kernal! And ready to enter: Hop Around! Faster 64! Booter! Elecheck! BASIC Trace! Space Hunt!

#17—MAY '85 Disk drive enhancements! Install a reset switch! Assembler escapades! And ready to enter: Super Duper! Two-Column Directory! DSKDU! Raid! DOS Plus! Font Editor! Tile Time! Interrupt Wedge!

#18—JUNE '85 Music & graphics entry system! How modems work! Inside the 6510! And ready to enter: Quad-Print! Mapping 4.4! Towers of Hanoi! Speedy! Duck Shoot! Bit Dumping! Screen Magic! 6510 Simulator!

#19—JULY '85 PROM Programming! 3-part harmonies on VIC/64! Speeding pixels! And ready to enter: Auto-Append! Script Analysis! Wizard of Im! Lucky Lottery! Brainframe! Etch! Printat! Autos: Leasing v. Buying!

#20—AUG. '85 Inside the 128! Real-world simulations! Sound effects! Modems! And ready to enter: Windows! Formatter! Sound-a-Rama! Screen Dump! Selectachrome! Disintegrator! Fidgits! Gators N Snakes!

#21—SEP. '85 Inside the 1571 drive and 128 keyboard! Sprite programming! And ready to enter: Fastnew! Go-lister! File Lock! Dragon Type! Superhero! Auto-Gen! Moxey's Porch! Fish Math! Ahoy!Dock! Invective!

#22—OCT. '85 Create cartoon characters! Infinitesimal intrigue! Secrets of copy protection! And ready to enter: Shotgun! Maestro! Solitaire! Mystery at Mycroft Mews! Gravinauts! 1541 Cleaning Utility! Shadey Dump!

#23—NOV. '85 Guide to adventure gaming! ML sprite manipulation! BASIC for beginners! And ready to enter: Lightning Loader! Knight's Tour! Chopper Flight! Rhythmic Bits! Instant Bug Repellent! File Scout! Slither!

#24—DEC. '85 Speech synthesizer! The IBM Connection! The year's 25 best entertainments! And ready to enter: Gypsy Starship! Directory Manipulator! Cloak! Gameloader! Jewel Quest! Lineout! Santa's Busy Day!

#25—JAN. '86 Build a speech synthesizer! Survey of sports games! And ready to enter: Martian Monsters! Streamer Font! Microsim! Haunted Castle! Knockout! Infraraid! Alarm Clock! Memory Check! Scratch Pad!

#26—FEB. '86 Windows! Build an autoexec cartridge! Align your 1541! Survey of flight simulators! Structured programming! And ready to enter: Arena! Head to Head! Crabfight! Treasure Wheel! Character Dump!

#27—MAR. '86 Programming educational games! Memory dumpers! Choosing a copy program! Custom characters! And ready to enter: Ahoy!Term 128! Trivia Game Maker! Brickbusters! Easy Lister! Programmer's Aid!

#28—APR. '86 Comet catching! Survey of action and strategy games! Screen dumping! And ready to enter: Chrono-Wedge! Mr. Mysto! Air Rescue! Notemaker! Screen Window! JCALC! Hidden Cavern! Swoop!

#29—MAY '86 128 graphic bit map! Epyx strategy guide! 128 commands! ML music programming! And ready to enter: Bigprint! Star Search! Failsafe! English Darts! Ski Folly! Free RAM Check! Alchemist's Apprentice!

#30—JUNE '86 Debugging dilemmas! Public domain software! Winning at Ultima! Computer Aided Design! And ready to enter: LazyBASIC! Got A Match? Star Strike! Queen's and Bishop's Tours! Shaker! Trackdown!

#31—JULY '86 Inside the Amiga! Conditional branching! Chess programs! 128 and 64 DOS! And ready to enter: Screen Sleuth! Skull Castle! Head-on! Nebergall Run! Wordcount! Crazy Joe! Fidgits' Music School!

#32—AUG. '86 Inside the Amiga, part II! Approaching infinity! C-64 war simulations! Pascal for beginners! ML graphics! And ready to enter: Reversi! Highlight! Disk Cataloger! Meteor Run! Trim! Step On It! Flap!

#33—SEPT. '86 Windows and viewports! Sound & music on the 64! COMAL! And ready to enter: The Last Ninja! Speech64! Multi RAM! Dogcatcher! Trapped! Matchblocks! Variable Manager! Dual Dump! Mine Canyon!

#34—OCT. '86 Build a digital oscilloscope! ML speed techniques! And ready to enter: Vault of Terror! Quick Change! Penguins! Attack Force! Disk Checkup! Dvorak Keyboard! Mountaineer Mack! 128 to 64 Autoboot!

#35—NOV. '86 C-128 shadow registers! Data file handling! PROMAL! Habitat! And ready to enter: Teleporter! 128 RAM Check! Discs of Daedalus! Guardian! Tenpins! Syntax Patrol! Deluxe List! Long Lines! Detonation!

#36—DEC. '86 File manipulation! C-128 shadow registers! Football games! And ready to enter: The Artist! Minotaur Maze! Mouse in the House! Lazy Source Code! Rebels and Lords! Speedway! The Editor! Micro City!

#37—JAN. '87 Pointers and the monitor! Best games of '86! DOS for beginners! And ready to enter: Vortex! Hanger 14! BASIC Ahoy! Catacombs! Lixter! Dark Fortress! PermaLine! Starfighter! Bugout! Screens!

#38—FEB '87 Hacking into machine language utilities! Amiga RAM expanders! And ready to enter: Window Magic! Crunchman! User Conventions! The Adventurer! More BASIC 128! Jailbreak! Turtle Rescue! 640!

#39—MAR. '87 Basic esthetics! Survey of video digitizers! Multiplayer games! And ready to enter: C-64 Compressor! Wizard Tag! Turbopoke! Rescue 128! Lights Out! Pinball Arcade! Stow Away! Caverns of Geehonk!

#40—APR. '87 Inside the Amiga 2000! Fractals! Baseball games! COMAL, turtle graphics, and Logo! And ready to enter: Infoflow! Laps! Pieman! List Formatter! Scrambler! Extended Background Mode! Planet Duel!

#41—MAY '87 Kernal power! 64 and Amiga graphics! Microworlds in COMAL! Brain games! Dark Fortress master maps! And ready to enter: Moondog! Startup! Illusion Master! Wall Crawler! Scavenger Hunt!

#42—JUNE '87 Megaflops and microseconds! Sci-fi braingames! C-64 to Amiga file transfer! And ready to enter: D-Snap! Wraiths! Galactic Cab Co.! Cave of the Ice Ape! ALT-Key 128! Power Squares! 128 Multi RAM!

#43—JULY '87 Real world interfacing! Bit map graphics tutorial! C-64 graphic conversion! Martial arts software! And ready to enter: Wizard Tag II! Data Creator! Plink & Plonk! Univaders! Data Express! 128 Scroller!

#44—AUG. '87 Electronic screen swapping on the C-128! Science fiction action games! The death of GOTO! Amiga reviews! And ready to enter: Archer! Banner Print! Route 64! Steeplechase! Batter Up! Scanner!

#45—SEP. '87 The 128 versus The Clones! Building an Amiga trackball! MSD update! CES Report! And ready to enter: Crystallus! Spriteshell! Hoops! Chainmail! No News! PS to GEOS! Centerfold! Red Alert!

#46—OCT. '87 A rainbow of data structures! BASIC 8.0 reviewed! Buying guide to COMAL! Tips Ahoy! Art Gallery! And ready to enter: Empire! C-64 RAMDrive! Hotfoot! Platforms! Spray-Cam! Jam Attack!

#47—NOV. '87 The ins and outs of data organization! Overview of C-64 memory expanders! Commodares! And ready to enter: Orbit! RAMCO! A-Maze-Ing! Line Sentry! Desert Front! Paper Route! Flash Flood!

Why settle for reading *Ahoy!* only once a month? Order the back issues listed above and fill up those boring in-between weeks with all the programs, articles, and reviews you've missed! Use the coupon below to order your issues while limited supplies last.

Use coupon of facsimile. If ordering more than four issues, list choices on a separate sheet.

If you have a modem and want more complete information on any of the back issues listed, call *Ahoy!'s* Bulletin Board Service at 718-782-3239.

Please send me

____ copies of issue #____ ____ copies of issue #____
____ copies of issue #____ ____ copies of issue #____

ALL ISSUES $4.00 EXCEPT #2, #3, & #21 ($10.00)

Enclosed please find my check or money order for $_____ (outside the USA add $1.00 per copy)

NAME_____

ADDRESS_____

CITY_____ STATE_____ ZIP_____

Send to: *Ahoy!* Back Issues, Ion International Inc., 45 West 34th Street—Suite 500, New York, NY 10001.

with an "Out of Memory" error since there are too many characters assigned to the function keys. Although this program is only for the C-128, the C-64 can certainly implement many of these ideas. Various function key utilities exist for the C-64, including at least one from the pages of *Ahoy!*

Jim Speers sent several of his most useful definitions. Line 20 erases to the end of the line (Escape Q) then prints DSAVE and a quotation mark. Jim occasionally redefines key 7 as shown in line 30. This lets him type in a starting line number and then lists the program up to the line where his DATA statements begin, or where his current subroutine ends.


Jim also sent along some handy binary/hexadecimal conversion routines in lines 40 through 60. First define the variable A to be a decimal integer from 0 to 65535. For example, type A=32000: then press F1 to see 32000 represented in decimal low byte/high byte format. Press F3 to see the hexadecimal representation of A, or press F5 to see the binary equivalent of A.

Wallace Leeker (Lemay, MO) sent the function key arrangement he uses with a stock-charting program he wrote. He must enter the High, Low, and Close values of the stock he is following, and those numbers are given in fractional form as eighths are already marked on the function keys. Of course you could make the values more accurate if desired. Perhaps you can think of other function key conversions that are useful.

Slimline '64 Case

A NEW IMAGE FOR THAT FAVOURITE COMPUTER

- Easy to Fit
- Lower key height



Give your 64 the modern look

Now you can have that sleek new look without buying a new computer. Our replacement case will give your '64 the modern look and color you have been wanting. Installation takes just 10 minutes and requires only a Phillips screwdriver. So don't be stuck with the old look when the Slimline is here and ready for immediate shipping.

Our price of $34.95 includes handling charges. Certified checks or postal money orders will be shipped on receipt. Personal checks must be held for 4 weeks pending bank clearance. Sorry, no COD's. Charge cards can order by calling (902) 892-6372.

GDP

P O BOX 1886
Charlottetown PEI
Canada C1A 7N5

Grapevine Data Products

Reader Service No. 187

John Locke (Central Point, OR) sent some very interesting function key definitions. Line 210 sets up some constants, namely the carriage return, quotation mark, and escape. Line 220 gives a directory listing in reverse video. Escape R reverses screen colors. (Escape N restores them to normal.)

The Escape I in line 230 scrolls everything from the cursor line down and leaves the cursor at the beginning of a blank line. Then RUN is typed and entered. Not having to move the cursor around to find a blank line is an advantage for most function key definitions.

Line 240 is a "load from directory" command. With the directory on the screen, position the cursor in front of the program to be loaded and press F2. The cursor is tabbed past the filename. The Escape @ clears everything from the cursor to the bottom of the display, and the selected program is loaded.

John defines F6 as a "fast scratch from the directory" key. Move the cursor to the directory display in front of the program to be scratched and press F6. You'd better be sure of what you are doing, because in the blink of an eye, the program will be gone. The two Inserts make room for "SCRATCH" ahead of the filename. The cursor is tabbed past the filename and the rest of the screen is cleared with the Escape @. The "Y" is an automatic response to the "Are You Sure?" query. Handy if you are sure of what you're doing. Better keep an "Unscratch" program close by just in case.

A very interesting definition is given for F3 in line 260. This key creates a second directory listing on the right side of the screen. The cursor is tabbed over. The Escape T defines the cursor position to be the top left corner of the current screen window, and the Directory command is given. On my C-128 this definition did not work without the cursor-down after the Escape T command. John did not have a cursor-down in his definition, so I wonder if we have different ROM versions. Any input on this?

The final definition is probably the most essential. I often wonder why Commodore BASIC does not include an LLIST command to send listings to the printer. Anyway, John's definition for F4 fills the bill, including the proper "Unlisten" command (PRINT#4,7) and the closing of the printer file.

Thanks to Norris Price (APO SF) for the nice, complimentary letter and the *Commodares* solution. He asked why I have never "plugged" *Simons' BASIC* like I have COMAL. First, I have never used either of these languages, although both of them have significant advantages over BASIC 2.0 and some advantages over BASIC 7.0.

The listings in this column are representative of the solutions readers send. To my knowledge, no one has ever sent a solution written in *Simons' BASIC*. I am (and I presume the readers of this column are) interested in different programming concepts and languages. If you write in *Simons' BASIC* and like it, let me know. One of the best ways to show off a language is to send a *Commodares* challenge that is very easy in your language but difficult in standard BASIC.

That's it for this month. Keep those challenges and solutions coming. We will make the challenges as tough or as easy as you want them. See you next month. □

PROGRAM LISTINGS

Attention new *Ahoy!* readers! You must read the following information very carefully prior to typing in programs listed in *Ahoy!* Certain Commodore characters, commands, and strings of characters and commands will appear in a special format. Follow the instructions and listings guide on this page.

On the following pages you'll find several programs that you can enter on your Commodore computer. But before doing so, read this entire page carefully.

To insure clear reproductions, *Ahoy!'s* program listings are generated on a daisy wheel printer, incapable of printing the commands and graphic characters used in Commodore programs. These are therefore represented by various codes enclosed in brackets [ ]. For example: the SHIFT CLR/HOME command is represented onscreen by a heart ♥. The code we use in our listings is [CLEAR]. The chart below lists all such codes which you'll encounter in our listings, except for one other special case.

The other special case is the COMMODORE and SHIFT characters. On the front of most keys are two symbols. The symbol on the left is obtained by pressing that key while holding down the COMMODORE key; the symbol on the right, by pressing that key while holding down the SHIFT key. COMMODORE and SHIFT characters are represented in our listings by a lower-case "s" or "c" followed by the symbol of the key you must hit. COMMODORE J, for example, is represented by [c J], and SHIFT J by [s J].

Additionally, any character that occurs more than two times in a row will be displayed by a coded listing. For example, [3 "[LEFT]"] would be 3 CuRSoR left commands in a row, [5 "[s EP]"] would be 5 SHIFTed English Pounds, and so on. Multiple blank spaces will be noted in similar fashion: e.g., 22 spaces as [22 " "].

Sometimes you'll find a program line that's too long for the computer to accept (C-64 lines are a maximum of 80 characters, or 2 screen lines long; C-128 lines, a maximum of 160 characters, 2 or 4 screen lines in 40 or 80 columns respectively). To enter these lines, refer to the *BASIC Command Abbreviations Appendix* in your User Manual.

On the next page you'll find our *Bug Repellent* programs for the C-128 and C-64. The version for your machine will help you proofread programs after typing them. (Please note: the *Bug Repellent* line codes that follow each program line, in the whited-out area, should *not* be typed in. See instructions preceding each program.)

On the second page following you will find *Flankspeed*, our ML entry program, and instructions on its use.

Call *Ahoy!* at 212-239-6089 with any problems (if busy or no answer after three rings, call 212-239-0855).

WHEN YOU SEE	IT MEANS	YOU TYPE		YOU WILL SEE
[CLEAR]	Screen Clear	SHIFT	CLR/HOME	♥
[HOME]	Home		CLR/HOME	S
[UP]	Cursor Up	SHIFT	↑ CRSR ↓	
[DOWN]	Cursor Down		↑ CRSR ↓	
[LEFT]	Cursor Left	SHIFT	← CRSR →	
[RIGHT]	Cursor Right		← CRSR →	
[SS]	Shifted Space	SHIFT	Space	
[INSERT]	Insert	SHIFT	INST/DEL	
[DEL]	Delete		INST/DEL	
[RVSON]	Reverse On	CNTRL	9	R
[RVSOFF]	Reverse Off	CNTRL	0	
[UPARROW]	Up Arrow		↑	↑
[BACKARROW]	Back Arrow		←	←
[PI]	PI		π	π
[EP]	English Pound		£	£

WHEN YOU SEE	IT MEANS	YOU TYPE	YOU WILL SEE
[BLACK]	Black	CNTRL 1	
[WHITE]	White	CNTRL 2	
[RED]	Red	CNTRL 3	
[CYAN]	Cyan	CNTRL 4	
[PURPLE]	Purple	CNTRL 5	
[GREEN]	Green	CNTRL 6	
[BLUE]	Blue	CNTRL 7	
[YELLOW]	Yellow	CNTRL 8	
[F1]	Function 1	F1	
[F2]	Function 2	SHIFT F1	
[F3]	Function 3	F3	
[F4]	Function 4	SHIFT F3	
[F5]	Function 5	F5	
[F6]	Function 6	SHIFT F5	
[F7]	Function 7	F7	
[F8]	Function 8	SHIFT F7	

BUG REPELLENT FOR THE 64 & 128 By BUCK CHILDRESS

Please note: the *Bug Repellent* programs listed here are for *Ahoy!* programs published from the May 1987 issue onward! For older programs, use the older version.

Type in, save, and run *Bug Repellent.* You'll be asked if you want automatic saves to take place. If so, you're prompted for the device, DISK (D) or TAPE (T). You then pick a starting file number, 0 through 99. Next, you enter a name, up to 14 characters long. At this point, *Bug Repellent* verifies your entries and gives you a chance to change them if you want. If no changes are needed, *Bug Repellent* activates itself. (Pressing RETURN without answering the prompts defaults to disk drive and begins your files with "00BACKUP".)

Type NEW and begin entering an *Ahoy!* program. As you enter program lines and press RETURN, a *Bug Repellent* code appears at the top of your screen. If it doesn't match the code in the program listing, an error exists. Correct the line and the codes will match.

If used, automatic saves take place every 15 minutes. When the RETURN key is pressed on a program line, the screen changes color to let you know that a save will begin in about three seconds. You may cancel the save by pressing the RUN STOP key. The file number increments after each save. It resets to 00 if 99 is surpassed. After saving, or cancelling, the screen returns to its original color and the timer resets for 15 minutes.

When you've finished using *Bug Repellent*, deactivate it by typing SYS 49152 [RETURN] for the Commodore 64 or SYS 4864 [RETURN] for the Commodore 128.

C-64 BUG REPELLENT

```
·10 PRINTCHR$(147)"LOADING AND CHECKING THE DATA[3"."]":J
=49152
·20 FORB=0TO11:READA:IFA<0ORA>255THEN40
·30 POKEJ+B,A:X=X+A:NEXTB:READA:IFA=XTHEN50
·40 PRINT:PRINT"ERROR IN DATA LINE:"PEEK(64)*256+PEEK(63)
:END
·50 X=0:J=J+12:IFJ<49456THEN20
·60 POKE198,0:POKE49456,0:A$="Y":B$=A$:C$="D":D$="DISK":D
=8:PRINTCHR$(147)
·70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)";A$:PRINT:IFA
$="Y"THEN90
·80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
·90 POKE49456,1:INPUT"DISK OR TAPE (D/T)";C$:IFC$<>"D"THE
ND=1:D$="TAPE"
·100 POKE49457,D:D$=D$+" DRIVE":PRINT:INPUT"FILE NUMBER (
0-99)";N
·110 N$=RIGHT$(STR$(N),2):IFN<10THENN$=CHR$(48)+CHR$(N+48
)
·120 F$="BACKUP":PRINT:INPUT"FILENAME";F$:F$=N$+LEFT$(F$,
14):L=LEN(F$)
·130 POKE49458,L:FORJ=1TOL:POKE49458+J,ASC(MID$(F$,J,1)):
NEXTJ:PRINT
·140 PRINT"SAVING DEVICE ** "D$:PRINT"STARTING WITH ** "F
$
·150 PRINT:INPUT"IS THIS CORRECT (Y/N)";B$:IFB$<>"Y"THEN6
0
·160 POKE770,131:POKE771,164:SYS49152:END
·170 DATA169,79,32,210,255,162,38,160,192,204,3,3,1507
·180 DATA208,10,162,131,160,164,169,70,32,210,255,44,1615
·190 DATA169,78,32,210,255,142,2,3,140,3,3,76,1113
·200 DATA36,193,32,96,165,134,122,132,123,32,115,0,1180
·210 DATA170,240,243,162,255,134,58,144,3,76,150,164,1799
·220 DATA32,107,169,32,121,165,173,0,2,240,5,169,1215
·230 DATA79,141,2,3,76,162,164,169,0,133,2,133,1064
·240 DATA251,133,252,133,254,24,101,20,69,254,230,254,197
5
·250 DATA24,101,21,69,254,170,230,254,164,252,185,0,1724
·260 DATA2,133,253,201,34,208,6,165,2,73,255,133,1465
·270 DATA2,201,32,208,4,165,2,240,8,138,24,101,1125
·280 DATA253,69,254,170,44,198,254,230,252,164,253,208,23
49
·290 DATA213,138,41,240,74,74,74,74,24,105,129,141,1327
·300 DATA44,193,138,41,15,24,105,129,141,45,193,162,1230
·310 DATA0,189,43,193,240,12,157,0,4,173,134,2,1147
·320 DATA157,0,216,232,208,239,169,38,141,2,3,173,1578
·330 DATA48,193,240,23,165,161,201,212,176,4,165,160,1748
·340 DATA240,13,238,32,208,160,0,32,225,255,208,6,1617
·350 DATA32,33,193,76,38,192,232,208,242,200,208,239,1893
·360 DATA32,68,229,169,0,168,174,49,193,32,186,255,1555
·370 DATA173,50,193,162,51,160,193,32,189,255,169,43,1670
·380 DATA166,45,164,46,32,216,255,162,1,189,51,193,1520
·390 DATA168,200,152,201,58,144,2,169,48,157,51,193,1543
·400 DATA201,48,208,3,202,16,234,32,33,193,76,116,1362
·410 DATA164,206,32,208,169,0,170,168,76,219,255,160,1827
·420 DATA1,1,160,0,0,65,72,79,89,33,0,0,500
```

C-128 BUG REPELLENT

```
·10 PRINTCHR$(147)"LOADING AND CHECKING THE DATA[3"."]":J
=4864
·20 FORB=0TO11:READA:IFA<0ORA>255THEN40
·30 POKEJ+B,A:X=X+A:NEXTB:READA:IFA=XTHEN50
·40 PRINT:PRINT"ERROR IN DATA LINE:"PEEK(66)*256+PEEK(65)
:END
·50 X=0:J=J+12:IFJ<5213THEN20
·60 POKE208,0:POKE5213,0:A$="Y":B$=A$:C$="D":D$="DISK":D=
8:PRINTCHR$(147)
·70 INPUT"DO YOU WANT AUTOMATIC SAVES (Y/N)";A$:PRINT:IFA
$="Y"THEN90
·80 PRINT"NO AUTOMATIC SAVES[3"."]":GOTO150
·90 POKE5213,1:INPUT"DISK OR TAPE (D/T)";C$:IFC$<>"D"THEN
D=1:D$="TAPE"
·100 POKE5214,D:D$=D$+" DRIVE":PRINT:INPUT"FILE NUMBER (0
-99)";N
·110 N$=RIGHT$(STR$(N),2):IFN<10THENN$=CHR$(48)+CHR$(N+48
)
·120 F$="BACKUP":PRINT:INPUT"FILENAME";F$:F$=N$+LEFT$(F$,
14):L=LEN(F$)
·130 POKE5215,L:FORJ=1TOL:POKE5215+J,ASC(MID$(F$,J,1)):NE
XTJ:PRINT
·140 PRINT"SAVING DEVICE ** "D$:PRINT"STARTING WITH ** "F
$
·150 PRINT:INPUT"IS THIS CORRECT (Y/N)";B$:IFB$<>"Y"THEN6
0
·160 POKE770,198:POKE771,77:SYS4864:END
·170 DATA32,58,20,169,41,162,19,236,3,3,208,4,955
·180 DATA169,198,162,77,141,2,3,142,3,3,224,19,1143
·190 DATA208,7,32,125,255,79,78,0,96,32,125,255,1292
·200 DATA79,70,70,0,96,162,0,134,251,189,0,2,1053
·210 DATA240,19,201,48,144,9,201,58,176,5,133,251,1485
·220 DATA232,208,238,134,252,165,251,208,3,76,198,77,2042
·230 DATA169,0,166,235,164,236,133,253,133,254,142,47,193
2
·240 DATA20,140,48,20,24,101,22,69,254,230,254,24,1206
·250 DATA101,23,69,254,170,230,254,164,252,185,0,2,1704
·260 DATA133,251,201,34,208,6,165,253,73,255,133,253,1965
·270 DATA201,32,208,4,165,253,240,8,138,24,101,251,1625
·280 DATA69,254,170,44,198,254,230,252,164,251,208,213,23
07
·290 DATA138,41,240,74,74,74,74,24,105,65,141,88,1138
·300 DATA20,138,41,15,24,105,65,141,89,20,32,79,769
·310 DATA20,189,85,20,240,6,32,210,255,232,208,245,1742
·320 DATA174,47,20,172,48,20,24,32,240,255,173,93,1298
·330 DATA20,240,27,165,161,201,212,176,4,165,160,240,1771
·340 DATA17,32,65,20,238,32,208,238,1,214,32,225,1322
·350 DATA255,208,6,32,49,20,76,198,77,232,208,242,1603
·360 DATA200,208,239,32,66,193,173,95,20,162,96,160,1644
·370 DATA20,32,189,255,169,0,170,32,104,255,169,0,1395
·380 DATA174,94,20,168,32,186,255,169,45,174,16,18,1351
·390 DATA172,17,18,32,216,255,162,1,189,96,20,168,1346
·400 DATA200,152,201,58,144,2,169,48,157,96,20,201,1448
·410 DATA48,208,3,202,16,234,32,49,20,141,0,2,955
·420 DATA76,183,77,58,59,32,65,20,206,32,208,206,1222
·430 DATA1,214,169,0,170,168,76,219,255,32,79,20,1403
·440 DATA169,26,141,0,214,173,0,214,16,251,96,162,1462
·450 DATA0,142,0,255,96,19,18,32,32,32,32,146,804
·460 DATA0,1,0,0,65,72,79,89,33,0,0,0,339
```

FLANKSPEED FOR THE C-64 By GORDON F. WHEAT

Flankspeed will allow you to enter machine language *Ahoy!* programs without any mistakes. Once you have typed the program in, save it for future use. While entering an ML program with *Flankspeed* there is no need to enter spaces or hit the carriage return. This is all done automatically. If you make an error in a line a bell will ring and you will be asked to enter it again. To LOAD in a program Saved with *Flankspeed* use LOAD "name",1,1 for tape, or LOAD "name",8,1 for disk. The function keys may be used after the starting and ending addresses have been entered.

f1—SAVEs what you have entered so far.

f3—LOADs in a program worked on previously.

f5—To continue on a line you stopped on after LOADing in the previous saved work.

f7—Scans through the program to locate a particular line, or to find out where you stopped the last time you entered the program. It temporarily freezes the output as well.

```
·100 POKE53280,12:POKE53281,11                                        OP
·105 PRINT"[CLEAR][c 8][RVSON][15" "]FLANKSPEED[15" "]";              FP
·110 PRINT"[RVSON][5" "]MISTAKEPROOF ML ENTRY PROGRAM[6" "
]"                                                                    JP
·115 PRINT"[RVSON][9" "]CREATED BY G. F. WHEAT[9" "]"                 FA
·120 PRINT"[RVSON][3" "]COPR. 1987, ION INTERNATIONAL INC.
[3" "]"                                                               AJ
·125 FORA=54272TO54296:POKEA,0:NEXT                                   ND
·130 POKE54272,4:POKE54273,48:POKE54277,0:POKE54278,249:PO
KE54296,15                                                            NP
·135 FORA=680TO699:READB:POKEA,B:NEXT                                 FL
·140 DATA169,251,166,253,164,254,32,216,255,96                        FF
·145 DATA169,0,166,251,164,252,32,213,255,96                          EK
·150 B$="STARTING ADDRESS IN HEX":GOSUB430:AD=B:SR=B                  KP
·155 GOSUB480:IFB=0THEN150                                            OE
·160 POKE251,T(4)+T(3)*16:POKE252,T(2)+T(1)*16                        AM
·165 B$="ENDING ADDRESS IN HEX":GOSUB430:EN=B                         PE
·170 GOSUB470:IFB=0THEN150                                            PG
·175 POKE254,T(2)+T(1)*16:B=T(4)+1+T(3)*16                            GM
·180 IFB>255THENB=B-255:POKE254,PEEK(254)+1                           HG
·185 POKE253,B:PRINT                                                  EC
·190 REM  GET HEX LINE                                                ED
·195 GOSUB495:PRINT": [c P][LEFT]";:FORA=0TO8                         KD
·200 FORB=0TO1:GOTO250                                                IH
·205 NEXTB                                                            IJ
·210 A%(A)=T(1)+T(0)*16:IFAD+A-1=ENTHEN340                            FA
·215 PRINT" [c P][LEFT]";                                             EG
·220 NEXTA:T=AD-(INT(AD/256)*256):PRINT" "                            II
·225 FORA=0TO7:T=T+A%(A):IFT>255THENT=T-255                           GL
·230 NEXT                                                             GI
·235 IFA%(8)<>TTHENGOSUB375:GOTO195                                   FL
·240 FORA=0TO7:POKEAD+A,A%(A):NEXT:AD=AD+8:GOTO195                    IM
·245 REM    GET HEX INPUT                                             PA
·250 GETA$:IFA$=""THEN250                                             GA
·255 IFA$=CHR$(20)THEN305                                             GO
·260 IFA$=CHR$(133)THEN535                                            LM
·265 IFA$=CHR$(134)THEN560                                            IG
·270 IFA$=CHR$(135)THENPRINT" ":GOTO620                               HO
·275 IFA$=CHR$(136)THENPRINT" ":GOTO635                               HE
·280 IFA$>"@"ANDA$<"G"THENT(B)=ASC(A$)-55:GOTO295                     MI
·285 IFA$>"/"ANDA$<":"THENT(B)=ASC(A$)-48:GOTO295                     DJ
·290 GOSUB415:GOTO250                                                 JA
·295 PRINTA$"[c P][LEFT]";                                            PK
·300 GOTO205                                                          FA
·305 IFA>0THEN320                                                     BI
·310 A=-1:IFB=1THEN330                                                BB
·315 GOTO220                                                          FA
·320 IFB=0THENPRINTCHR$(20);CHR$(20);:A=A-1                           BF
·325 A=A-1                                                            FK
·330 PRINTCHR$(20);:GOTO220                                           PH
·335 REM LAST LINE                                                    CP
·340 PRINT" ":T=AD-(INT(AD/256)*256)                                  KH
·345 FORB=0TOA-1:T=T+A%(B):IFT>255THENT=T-255                         OD
·350 NEXT                                                             OB
·355 IFA%(A)<>TTHENGOSUB375:GOTO195                                   LH
·360 FORB=0TOA-1:POKEAD+B,A%(B):NEXT                                  BO
·365 PRINT:PRINT"YOU ARE FINISHED!":GOTO535                           MB
·370 REM BELL AND ERROR MESSAGES                                      LM
·375 PRINT:PRINT"LINE ENTERED INCORRECTLY":PRINT:GOTO415              JK
·380 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":GOTO415                  PG
·385 PRINT:PRINT"ENDING IS LESS THAN STARTING!":B=0:GOTO41
5                                                                     IK
·390 PRINT:PRINT"ADDRESS NOT WITHIN SPECIFIED RANGE!":B=0:
GOTO415                                                               HK
·395 PRINT:PRINT"NOT ZERO PAGE OR ROM!":B=0:GOTO415                   DM
·400 PRINT"?ERROR IN SAVE":GOTO415                                    JK
·405 PRINT"?ERROR IN LOAD":GOTO415                                    IO
·410 PRINT:PRINT:PRINT"END OF ML AREA":PRINT                          JO
·415 POKE54276,17:POKE54276,16:RETURN                                 BF
·420 OPEN15,8,15:INPUT#15,A,A$:CLOSE15:PRINTA$:RETURN                 DH
·425 REM GET FOUR DIGIT HEX                                           IM
·430 PRINT:PRINTB$;:INPUTT$                                           OL
·435 IFLEN(T$)<>4THENGOSUB380:GOTO430                                 JD
·440 FORA=1TO4:A$=MID$(T$,A,1):GOSUB450:IFT(A)=16THENGOSUB
380:GOTO430                                                           AK
·445 NEXT:B=(T(1)*4096)+(T(2)*256)+(T(3)*16)+T(4):RETURN              KB
·450 IFA$>"@"ANDA$<"G"THENT(A)=ASC(A$)-55:RETURN                      GM
·455 IFA$>"/"ANDA$<":"THENT(A)=ASC(A$)-48:RETURN                      NJ
·460 T(A)=16:RETURN                                                   IC
·465 REM ADDRESS CHECK                                                OL
·470 IFAD>ENTHEN385                                                   HO
·475 IFB<SRORB>ENTHEN390                                              LE
·480 IFB<256OR(B>40960ANDB<49152)ORB>53247THEN395                     OB
·485 RETURN                                                           HE
·490 REM ADDRESS TO HEX                                               PM
·495 AC=AD:A=4096:GOSUB520                                            AP
·500 A=256:GOSUB520                                                   NF
·505 A=16:GOSUB520                                                    LG
·510 A=1:GOSUB520                                                     HE
·515 RETURN                                                           JD
·520 T=INT(AC/A):IFT>9THENA$=CHR$(T+55):GOTO530                       OC
·525 A$=CHR$(T+48)                                                    JI
·530 PRINTA$;:AC=AC-A*T:RETURN                                        AA
·535 A$="**SAVE**":GOSUB585                                           IC
·540 OPEN1,T,1,A$:SYS680:CLOSE1                                       AB
·545 IFST=0THENEND                                                    FB
·550 GOSUB400:IFT=8THENGOSUB420                                       PM
·555 GOTO535                                                          FI
·560 A$="**LOAD**":GOSUB585                                           PE
·565 OPEN1,T,0,A$:SYS690:CLOSE1                                       PO
·570 IFST=64THEN195                                                   OI
·575 GOSUB405:IFT=8THENGOSUB420                                       CO
·580 GOTO560                                                          GN
·585 PRINT" ":PRINTTAB(14)A$                                          KA
·590 PRINT:A$="":INPUT"FILENAME";A$                                   IO
·595 IFA$=""THEN590                                                   HK
·600 PRINT:PRINT"TAPE OR DISK?":PRINT                                 HL
·605 GETB$:T=1:IFB$="D"THENT=8:A$="@0:"+A$:RETURN                     NP
·610 IFB$<>"T"THEN605                                                 KO
·615 RETURN                                                           PH
·620 B$="CONTINUE FROM ADDRESS":GOSUB430:AD=B                         DD
·625 GOSUB475:IFB=0THEN620                                            NK
·630 PRINT:GOTO195                                                    HN
·635 B$="BEGIN SCAN AT ADDRESS":GOSUB430:AD=B                         FK
·640 GOSUB475:IFB=0THEN635                                            LN
·645 PRINT:GOTO670                                                    HI
·650 FORB=0TO7:AC=PEEK(AD+B):GOSUB505:IFAD+B=ENTHENAD=SR:G
OSUB410:GOTO195                                                       LM
·655 PRINT" ";:NEXTB                                                  LE
·660 PRINT:AD=AD+8                                                    CD
·665 GETB$:IFB$=CHR$(136)THEN195                                      JD
·670 GOSUB495:PRINT": ";:GOTO650                                      KE
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

PIZZA BOY
FROM PAGE 22

```
·10 COLOR.,1:COLOR4,1:GRAPHIC1,1:GRAPHIC.                    HB
 :PRINTCHR$(147)CHR$(11)CHR$(142)
·20 PRINT"[5"[DOWN]"]"TAB(6)"[c 1]PLEASE                     CG
 WAIT[3"."]LOADING DATA":RESTORE760:FORX=
 3584TO3584+7*64:READA$:POKEX,DEC(A$):NEX
 T:FORX=4032TO4032+45:POKEX,.:NEXT
·30 FORX=4077TO4077+18:POKEX,255:NEXT:GOS                    FH
 UB950:PRINTTAB(16)"[3"[DOWN]"]OKAY!!"
·40 SLEEP2:POKE53248+21,.:PRINT"[CLEAR][c                    EO
  1][DOWN]"TAB(7)"[s U][23"[s C]"][s I]"
·50 PRINTTAB(7)"[s B] [RED][RVSON][c A][s                    ME
  C][s C][c S][RVSOFF] [RVSON][s B][RVSOF
 F] [RVSON][4"[s C]"][RVSOFF] [RVSON][4"[
 s C]"][RVSOFF] [RVSON][sEP][s C][s C][c
 *][RVSOFF] [c 1][s B]"
·60 PRINTTAB(7)"[s B] [RED][RVSON][s B][R                    LM
 VSOFF]  [RVSON][s B][RVSOFF] [RVSON][s B
 ][RVSOFF][3" "][RVSON][sEP][RVSOFF][sEP]
 [3" "][RVSON][sEP][RVSOFF][sEP] [RVSON][
 s B][RVSOFF]  [RVSON][s B][RVSOFF] [c 1]
 [s B]"
·70 PRINTTAB(7)"[s B] [RED][RVSON][c Q][s                    BM
  C][s C][c X][RVSOFF] [RVSON][s B][RVSOF
 F]  [RVSON][sEP][RVSOFF][sEP][3" "][RVSO
 N][sEP][RVSOFF][sEP]  [RVSON][c Q][s C][
 s C][c W][RVSOFF] [c 1][s B]"
·80 PRINTTAB(7)"[s B] [RED][RVSON][s B][R                    KN
 VSOFF][4" "][RVSON][s B][RVSOFF] [RVSON]
 [sEP][RVSOFF][sEP][3" "][RVSON][sEP][RVS
 OFF][sEP][3" "][RVSON][s B][RVSOFF]  [RV
 SON][s B][RVSOFF] [c 1][s B]"
·90 PRINTTAB(7)"[s B] [RED][RVSON][s B][R                    ID
 VSOFF][4" "][RVSON][s B][RVSOFF] [RVSON]
 [4"[s C]"][RVSOFF] [RVSON][4"[s C]"][RVS
 OFF] [RVSON][s B][RVSOFF]  [RVSON][s B][
 RVSOFF] [c 1][s B]"
·100 PRINTTAB(7)"[s B][23"[s S]"][s B]"                      IO
·110 PRINTTAB(7)"[s B][YELLOW][7"[s C]"][                    DA
 c 3][RVSON][c D][c F][RVSOFF][c K][RVSON
 ][c D][c F][RVSOFF][c *][RVSON][c *][sEP
 ][RVSOFF][sEP][YELLOW][7"[s C]"][c 1][s
 B]"
·120 PRINTTAB(7)"[s B][RED][7"[s C]"][c 3                    FK
 ][RVSON][c C][c V][RVSOFF][c V][c K][RVS
 ON][c K][RVSOFF] [c *][sEP] [RED][7"[s C
 ]"][c 1][s B]"
·130 PRINTTAB(7)"[s B][YELLOW][7"[s C]"][                    BL
 c 3][RVSON][c D][c F][RVSOFF][c K][c K][
 RVSON][c K][RVSOFF] [c M][c H] [YELLOW][
 7"[s C]"][c 1][s B]"
·140 PRINTTAB(7)"[s B][RED][7"[s C]"][c 3
 ][RVSON][c C][c V][RVSOFF][c K][RVSON][c
 C][c V][RVSOFF] [c M][c H] [RED][7"[s C
 ]"][c 1][s B]"                                              DK
·150 PRINTTAB(7)"[s J][23"[s C]"][s K]"                      FJ
·160 VOL15:TEMPO10                                           IO
·170 PRINTTAB(10)"[DOWN][DOWN]A GAME FOR                     OC
 THE C-128":PRINTTAB(14)"[DOWN][RED][s W]
  [s X] [c 1]BY [RED][s X] [s W]":PRINTTA
 B(9)"[DOWN][c 1]CLEVELAND M. BLAKEMORE"
·180 RESTORE730:READA$,B$:PLAYA$:PLAYB$                      MJ
·190 CHAR.,10,21,"[c 8]JOYSTICK IN PORT T                    PA
 WO":CHAR.,7,23,"[c 3]PRESS FIRE BUTTON T
 O BEGIN"
·200 X=1:DO:COLOR5,RND(.)*15+2:X=X+1+(X=4                    CC
 )*4:CHAR.,8,7+X,"[7"[s C]"][9"[RIGHT]"][
 7"[s C]"]":LOOPUNTILJOY(2)>127:GOSUB410
·210 REM INITIALIZE VARIABLES                                NJ
·220 CLR:DIM J,X,Y,C,U,M,T,H,I,K,F,P,B,Z,                    DK
 W,V,C(6),X(7),Y(7),L,PB,CS,F$,M$,E$
·230 P=2040:B=56:I=.005:Z=.:U=1:M=2:T=3:K                    DA
 =129:W=65:PB=3:V=53248:F$="[3"#"].##":PU
 DEF"0":E$="GAME"+CHR$(160)+"OVER"
·240 RESTORE610:FORJ=.TO6:READC(J):NEXT:F                    KI
 ORJ=.TO7:READX(J),Y(J):NEXT
·250 SPRITE1,.,11,.,.,.,.:SPRITE2,.,10,.,                    HE
 .,.,.:FORJ=1TO8:READX,Y:MOVSPRJ,X,Y:NEXT
 :FORJ=.TO7:READX:POKE2040+J,X:NEXT:FORJ=
 3TO6:SPRITEJ,.,J,.,.,.,.:NEXT
·260 SPRITE7,.,3,.,.,.,.:SPRITE8,.,1,1,.,                    LJ
 .,.:FORJ=2TO6:READX:MOVSPRJ,X#1:NEXT:REA
 DM$:CHAR.,3,3,"[c 8][RVSOFF][s X] [s X]
 [s X]":PRINT"[HOME][DOWN][RIGHT][RIGHT][
 WHITE]$";:PRINTUSINGF$;CS:GOSUB360
·270 FORJ=.TO10:C=BUMP(U):C=BUMP(U):C=BUM                    FE
 P(M):C=BUMP(M):NEXT:POKEV+21,255
·280 REM MAIN LOOP                                           AL
·290 DO:X=RSPPOS(U,.):Y=RSPPOS(U,U):A=JOY                    GO
 (M):J=AAND15:IFJTHENMOVSPRU,T;(J-U)*45:P
 OKEP,B+Z:SOUNDU,P,U,,,,T
·300 IFAANDJ=.ANDC=KANDF=.THENPRINT"[HOME                    GP
 ][6"[DOWN]"][4"[RIGHT]"] ":F=U:I=.009:SO
 UNDM,P,M,,,,U
·310 Z=(Z=.)*-U:H=H-I:SPRITEU,,C(H):C=BUM                    OC
 P(M):IF(CANDU)THENMOVSPRU,X,Y
·320 C=BUMP(U):LOOPUNTIL((CANDU)ANDC<>K)O                    OI
 RH<U:IFC=WANDF=.THEN290
·330 IFC=WTHENSPRITE7,.:F=.:L=L+U:PLAYM$:                    HF
 CS=CS+40*(H*.1):PRINT"[HOME][DOWN][3"[RI
 GHT]"][WHITE]";:PRINTUSINGF$;CS:GOSUB360
 :ON(L=50RL=100RL=15)*-UGOSUB390:GOTO270
·340 POKEP,B+5:SOUNDU,P,5,.,100,100,M:SOU                    HL
 NDM,P,10,.,600,150,M,220:FORY=.TO10:FORJ
 =UTO16:SPRITEU,U,J:NEXT:NEXT:SPRITEU,.:C
 HAR.,U+PB*M,T," ":PB=PB-U
·350 IFPBTHENPOKEP,B:MOVSPRU,60,93:F=.:PR                    BL
 INT"[HOME][6"[DOWN]"][4"[RIGHT]"] ":SLEE
 P1:GOSUB360:GOTO270:ELSEFORJ=.TO99:COLOR
```

```
5,RND(U)*15+M:PRINT"[HOME][3"[DOWN]"][RI                    KG
GHT][RVSON]";E$:NEXT:PLAYM$:RUN40
·360 J=RND(U)*8:MOVSPR7,X(J),Y(J):SPRITE7                   DK
,U:F=.:FORJ=.TO3:SOUNDU,223,48,,,,M,75:S                    FJ
LEEP1:NEXT:SOUNDU,30000,40,U,,10000,M                       EH
·370 FORJ=.TO12:PRINT"[HOME][6"[DOWN]"][R                   IO
IGHT][RIGHT] ":FORX=.TO10:NEXT:PRINT"[HO
ME][6"[DOWN]"][RIGHT][RIGHT][GREEN][s V]
":FORX=.TO10:NEXT:NEXT                                      GD
·380 FORJ=.TO9:PRINT"[HOME][6"[DOWN]"][RI                   OC
GHT][c 5][s W]":FORX=.TO30:NEXT:SOUNDU,5                    MJ
00+RND(U)*500,5,,,,,3:PRINT"[HOME][6"[DO
WN]"][RIGHT][s Q]":FORX=.TO30:NEXT:NEXT:
PRINT"[HOME][6"[DOWN]"][4"[RIGHT]"][c 1]                    PA
[s S]":H=6:I=.005:RETURN                                    EN
·390 RESTORE690:FORJ=MTO6:READX:MOVSPRJ,X                   CC
#(RSPPOS(J,M)+(JANDU)):NEXT:RETURN                          BI
·400 REM GAME SCREEN                                        NJ
·410 PRINTCHR$(27)CHR$(77)"[CLEAR][RED][R                   AL
VSON] PIZZA BOY [BLACK][5" "][c 2][9"[s                     DK
+]"][BLACK][5" "][c 4][10"[s +]"]";
·420 PRINT"[RED] [RVSOFF]"SPC(9)"[RVSON]                    GG
[RVSOFF][5" "][c 2][RVSON][s +][RVSOFF][                    DA
7" "][RVSON][s +][RVSOFF][5" "][c 4][RVS                    KI
ON][s +][RVSOFF]"SPC(8)"[RVSON][s +]";
·430 PRINT"[RED][11" "][RVSOFF][5" "][c 2                   LI
][RVSON][s +][RVSOFF]"SPC(13)"[c 4][RVSO                    HE
N][s +][RVSOFF]"SPC(8)"[RVSON][s +]";
·440 PRINT"[RED] [RVSOFF]"SPC(9)"[RVSON]                    LL
[RVSOFF][5" "][c 2][RVSON][s +][RVSOFF]"
SPC(13)"[c 4][RVSON][s +][RVSOFF]"SPC(8)
"[RVSON][s +]";                                             OG
·450 PRINT"[RED][11" "][RVSOFF][5" "][c 2                   LJ
][RVSON][s +][RVSOFF][7" "][RVSON][s +][                    FE
RVSOFF][5" "][WHITE][SS][c 4]"SPC(8)"[RV                    AL
SON][s +]";                                                 HN
·460 PRINT"[RED] [WHITE][RVSOFF][s C][s C                   GO
][s I][c Z][s C][c X][c Z][s C][c X][RED                    JG
][RVSON] [RVSOFF][5" "][c 2][RVSON][s +]
[RVSOFF][7" "][RVSON][s +][RVSOFF]"SPC(1
4)"[c 4][RVSON][s +]";
·470 PRINT"[RED] [c 5][RVSOFF][s Q][GREEN                   GP
][s V][WHITE][s B]"SPC(12)"[c 2][RVSON][                    OC
s +][RVSOFF][7" "][RVSON][s +][RVSOFF][5                    OI
" "][c 4][RVSON][s +][RVSOFF]"SPC(8)"[RV
SON][s +]";                                                 OC
·480 PRINT"[RED] [WHITE][RVSOFF][s C][s C                   HF
][s K]"SPC(12)"[c 2][RVSON][s +][RVSOFF]
[7" "][RVSON][s +][RVSOFF][5" "][c 4][RV
SON][s +][RVSOFF]"SPC(8)"[RVSON][s +]";                     DJ
·490 PRINT"[RED][4" "][RVSOFF][3" "][RVSO                   HL
N][4" "][RVSOFF][5" "][c 2][RVSON][9"[s
+]"][RVSOFF][5" "][c 4][RVSON][10"[s +]"
]";                                                         FM
·500 PRINT"[BLACK] "SPC(38)"  "SPC(38)"
"SPC(38)" ";                                                DF
·510 PRINT"[c 5][11"[s +]"][RVSOFF][5" "]
[c 8][RVSON][9"[s +]"][RVSOFF][5" "][c 5
][RVSON][10"[s +]"]";                                       DD
·520 FORX=.TO2:PRINT"[s +][RVSOFF]"SPC(9)
"[RVSON][s +][RVSOFF][5" "][c 8][RVSON][
s +][RVSOFF][7" "][RVSON][s +][RVSOFF][5
" "][c 5][RVSON][s +][RVSOFF]"SPC(8)"[RV
SON][s +]";:NEXT                                            NP
·530 PRINT"[4"[s +]"][RVSOFF][3" "][RVSON
][4"[s +]"][RVSOFF][5" "][c 8][RVSON][3"
[s +]"][RVSOFF][3" "][RVSON][3"[s +]"][R
VSOFF][5" "][c 5][RVSON][4"[s +]"][RVSOF
F][3" "][RVSON][3"[s +]"]";                                 OJ
·540 PRINT"[BLACK] "SPC(38)"  "SPC(38)" "
;                                                           BC
·550 PRINT"[c 4][4"[s +]"][RVSOFF][3" "][
RVSON][4"[s +]"][RVSOFF][5" "][c 2][RVSO
N][9"[s +]"][RVSOFF][5" "][c 4][RVSON][4
"[s +]"][RVSOFF][3" "][RVSON][3"[s +]"]"
;                                                           AM
·560 PRINT"[s +][RVSOFF]"SPC(9)"[RVSON][s
 +][RVSOFF][5" "][c 2][RVSON][s +][RVSOF
F][7" "][RVSON][s +][RVSOFF][5" "][c 4][
RVSON][s +][RVSOFF]"SPC(8)"[RVSON][s +]"
;                                                           KB
·570 FORX=.TO1:PRINT"[s +][RVSOFF]"SPC(15
)"[c 2][RVSON][s +][RVSOFF]"SPC(13)"[c 4
][RVSON][s +][RVSOFF]"SPC(8)"[RVSON][s +
]";:NEXT                                                    JF
·580 PRINT"[s +][RVSOFF]"SPC(9)"[RVSON][s
 +][RVSOFF][5" "][c 2][RVSON][s +][RVSOF
F][7" "][RVSON][s +][RVSOFF][5" "][c 4][
RVSON][s +][RVSOFF]"SPC(8)"[RVSON][s +]"
;                                                           OF
·590 PRINT"[11"[s +]"][BLACK][5" "][c 2][
9"[s +]"][BLACK][5" "][c 4][10"[s +]"]";
:RETURN                                                     CA
·600 REM PIZZA TEMPERATURE COLORS                           PA
·610 DATA 1,7,10,3,11,8,1                                   KN
·620 REM PIZZA DINER COORDS                                 ND
·630 DATA 175,74,290,71,54,154,175,154,29                   HC
4,154,55,213,175,213,290,213
·640 REM MOB STARTING COORDS                                EH
·650 DATA 60,93,,183,109,,129,,360,125,23                   HE
2,40,,,60,84
·660 REM SPRITE POINTERS                                    HN
·670 DATA 56,58,59,59,60,59,62,63                           MH
·680 REM DIRECTIONAL INDICATORS                             NP
·690 DATA 270,180,,90,180                                   CO
·700 REM FANFARE                                            EH
·710 DATA"V101Q$BV202I$BV105.W$BV203I$B04                   NP
I$EV303IGI$BV204IGIGV3I$E03I$BV2IFI$EV30
3IGI$BV204IFQGV3Q$E03Q$BV204Q$EQ$EV303QG
"
·720 REM MUSIC STRINGS                                      AE
·730 DATA"V104T0U12X0SDDS#DV2T6U12X0V3T5U                   EI
12X0V104SEV204IRV303ICV105ICV204IEV303IG
V104SEV105ICV2IRV302I#AV204IEV303IGV104S
E05.QCV2IRV302IAV2IRV302I$AI$AV105SC"
·740 DATA"V204IFV303I$AV105SDS#DV2IRV302I
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

```
GV105SESCV204EV303IGV105SDIEV2IRV302IGV1
04SBIDV204IFV303IGV204HEV105HCV303IC02IG
QC"                                          IA
·750 REM SPRITE SHAPE DATA                   MI
·760 DATA 0,,,,,,,,,,,,,,,,,,,F,80,,2,30,,
2                                            KK
·770 DATA 30,,1,FC,,,7A,,,7A,,,32,,,78,,,
84,,1,84,,,6                                 HL
·780 DATA 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,0   MB
·790 DATA 0,,,,,,,,F,80,,2,30,,2,30,,1,FC,
,,7A,,,7A,,0                                 AB
·800 DATA 0,32,,,78,,,84,,,86,,1,80,,,,,,
,,,,,0                                       MB
·810 DATA 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,0   FP
·820 DATA 40,,,80,,1,D8,C0,3,FF,E0,7,3F,D
0,,20,88,,20,88,,41,,,0                      GC
·830 DATA 0,,,,,,,,,,,,,,,,,,,,,,,,,7,63    KC
·840 DATA 70,5,FF,D0,5,,50,7,,70,1,,40,1,
FF,C0,1,7F,40,1,80,C0,1,,40                  PJ
·850 DATA 1,80,C0,1,7F,40,1,FF,C0,1,,40,7
,,70,5,,50,5,FF,D0,7,63,70,0                 CA
·860 DATA 0,,,,,,,,,,,,,,,,,,7C,,3E,44,,2
2,7F                                         EA
·870 DATA FF,FE,21,42,84,61,81,86,21,81,8
4,21,81,84,61,81,86,21,42,84,7F,FF,FE,44
,0                                           AF
·880 DATA 22,7C,,3E,,,,,,,,,,,,,,,,,,,,0    AB
·890 DATA 0,,,,,,,,,,1,,40,3,,60,,80,80,,
5D,,,2A,0                                    KE
·900 DATA 0,3E,,,14,,,14,,,3E,,,41,,3,80,
E0,1,,40,,,,,,,,,,,,0                        MC
·910 DATA 0,,,,,,,,,,,,50,,1,50,FF,81,51,
,41,22,80,A1,24                              DI
·920 DATA 41,15,65,A2,D3,75,88,D7,6C,8,19
,25,,51,24,80,91,22,7F,21,21,,41,,FF         OM
·930 DATA 80,,,,3,FF,E0,4,,10,3,FF,E0,,      KP
·940 REM REDEFINED CHARACTERS                FJ
·950 RESTORE980:BANK15:SUM=0:FORI=2816TO2
869:READJ:SUM=SUM+J:POKEI,J:NEXT:IFSUM<>
7491THENPRINT"ERROR!":END:ELSESYS2816:PO
KE2604,PEEK(2604)AND240OR8                   PD
·960 RESTORE1060                             BE
·970 READA:IFA=-1THENRETURN:ELSEFORI=.TO7
:READB:POKE8192+A*8+I,B:NEXT:GOTO970         FB
·980 DATA 169,,133,250,133,252,169,208       JE
·990 DATA 133,251,169,32,133,253,169,252     NJ
·1000 DATA 141,185,2,169,16,141,54,11        OF
·1010 DATA 160,,169,250,162,14,32,116        MI
·1020 DATA 255,162,,32,119,255,200,208       DC
·1030 DATA 241,206,54,11,240,7,230,251       IO
·1040 DATA 230,253,76,26,11,96               CF
·1050 REM CHARACTER DATA                     FO
·1060 DATA81,,60,90,126,66,90,60,.           CF
·1070 DATA83,,60,106,86,106,86,60,.          GE
·1080 DATA86,,126,231,255,60,126,126,.       GK
·1090 DATA87,,60,90,126,66,66,60,.           JM
·1100 DATA88,248,88,124,26,25,36,36,102      LK
·1110 DATA160,182,109,219,182,109,219,182
,109                                         OA
·1120 DATA219,126,,,231,231,,,126,-1         JC
```

LEARNER
FROM PAGE 32

```
·1 REM================================== NM
·2 REM       --- LEARNER ---              KE
·3 REM   AN EXPERIMENTAL MODEL FOR        BI
·4 REM       MACHINE LEARNING             NB
·5 REM                                    JC
·6 REM       RUPERT REPORT #48            ON
·7 REM            C-128                   KJ
·8 REM      (SEE TEXT FOR C-64)           AB
·9 REM================================== CE
·10 DIM SENS(5),MEM(4,5),PROD(4),SCRN(21,
21)                                       MD
·20 FALSE=0 : TRUE=NOT FALSE              IL
·30 GOSUB 500          :REM INITIALIZE    OO
·40 GOSUB 800          :REM DRAW SCREEN   PB
·50 REM ================================= NK
·60 REM ====  MAIN PRGM  ================ BI
·70 REM ================================= PG
·80 LOSE=FALSE : WIN=FALSE                OA
·90 GOSUB 1000         :REM READ SENSORS  PG
·100 GOSUB 1100        :REM GET MOVE      JD
·110 GOSUB 1900        :REM SHOW MEMORY   LE
·120 GOSUB 200         :REM CHECK KBD     GP
·130 GOSUB 1400        :REM MAKE MOVE     MJ
·140 GOSUB 1500        :REM INTERPRET MOVE FD
·150 GOSUB 1600        :REM UPDATE SCREEN AD
·160 GOSUB 1800        :REM LEARN         BG
·170 GOTO 80                              JM
·200 REM ------------------------------
 ------------------- CHECK KEYBOARD ----- LA
·210 GET A$ : IF A$<>"" THEN GOTO 250     IG
·220 IF SS THEN GET A$ : IF A$="" THEN GO
 TO 220                                   KD
·230 IF A$<>"S" THEN SS=FALSE             FN
·240 GOTO 330  :REM  RETURN               LL
·250 IF A$<>"X" THEN GOTO 300             LP
·260 REM  -PRESS X TO EXIT-               NB
·270 CHAR 1,1,22                          AG
·280 END    :REM <<<<<<<<<<<<<<<<<<<<<<<< CF
·290 REM  -S KEY TO SINGLE STEP-          BM
·300 IF A$="S" THEN SS=TRUE : GOTO 220    AN
·310 REM  -ANY OTHER KEY RANDOMIZES-      JM
·320 GOSUB 340  :REM MAKE RANDOM MOVE     IB
·330 RETURN                               NJ
·340 REM ------ PICK RANDOM SPOT -------- DO
·350 CHAR 1,XP,YP                         BE
·360 PRINT SC$(SCRN(XP,YP))               PD
·370 XP=INT(RND(0)*SZ+1)                  FA
```

```
·380 YP=INT(RND(0)*SZ+1)                                    FH
·390 CHAR 1,XP,YP                                           EM
·400 PRINT"X"                                               MH
·410 RETURN                                                 CJ
·500 REM ------------------------------------
 ---------------------- INITIALIZATION -- NF
·510 PRINT CHR$(147)     :REM CLEAR SCREEN DN
·520 FOR N=1 TO 18 : BL$=BL$+" " : NEXT   LH
·530 IF LEN(DS$)<>0 THEN BL$=CHR$(27)+"Q" AC
·540 SZ=10              :REM SIZE OF MATRIX EB
·550 FOR X=1 TO 4 : FOR Y=1 TO 5          IO
·560 MEM(X,Y)=1                           BE
·570 NEXT Y,X                             JO
·580 FOR N=0 TO 2 : READ SC$(N) : NEXT N  AF
·590 DATA ".","O","#"       :REM SCREEN CH
 ARACTERS                                 HO
·600 BG=0 : TG=1 : BD=2 :REM BACKGROUND,
 TARGET, BORDER VALUES                    FP
·610 FOR X=1 TO SZ : FOR Y=1 TO SZ :REM
  NORMAL SCREEN VALUES                    BM
·620 SCRN(X,Y)=BG : NEXT Y,X              FI
·630 READ X,Y                             NJ
·640 IF X<>0 THEN SCRN(X,Y)=TG : GOTO 630 NG
·650 DATA 1,1,1,2,1,3,1,4,1,5,1,6,1,7,1,8
 ,2,8,3,8,4,8,5,8,6,8,7,8,8,8             HB
·655 DATA 8,7,8,6,8,5,8,4,8,3,8,2,8,1,0,0 PJ
·660 FOR X=0 TO SZ+1          :REM  BORDERS FF
·670 :SCRN(X,0)=BD : SCRN(X,SZ+1)=BD      NM
·680 NEXT X                               IA
·690 FOR Y=0 TO SZ+1                      IE
·700 :SCRN(0,Y)=BD : SCRN(SZ+1,Y)=BD      LA
·710 NEXT Y                               KF
·720 RETURN                               GA
·800 REM ------------------------------------
 --------------------DRAW SCREEN--------- CA
·810 FOR X=1 TO SZ      :REM DRAW MATRIX  NP
·820 :FOR Y=1 TO SZ                       HI
·830 : CHAR 1,X,Y                         JE
·840 : PRINT SC$(SCRN(X,Y))               IO
·850 :NEXT Y                              GH
·860 NEXT X                               DN
·870 GOSUB 370        :REM INITIAL CURSOR GO
·880 CHAR 1,1,22                          GK
·890 PRINT"S=SINGLE STEP:X=EXIT:R=RANDOM" AO
·900 RETURN                               BF
·1000 REM -----------------------------------
 ---------------------- READ SENSORS -- OO
·1010 SENS(1)=SCRN(XP,YP-1) :REM UP       FK
·1020 SENS(2)=SCRN(XP+1,YP) :REM RIGHT    OM
·1030 SENS(3)=SCRN(XP,YP+1) :REM DOWN     BK
·1040 SENS(4)=SCRN(XP-1,YP) :REM LEFT     OP
·1050 SENS(5)=SCRN(XP,YP)   :REM BODY     DG
·1060 RETURN                              LG
·1100 REM -----------------------------------
 ---------------------- GET MOVE -------- DJ
·1110 FOR COL=1 TO 4                      HF
·1120 :SUM=0                              HH
·1130 :FOR ROW=1 TO 5                     PD
·1140 : SUM=SUM + SENS(ROW)*MEM(COL,ROW)  AP
·1150 :NEXT ROW                           DA
·1160 :PROD(COL)=SUM                      PD
·1170 NEXT COL                            PH
·1180 REM                                 DB
·1190 MAX=PROD(1)                         OC
·1200 FOR COL=2 TO 4  :REM FIND MAX VALUE DC
·1210 IF PROD(COL)>MAX THEN MAX=PROD(COL) FC
·1220 NEXT COL                            CF
·1230 REM                                 GD
·1240 N=0 :REM FIND ALL SUMS EQUAL TO MAX FC
·1250 FOR COL=1 TO 4                      AB
·1260 :IF PROD(COL)=MAX THEN N=N+1 : TMP(
 N)=COL                                   LK
·1270 NEXT COL                            GD
·1280 R=INT(RND(0)*N+1) :REM PICK RANDOM  MF
·1290 MOVE=TMP(R)     :REM MOVE FROM MAX'S GC
·1300 IF RND(0)*10 >10 THEN MOVE=INT(RND(
 0)*4+1) :REM SOMETIMES PURELY RANDOM     EA
·1310 RETURN                              LB
·1400 REM -----------------------------------
 ---------------------- MAKE MOVE ------ IL
·1410 PREV=SCRN(XP,YP)   :REM SAVE OLD    FN
·1420 X0=XP                               HD
·1430 Y0=YP                               HN
·1440 ON MOVE GOSUB 1460,1470,1480,1490   CK
·1450 RETURN                              DN
·1460 YP=YP-1 : RETURN :REM UP            MD
·1470 XP=XP+1 : RETURN :REM RIGHT         HM
·1480 YP=YP+1 : RETURN :REM DOWN          GC
·1490 XP=XP-1 : RETURN :REM LEFT          GE
·1500 REM -----------------------------------
 ----------------INTERPRET MOVE---------- KI
·1510 SCRN=SCRN(XP,YP)                    NM
·1520 IF SCRN=TG THEN WIN=TRUE            GE
·1530 IF SCRN<>TG THEN LOSE=TRUE          LK
·1540 RETURN                              JI
·1600 REM -----------------------------------
 ---------------------- UPDATE SCREEN ----- IA
·1610 CHAR 1,X0,Y0                        ND
·1620 PRINT SC$(SCRN(X0,Y0)) :REM RESTORE
  SCREEN                                  JC
·1630 CHAR 1,XP,YP                        BH
·1640 IF NOT LOSE THEN PRINT "X"          NL
·1650 CHAR 1,XP,YP                        EL
·1660 IF WIN THEN PRINT "*"               JJ
·1670 IF LOSE THEN GOSUB 340              BL
·1680 CHAR 1,21,10                        MM
·1690 PRINT BL$                           OG
·1700 CHAR 1,21,10                        MA
·1710 IF LOSE THEN LS=LS+1 : PRINT "LOSER
 " : SOUND 1,200,10                       BH
·1720 IF WIN THEN WN=WN+1 : PRINT "WINNER
 " : SOUND 1,2000,10                      KP
·1730 CHAR 1,10,21                        PA
·1740 PRINT "WINS/LOSSES = " WN " / " LS  JM
·1750 RETURN                              GK
·1800 REM -----------------------------------
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

```
---------------------  LEARN  ---------  PL
•1810 REM  RETURN  :REM NO LEARNING       LF
•1820 IF NOT (LOSE OR WIN) THEN RETURN    KJ
•1830 IF LOSE THEN K=-1                   IN
•1840 IF WIN THEN K=1                     JK
•1850 FOR Y=1 TO 5                        NJ
•1860 MEM(MOVE,Y)=MEM(MOVE,Y)+K*SENS(Y)   GP
•1870 NEXT Y                              CK
•1880 RETURN                              ON
•1900 REM ------------------------------
--------------------  SHOW MEMORY  ------  LK
•1910 FOR Y=1 TO 5                        BF
•1920 CHAR 1,21,Y                         KN
•1930 PRINT BL$                           OB
•1940 CHAR 1,21,Y                         MB
•1950 PRINT SENS(Y)                       BI
•1960 NEXT Y                              IM
•1970 FOR Y=1 TO 5                        EB
•1980 :CHAR 1,24,Y                        AO
•1990 :FOR X=1 TO 4                       JK
•2000 : PRINT MEM(X,Y);                   PP
•2010 :NEXT X                             PA
•2020 NEXT Y                              MA
•2030 CHAR 1,21,7                         PB
•2040 PRINT BL$  :REM BLANKS              ND
•2050 CHAR 1,24,7                         BH
•2060 FOR X=1 TO 4                        KK
•2070 PRINT PROD(X); : NEXT X             PH
•2080 CHAR 1,22,9                         DF
•2090 PRINT "NEXT MOVE =" MOVE            AN
•2100 RETURN                              MK
•2500 REM==============================
VVVVVVVVVVVVV    C-64 ONLY   VVVVVVVVVVV  KM
•2510 REM C-64 USERS MUST REPLACE THE     NH
•2520 REM CHAR STATEMENTS IN THESE LINES: IG
•2530 REM 270,350,390,830,880,1610,1630   OO
•2540 REM 1650,1680,1700,1730,1920,1940   BM
•2550 REM 1980,2030,2050,2080             DB
•2600 REM EACH STATEMENT OF THIS FORM:    PE
•2610 REM   CHAR 1,5,22  SHOULD BE        JM
•2620 REM REPLACED BY THE FOLLOWING:      KL
•2630 REM   XX=5 : YY=22 : GOSUB 2700     LL
•2640 REM YOU MUST USE XX AND YY.         HA
•2650 REM------------------------------   FF
•2660 REM YOU MUST ALSO DELETE THE SOUND  CN
•2670 REM STATEMENTS IN LINES 1710 & 1720 IN
•2680 REM------------------------------   FD
•2700 IF XX<1 OR XX>24 THEN RETURN        EP
•2710 IF YY<0 OR YY>38 THEN RETURN        FP
•2720 POKE 214,XX-1 : PRINT               FK
•2730 POKE 211,YY : RETURN                JJ
```

Once you've typed in all this month's *Ahoy!* programs, you can start on our back issues. Most are available at $4.00 each (see page 85).

SILHOUETTE
FROM PAGE 18

BASIC PORTION

```
•100 IF PEEK(12351)<>65 THEN LOAD "SILSPR
 ITES",8,1                                EL
•110 DEF FNJY(X)=15-(PEEK(56320)AND15):DE
 F FNJB(X)=(PEEK(56320)AND16)             DJ
•120 S=54272:FOR X=S TO S+24:READ A:POKE
 X,A:NEXT                                 BF
•130 DATA 64,5,0,0,32,0,176,0,31,0,0,16,0
 ,250,0,5,0,0,128,0,248,0,0,0,15          NC
•140 FOR X=0 TO 4:READ FH(X),FL(X):NEXT:D
 ATA 4,48,4,180,5,71,5,152,6,71           DM
•150 M$(1)="[4"C"][4"E"]G-D-C-":M$(2)="CD
 E-EFG-GEFDC-":M$(3)="GGFFEEDDC-E-C-"     IK
•160 M$(4)="[3"G"]-[3"F"]-E-D-C-":M$(5)="
 C-E-D-F-E-D-C-":M$(6)="GFEDGFEDG-E-C-"   LP
•170 V=53248:POKE V+29,126:POKE V+23,126:
 POKE V+28,126:POKE V+37,0:POKE V+38,10   KO
•180 POKE V+39,1:POKE V+27,254:FOR X=1 TO
  6:READ CO(X):NEXT:DATA 6,11,2,6,0,2     OD
•190 FOR X=0 TO 10:READ XA(X),XX(X),XY(X)
 :NEXT                                    KJ
•200 DATA 124,124,124,124,124,124,124,124
 ,124,0,0,0,52,124,124,52,68,90           LP
•210 DATA 52,68,170,0,0,0,196,124,124,196
 ,183,90,196,183,170                      FM
•220 FOR X=0 TO 3:READ BT(X),BB(X):NEXT:D
 ATA 0,1,0,2,1,2,2,2                      JG
•230 A$="[RVSON][14" "]":B$="[RVSON][3" "
 ][8"[RIGHT]"][RVSON][3" "][RVSOFF]":C$="
 [DOWN][14"[LEFT]"]"                      DG
•240 B$=B$+C$:A$=A$+C$:B1$(2)=A$+B$+B$+B$
 +B$:B2$(2)=B$+B$+B$+A$+A$                BO
•250 :D$="[RVSON][14"[c G]"][RVSOFF]":B1$
 (1)="[8"[DOWN]"]"+D$+C$+D$+C$            GK
•260 B1$(0)="[10"[DOWN]"]":A$="[RVSON][10
 " "]":B$=A$+A$+A$+A$:GN=5:TM=50:Q=RND(-T
 I)                                       HC
•270 REM TITLE SCREEN                     PF
•280 POKE 53281,12:POKE 53280,12:PRINT "[
 CLEAR][c 4]";:IF PEEK(2047)=65 THEN600   CF
•290 Y=60:SX=0:EX=255:IC=1:SP=95:SO=14:FL
 =1:S1=3:S2=2:S3=1:GOSUB460               DO
•300 PRINT TAB(12);"THE GOOD GUYS:"       EC
•310 PRINT"[6"[DOWN]"][3" "]POLICEMAN[3"
 "]PROFESSOR[3" "]YOUNG LADY"             PF
•320 POKE 2044,194:POKE 2045,193:POKE 204
 6,192:POKE V+8,PEEK(V+2)                 HG
•330 POKE V+9,Y:POKE V+10,PEEK(V+4):POKE
 V+11,Y:POKE V+12,PEEK(V+6):POKE V+13,Y   ED
•340 POKE V+43,CO(S1):POKE V+44,CO(S2):PO
 KE V+45,CO(S3):POKE V+21,112             FD
```

```
·350 Y=195:SX=0:EX=255:IC=1:SP=95:SO=126:
 FL=1:S1=6:S2=5:S3=4:GOSUB460                ML
·360 PRINT TAB(11);"[9"[DOWN]"]AND THE BA
 D GUYS:"                                    PF
·370 PRINT"[6"[DOWN]"][5" "]LOUIE[7" "]SL
 IM[9" "]REDD[HOME]":M$="-"+M$(3):GOSUB56
 0                                           OM
·380 POKE S+11,17:POKE S+11,16:PRINT TAB(
 5);"[8"[DOWN]"][s U][s *][s *][s I][3" "
 ][c S] [c S][3" "]IN[6" "][c S] [c S]"      CK
·390 PRINT TAB(5);"[s -][4" "]. [s -] [s
 -][10" "][s *][s +][s *][s +][s *]"         JG
·400 PRINT TAB(5);"[s J][s *][s *][s I] [
 c S] [s -] [c Q][s *][s I][s U][s *][s I
 ][c A] [c S][s U][s *][s I][s -] [s -] [
 s U][s *][s I]"                             FP
·410 PRINT TAB(5);"[3" "][s -] [s -] [s -
 ] [s -] [s -][s -][SS][s -][s -] [s -][c
  Q][s *][s K][s -] [s -] [c Q][s *][s K]
 "                                           JI
·420 PRINT TAB(5);"[s J][s *][s *][s K] [
 c E] [c E] [c E] [c E][s J][s *][s K][s
 J][s *][s K][s J][s *][s K][s J][s K][s
 J][s K][s J][s *][s K]"                     MO
·430 PRINT TAB(18);"BY":PRINT TAB(11);"CU
 RTIS F KAYLOR"                              BN
·440 WAIT 56464,16,16:POKE V+21,0:GN=5:GO
 TO600                                       GL
·450 REM MOVE SPRITES                        MC
·460 POKE 2041,198:POKE 2042,198:POKE 204
 3,198:Z1=0:Z2=256                           EA
·470 POKE V+2,0:POKE V+3,Y:POKE V+4,0:POK
 E V+5,Y:POKE V+6,0:POKE V+7,Y               CF
·480 POKE V+40,CO(S1):POKE V+41,CO(S2):PO
 KE V+42,CO(S3):POKE V+21,SO                 EA
·490 POKE S,64:POKE S+1,5:POKE S+4,33        PM
·500 FOR X=SX TO EX STEP 4*IC:POKE V+2,X:
 A=X-SP                                      NK
·510 POKE V+4,-A*(A>Z1 AND A<Z2):A=A-SP:P
 OKE V+6,-A*(A>Z1 AND A<Z2):NEXT             IE
·520 POKE S+4,32:IF FL=0 THEN RETURN         AK
·530 POKE S+11,17:POKE S+11,16               EF
·540 POKE 2041,191+S1:POKE 2042,191+S2:PO
 KE 2043,191+S3:RETURN                       DK
·550 REM PLAY MUSIC                          HI
·560 FOR X=1 TO LEN(M$):A=ASC(MID$(M$,X,1
 )):IF A=45 THEN GOTO580                     DL
·570 POKE S+4,32:POKE S,FL(A-67):POKE S+1
 ,FH(A-67):POKE S+4,33                       GI
·580 FOR PA=1 TO 100:NEXT PA,X:POKE S+4,3
 2:RETURN                                    LA
·590 REM RIFLE RANGE                         PF
·600 POKE 53280,11:PRINT "[CLEAR]";:FOR X
 =1 TO 10:PRINT B$;:NEXT                     FL
·610 PRINT TAB(8);"[UP][UP][RVSON]RIFLE
 RANGE[DOWN]":FOR X=1 TO 10:PRINT SPC(28)
 ;"[RVSON]  ";A$;:NEXT                       GN
·620 PRINT SPC(30);"[8"[UP]"]SCORE:[6"[LE
 FT]"][DOWN]";SC:PRINT SPC(30);"[DOWN][RV
 SON]GUNS:[DOWN][5"[LEFT]"]";GN              DG
·630 PRINT "[DOWN][DOWN]";B$;"  [s U][4"[
 s *]"][s I][3" "][s U][4"[s *]"][s I][3"
  "][s U][4"[s *]"][s I][4" "]";A$;"  [s
 -][4" "][s -][3" "][s -][4" "][s -][3" "
 ][s -]";                                    BM
·640 PRINT "[4" "][s -][4" "]";A$;"  [s J
 ][4"[s *]"][s K][3" "][s J][4"[s *]"][s
 K][3" "][s J][4"[s *]"][s K][4" "]";A$;"
 [LEFT]";B$;"[LEFT][INSERT] [HOME]"          NM
·650 POKE 2040,199:POKE V+1,185:POKE V,12
 4:POKE V+21,1                               PN
·660 FOR J=1 TO 7:S1=INT(RND(1)*3)+1:S2=I
 NT(RND(1)*3)+4                              PG
·670 IF RND(1)>.5 THEN SS=S1:S1=S2:S2=SS     GP
·680 S3=INT(RND(1)*6)+1:IF S3=S1 OR S3=S2
  THEN680                                    MC
·690 Y=168:SX=0:EX=185:IC=1:SP=72:SO=15:F
 L=1:GOSUB460                                EA
·700 FOR K=1 TO TM                           KP
·710 JY=FNJY(0):POKE V,XA(JY):SR=PEEK(V+3
 0)AND14:IF FNJB(0) THEN760                  KA
·720 POKE S+18,129:POKE S+18,128:SR=LOG(S
 R)/LOG(2)                                   MG
·730 SN=PEEK(SR+2040)-191:POKE 2040+SR,19
 8                                           AD
·740 IF SN<4 THEN GOSUB1040:GOTO780          EN
·750 SC=SC+10:POKE 214,11:PRINT:POKE 211,
 70:PRINT "[RVSON]";SC:TM=TM+(TM>10)         JP
·760 NEXT K:FOR SR=1 TO 3:SN=PEEK(SR+2040
 )-191:IF SN>3 AND SN<7 THEN GOSUB1040       GJ
·770 NEXT SR                                 CH
·780 Y=168:SX=185:EX=0:IC=-1:SP=72:SO=15:
 FL=0:GOSUB460:POKE V+21,1                   BH
·790 NEXT J:M$=M$(6*RND(1)+1):GOSUB550:PR
 INT "[CLEAR]";                              HK
·800 REM CITY                                OF
·810 FOR X=1 TO 20:PRINT SPC(28);"[RVSON]
    ";A$;:NEXT:PRINT B$;B$;B$;B$;"[UP][UP]
 ";SPC(5);                                   CN
·820 PRINT "SILHOUETTE  CITY":PRINT "[LEF
 T]";B$;"[LEFT][INSERT] [HOME][DOWN]";SPC
 (30);"SCORE:[6"[LEFT]"][DOWN]";SC           JF
·830 PRINT "[DOWN]";SPC(30);"[RVSON]GUNS:
 [5"[LEFT]"][DOWN]";GN:PRINT "[9"[DOWN]"]
 ";                                          DP
·840 PRINT SPC(31);"[RVSON][s U][4"[s *]"
 ][s I][DOWN][6"[LEFT]"][s -][4" "][s -][
 DOWN][6"[LEFT]"][s J][4"[s *]"][s K]"       AJ
·850 FOR J=1 TO 5:B1=INT(4*RND(1)):B2=INT
 (4*RND(1))                                  MG
·860 FOR X=0 TO 19:POKE 781.X:POKE 782,27
 :SYS 59905:NEXT X                           LJ
·870 PRINT "[HOME][c 2]";B1$(BT(B1));B2$(
 BT(B1));                                    BI
·880 PRINT  B1$(BB(B1));B2$(BB(B1));         GJ
·890 PRINT "[HOME]";SPC(14);B1$(BT(B2));B
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

```
2$(BT(B2));                                                    CA
•900 PRINT B1$(BB(B2));B2$(BB(B2));"[c 4]
[HOME]":POKE V,XX(0):POKE V+1,XY(0)                            DL
•910 FOR K=1 TO 5:XX=INT(2*RND(1)):B0=-B1
*(XX=0)-B2*(XX=1)                                              KP
•920 YY=INT(RND(1)*(1-(BT(B0)<>0))):S1=(6
*RND(1))+1                                                     OB
•930 Y=152-80*YY:SX=240*XX:EX=56+112*XX:I
C=1-2*XX:SO=3:FL=1:GOSUB460                                    DA
•940 FOR L=1 TO TM/2:JY=FNJY(0):POKE V,XX
(JY):POKE V+1,XY(JY)                                           FL
•950 SR=SGN(PEEK(V+30)AND2):IF FNJB(0) OR
 SR=0 THEN1000                                                 CC
•960 POKE S+18,129:POKE S+18,128                               GB
•970 SN=PEEK(2041)-191:POKE 2041,198:IF S
R=0 THEN1000                                                   LB
•980 IF SN<4 THEN GOSUB1030:GOTO1010                           DL
•990 SC=SC+10:PRINT "[HOME][DOWN][DOWN][R
VSON]";SPC(30);SC:TM=TM+(TM>10)                                DC
•1000 NEXT L:SN=PEEK(2041)-191:IF SN>3 AN
D SN<7 THEN GOSUB1030                                          LK
•1010 AA=EX:EX=SX:SX=AA:IC=-IC:FL=0:GOSUB
460                                                            MJ
•1020 NEXT K:M$=M$(6*RND(1)+1):GOSUB550:N
EXT J:GOTO600                                                  CE
•1030 GX=5:POKE 2041,SN+191:POKE 214,17:P
RINT:POKE 211,32:GOTO1050                                      AI
•1040 GX=15:POKE 2040+SR,SN+191:POKE 214,
21:PRINT:POKE 211,3+9*(3-SR)                                   JD
•1050 PRINT "[RVSON]MISS[4"[LEFT]"]";:M$=
"[5"E"]":GOSUB560:PRINT "[RVSON][4" "]":
GN=GN-1:TM=TM+1                                                AC
•1060 POKE 214,GX:PRINT:POKE 211,30:PRINT
 "[RVSON]";GN;"[LEFT] ":IF GN>0 THEN RET
URN                                                            PN
•1070 PRINT"[HOME][RVSON][5" "]PLAY AGAIN
?  (Y/N)[5" "]":GET A$:IF A$="" AND FNJB
(0) THEN1070                                                   NL
•1080 IF A$="N" THEN POKE 2047,0:POKE V+2
1,0:PRINT"[CLEAR]";:END                                        OH
•1090 POKE 2047,65:RUN                                         PB
```

SILSPRITES

Starting address in hex: 3000
Ending address in hex: 31FF

```
3000: 00 AA 00 00 AA 00 00 FF 55
3008: 00 03 7D C0 03 FF C0 00 0D
3010: D7 00 00 FF 00 00 AA 00 92
3018: 0A AA A0 0A AA A0 0A A9 76
3020: A0 0A A6 60 0A A9 A0 0A 30
3028: AA A0 0A AA A0 0A AA A0 1E
3030: 0A AA A0 0A AA A0 0A AA 8F
3038: A0 0A AA A0 0A AA A0 41 C4
3040: 00 AA 00 02 AA 80 00 FF 18
3048: 00 03 7D C0 03 FF C0 00 4D
3050: D7 00 00 FF 00 00 AA 00 D2
3058: 0A AA A0 0A 96 A0 0A AA A3
3060: A0 0A AA A0 0A 96 A0 0A A1
3068: AA A0 0A AA A0 0A 96 A0 4A
3070: 0A AA A0 0A AA A0 0A 96 BB
3078: A0 0A AA A0 0A AA A0 BF 83
3080: 00 55 00 00 55 00 01 FF 2C
3088: 40 01 7D 40 01 FF 40 01 C9
3090: D7 40 01 FF 40 01 AA 40 D5
3098: 02 AA 80 02 AA 80 02 AA 9F
30A0: 80 02 69 80 02 69 80 02 FA
30A8: 69 80 02 69 80 02 69 80 6A
30B0: 02 69 80 02 69 80 02 69 F3
30B8: 80 02 69 80 02 69 80 99 AA
30C0: 00 AA 00 02 AA 80 00 FF 98
30C8: 00 03 7D C0 03 FF C0 00 CD
30D0: D7 00 00 FF 00 00 AA 00 53
30D8: 0A AA A0 0A AA A0 0A AA 38
30E0: A0 0A AA A0 0A AA A0 0A 36
30E8: AA A0 0A AA A0 0A AA A0 DE
30F0: 09 AA A0 09 AA A0 0F AA 53
30F8: A0 0F AA A0 0F AA A0 00 4E
3100: 00 55 00 00 55 00 00 FF AA
3108: 00 03 7D C0 03 FF C0 00 0D
3110: D7 00 00 FF 00 00 55 00 3D
3118: 01 55 40 01 55 40 01 55 9B
3120: 40 01 55 40 01 55 40 01 8E
3128: 55 40 01 55 40 01 55 40 EA
3130: 01 55 40 01 55 40 01 55 B3
3138: 40 01 55 40 01 55 40 2E D3
3140: 00 AA 00 00 AA 00 00 FF 95
3148: 00 03 7D C0 03 FF C0 00 4D
3150: D7 00 00 FF 00 00 55 00 7D
3158: 05 55 50 05 69 50 05 55 1C
3160: 50 05 55 50 05 69 50 05 1F
3168: 55 50 05 55 50 05 69 50 77
3170: 05 55 50 05 55 50 05 69 34
3178: 50 05 55 50 05 55 50 42 60
3180: 00 10 00 00 10 00 00 10 B0
3188: 00 00 10 00 00 10 00 00 A8
3190: 10 00 00 10 00 00 10 00 C0
3198: 00 10 00 00 10 00 00 10 C8
31A0: 00 00 10 00 00 10 00 00 C0
31A8: 10 00 00 10 00 00 10 00 D8
31B0: 00 10 00 00 10 00 00 10 E0
31B8: 00 00 10 00 00 10 00 00 D8
31C0: 00 18 00 00 18 00 00 18 09
31C8: 00 00 18 00 00 18 00 00 F8
31D0: 18 00 00 18 00 00 18 00 19
31D8: 00 18 00 00 18 00 FF FF 09
31E0: FF 00 18 00 00 18 00 00 11
31E8: 18 00 00 18 00 00 18 00 31
31F0: 00 18 00 00 18 00 00 18 39
31F8: 00 00 18 00 00 18 00 FF 29
```

TAKE TWO
FROM PAGE 49

```
·10 REM *** TAKE TWO *** BUCK CHILDRESS *
** KI
·20 REM *** P.O. BOX 13575 SALEM, OR 9730
9 *** OA
·30 PRINTCHR$(147)"LOADING AND CHECKING D
ATA LINE:":J=49152 EO
·40 FORB=0TO11:READA MB
·50 IFB=0THENL=PEEK(64)*256+PEEK(63):PRIN
TCHR$(19)TAB(31)L:PRINT PF
·60 IFA<0ORA>255THEN80 FK
·70 POKEJ+B,A:X=X+A:D=D+1:NEXTB:READA:IFA
=XTHEN90 PL
·80 PRINT"ERROR IN DATA LINE:"L:END MG
·90 X=0:J=J+12:IFD<252THEN40 KE
·100 PRINT"THE DATA IS OK[3"."]":PRINT FB
·110 PRINT"SYS 49152 TO ACTIVATE[3"."]":E
ND OB
·120 DATA169,160,162,224,160,0,133,252,13
4,254,132,251,2031 CM
·130 DATA132,253,177,251,145,251,177,253,
145,253,230,251,2518 GI
·140 DATA230,253,208,242,230,252,230,254,
208,236,169,76,2588 IA
·150 DATA162,100,160,192,141,68,229,142,6
9,229,140,70,1702 FC
·160 DATA229,169,76,162,109,160,192,141,2
34,232,142,235,2081 IE
·170 DATA232,140,236,232,169,76,162,118,1
60,192,141,129,1987 EO
·180 DATA233,142,130,233,140,131,233,169,
127,162,192,120,2012 PL
·190 DATA141,143,2,142,144,2,169,47,162,5
3,133,0,1138 GP
·200 DATA134,1,88,96,32,191,192,173,136,2
,76,71,1192 MB
·210 DATA229,32,191,192,165,172,72,76,237
,232,32,191,1821 KJ
·220 DATA192,165,172,72,76,132,233,173,14
1,2,201,2,1561 NF
·230 DATA208,54,165,203,174,246,192,141,2
46,192,228,203,2252 MM
·240 DATA240,42,201,3,208,38,169,194,162,
4,160,0,1421 NC
·250 DATA32,218,192,169,198,162,216,32,21
8,192,162,25,1816 JH
·260 DATA189,247,192,149,217,202,16,248,2
32,134,199,134,2159 EO
·270 DATA207,134,212,134,216,32,102,229,7
6,72,235,169,1818 MK
·280 DATA4,162,194,160,0,32,218,192,169,2
16,162,198,1707 BI
·290 DATA32,218,192,162,25,181,217,157,24
7,192,202,16,1841 HL
·300 DATA248,96,133,252,134,254,132,251,1
32,253,162,3,2050 ML
·310 DATA177,251,145,253,230,251,230,253,
208,246,230,252,2726 GE
·320 DATA230,254,202,16,239,96,65,46,72,4
6,83,46,1395 KJ
```

REDIRECT
FROM PAGE 70

REDIRECT C-64

```
·0 REM *** REDIRECT C-64 *** HA
·10 FORJ=49152TO49240:READA:POKEJ,A:NEXTJ AB
·20 PRINTCHR$(147)TAB(16)CHR$(18)"REDIREC
T" JP
·30 L$=" [38"-"]" OD
·40 J=0:S=1:N$="":PRINT:PRINT"FILE NAME?
";:PRINTCHR$(34); EJ
·50 POKE204,0:GETA$:IFA$=""THEN50 BE
·60 IFA$=CHR$(13)THENPOKE204,1:PRINTCHR$(
34)A$:GOTO120 HK
·70 IFJ>15THENPOKE204,1:PRINTA$:GOTO110 OK
·80 IFA$=CHR$(20)ANDJ<1THEN50 FA
·90 PRINTA$;:IFA$=CHR$(20)THENJ=J-1:N$=LE
FT$(N$,J):GOTO50 DK
·100 N$=N$+A$:J=J+1:GOTO50 HE
·110 PRINT:PRINTCHR$(18)"YOU ARE OVER THE
 16 CHARACTER LIMIT.":GOTO40 HP
·120 IFN$=""THENPRINTCHR$(18)"PLEASE ENTE
R A FILE NAME.":GOTO40 FK
·130 IFN$="$"THENSYS49152:POKE198,0:GOSUB
470:CLOSE15:PRINTL$:GOTO40 PM
·140 R$=CHR$(34)+N$+CHR$(34) BC
·150 PRINT"SEARCHING FOR ";R$ AK
·160 IFLEN(N$)<16THENN$=N$+CHR$(160):GOTO
160 AA
·170 OPEN15,8,15:OPEN5,8,5,"#" PG
·180 PRINT#15,"U1";5;0;18;S:GOSUB480:L=4 LG
·190 B$="":J=1 HH
·200 PRINT#15,"B-P";5;J+L:GET#5,A$:IFA$="
"THENA$=CHR$(0) AE
·210 B$=B$+A$:IFLEFT$(B$,J)<>LEFT$(N$,J)T
HEN240 IP
·220 J=J+1:IFJ>16THEN290 GH
·230 GOTO200 AA
·240 L=L+32:IFL<229THEN190 LP
·250 FORP=0TO1:PRINT#15,"B-P";5;P:GET#5,A
$:IFA$=""THENA$=CHR$(0) GO
·260 A(P)=ASC(A$):NEXTP:IFA(0)<>18ORA(1)<
10RA(1)>18THEN280 PM
·270 S=A(1):GOTO180 CC
·280 PRINT:PRINT"UNABLE TO LOCATE ";R$:GO
TO390 JB
·290 GOSUB440:PRINT:PRINTL$:IFCT=1THEN310 NN
·300 F1$=F2$:S1=S:L1=L:CT=1:CLOSE5:CLOSE1
5:GOTO40 CI
·310 PRINT"SWAPPING[3"."]":PRINTL$ FA
·320 PRINT#15,"U1";5;0;18;S:GOSUB480 IP
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

```
•330 PRINT#15,"B-P";5;L:PRINT#5,F1$;                    GK
•340 PRINT#15,"U2";5;0;18;S:GOSUB480                    KI
•350 PRINT#15,"U1";5;0;18;S1:GOSUB480                   NB
•360 PRINT#15,"B-P";5;L1:PRINT#5,F2$;                   BO
•370 PRINT#15,"U2";5;0;18;S1:GOSUB480                   NI
•380 PRINT"DONE[3"."]"                                  BK
•390 CLOSE5:CLOSE15:PRINTL$:PRINT                       IP
•400 INPUT"ANOTHER SWAP (Y/N/$)";A$:IFA$=
 "Y"THENCLR:GOTO20                                      DC
•410 IFA$="N"THENEND                                    OG
•420 IFA$="$"THENSYS49152:POKE198,0:GOSUB
 470:CLOSE15:PRINTL$:PRINT                              ED
•430 GOTO400                                            MN
•440 F2$="":L=L-2:FORJ=0TO29                            KP
•450 PRINT#15,"B-P";5;J+L:GET#5,A$:IFA$="
 "THENA$=CHR$(0)                                        IP
•460 F2$=F2$+A$:NEXTJ:RETURN                            GP
•470 OPEN15,8,15                                        NN
•480 INPUT#15,EN,EM$,ET,ES:IFEN=0THENRETU
 RN                                                     FH
•490 PRINTEN;EM$;ET;ES:CLOSE5:CLOSE15:END               MI
•500 DATA32,68,229,169,36,133,251,169,5,1
 62,8,160                                               FJ
•510 DATA0,32,186,255,169,1,162,251,160,0
 ,32,189                                                IP
•520 DATA255,32,192,255,162,5,32,198,255,
 32,207,255                                             AI
•530 DATA32,207,255,32,207,255,32,207,255
 ,32,207,255                                            HO
•540 DATA72,32,207,255,168,104,170,165,14
 4,208,22,152                                           AP
•550 DATA32,205,189,169,32,32,210,255,32,
 207,255,208                                            IF
•560 DATA248,169,13,32,210,255,184,80,214
 ,32,204,255                                            HD
•570 DATA169,5,76,195,255                               PG
```

REDIRECT C-128

```
•0 REM *** REDIRECT C-128 ***                           LF
•10 PRINTCHR$(147)TAB(16)CHR$(18)"REDIREC
 T"                                                     KN
•20 L$=" [38"-"]"                                       NF
•30 J=0:S=1:N$="":PRINT:PRINT"FILE NAME?
 ";:PRINTCHR$(34);                                      LP
•40 POKE2599,0:GETA$:IFA$=""THEN40                      DP
•50 IFA$=CHR$(13)THENPOKE2599,1:PRINTCHR$
 (34)A$:GOTO110                                         OJ
•60 IFJ>15THENPOKE2599,1:PRINTA$:GOTO100                IE
•70 IFA$=CHR$(20)ANDJ<1THEN40                           GD
•80 PRINTA$;:IFA$=CHR$(20)THENJ=J-1:N$=LE
 FT$(N$,J):GOTO40                                       ED
•90 N$=N$+A$:J=J+1:GOTO40                               JL
•100 PRINT:PRINTCHR$(18)"YOU ARE OVER THE
  16 CHARACTER LIMIT.":GOTO30                           LC
•110 IFN$=""THENPRINTCHR$(18)"PLEASE ENTE
  R A FILE NAME.":GOTO30                                BF
•120 IFN$="$"THENDIRECTORY:POKE208,0:GOSU
 B460:CLOSE15:PRINTL$:GOTO30                            DH
•130 R$=CHR$(34)+N$+CHR$(34)                            IA
•140 PRINT"SEARCHING FOR ";R$                           PE
•150 IFLEN(N$)<16THENN$=N$+CHR$(160):GOTO
 150                                                    BJ
•160 OPEN15,8,15:OPEN5,8,5,"#"                          AE
•170 PRINT#15,"U1";5;0;18;S:GOSUB470:L=4                FN
•180 B$="":J=1                                          IF
•190 PRINT#15,"B-P";5;J+L:GET#5,A$:IFA$="
 "THENA$=CHR$(0)                                        EK
•200 B$=B$+A$:IFLEFT$(B$,J)<>LEFT$(N$,J)T
 HEN230                                                 AC
•210 J=J+1:IFJ>16THEN280                                EE
•220 GOTO190                                            PI
•230 L=L+32:IFL<229THEN180                              LM
•240 FORP=0TO1:PRINT#15,"B-P";5;P:GET#5,A
 $:IFA$=""THENA$=CHR$(0)                                KM
•250 A(P)=ASC(A$):NEXTP:IFA(0)<>180RA(1)<
 10RA(1)>18THEN270                                      FK
•260 S=A(1):GOTO170                                     AD
•270 PRINT:PRINT"UNABLE TO LOCATE ";R$:GO
 TO380                                                  IM
•280 GOSUB430:PRINT:PRINTL$:IFCT=1THEN300               CJ
•290 F1$=F2$:S1=S:L1=L:CT=1:CLOSE5:CLOSE1
 5:GOTO30                                               OF
•300 PRINT"SWAPPING[3"."]":PRINTL$                      AO
•310 PRINT#15,"U1";5;0;18;S:GOSUB470                    KC
•320 PRINT#15,"B-P";5;L:PRINT#5,F1$;                    LA
•330 PRINT#15,"U2";5;0;18;S:GOSUB470                    KH
•340 PRINT#15,"U1";5;0;18;S1:GOSUB470                   OO
•350 PRINT#15,"B-P";5;L1:PRINT#5,F2$;                   IE
•360 PRINT#15,"U2";5;0;18;S1:GOSUB470                   JB
•370 PRINT"DONE[3"."]"                                  PI
•380 CLOSE5:CLOSE15:PRINTL$:PRINT                       MB
•390 INPUT"ANOTHER SWAP (Y/N/$)";A$:IFA$=
 "Y"THENCLR:GOTO10                                      HN
•400 IFA$="N"THENEND                                    PM
•410 IFA$="$"THENDIRECTORY:POKE208,0:GOSU
 B460:CLOSE15:PRINTL$:PRINT                             MJ
•420 GOTO390                                            MN
•430 F2$="":L=L-2:FORJ=0TO29                            FJ
•440 PRINT#15,"B-P";5;J+L:GET#5,A$:IFA$="
 "THENA$=CHR$(0)                                        ON
•450 F2$=F2$+A$:NEXTJ:RETURN                            JN
•460 OPEN15,8,15                                        LP
•470 INPUT#15,EN,EM$,ET,ES:IFEN=0THENRETU
 RN                                                     KJ
•480 PRINTEN;EM$;ET;ES:CLOSE5:CLOSE15:END               NG
```

Problems entering a program?

Call *Ahoy!* from 8:30-5:00 EST at 212-239-6089 (if busy or no answer after three rings, call 212-239-0855).

CLIFFHANGER
FROM PAGE 31

BASIC PORTION

```
·2 REM    CLIFFHANGER-JC HILTY-7/87                    AE
·5 GOTO12                                              PE
·10 POKES+4,0                                          DK
·11 POKES+24,15:POKES+1,10:POKES,100:POKE
 S+5,3:POKES+6,1:POKES+4,129:RETURN                    IO
·12 GOSUB900                                           DF
·13 GOSUB800                                           DH
·14 POKE49600,252                                      FJ
·20 JY=PEEK(56320)AND15                                JJ
·21 IFJY=7THEN30                                       DL
·22 IFJY=11THEN40                                      HJ
·23 IFJY=13THEN50                                      HJ
·24 IFJY=14THEN60                                      IK
·25 IFPEEK(R)=32THEN200                                GI
·26 W1=PEEK(V+30):IFW1AND1THENPOKE49600,0
 :GOTO350                                              BD
·27 ONLGOTO70,75,80,85,90,100                          ED
·28 L=L+1:IFL=7THENL=1                                 BD
·29 GOTO20                                             AL
·30 X1=X1+8:IFX1>252THENX1=252:GOTO25                  CP
·32 R=R+1:POKEV,X1:GOSUB10:GOTO25                      IG
·40 X1=X1-8:IFX1<28THENX1=28:GOTO25                    MP
·42 R=R-1:POKEV,X1:GOSUB10:GOTO25                      IP
·50 Y1=Y1+8:IFY1>204THENY1=204:GOTO25                  KL
·52 R=R+40:POKEV+1,Y1:GOSUB10:GOTO25                   MG
·60 Y1=Y1-8:R=R-40:POKEV+1,Y1:GOSUB10:GOT
 O25                                                   MK
·70 BO=BO-10:PRINT"[HOME][DOWN]"TAB(33)"[
 3" "]":PRINT"[HOME][DOWN][c 7]"TAB(32)BO
 :IFBO=0THEN200                                        NP
·72 GOTO28                                             DI
·75 FORX=2044TO2047:POKEX,Z:NEXT:Z=Z+1:IF
 Z=196THENZ=192                                        CP
·76 GOTO28                                             DM
·80 IFPEEK(V+4)>190THENPOKEV+4,68                      DM
·82 GOTO28                                             EK
·85 IFPEEK(V+12)<LBTHENPOKE49613,2:POKE49
 500,64                                                GP
·86 IFPEEK(V+12)>RBTHENPOKE49613,254:POKE
 49500,64                                              OC
·87 IFPEEK(V+13)>200THENPOKE49614,254:POK
 E49500,64                                             LC
·88 IFPEEK(V+13)<100THENPOKE49614,2:POKE4
 9500,64                                               BM
·89 GOTO28                                             EP
·90 IFPEEK(V+6)<60THENPOKEV+6,210                      BH
·91 GOTO28                                             EJ
·100 IFPEEK(V+14)<PEEK(V)THENPOKE49615,PL
 :POKE49500,128                                        PG
·102 IFPEEK(V+14)>PEEK(V)THENPOKE49615,PH
 :POKE49500,128                                        KK
·104 IFPEEK(V+15)<PEEK(V+1)THENPOKE49616,
 PL:POKE49500,128                                      LI
·106 IFPEEK(V+15)>PEEK(V+1)THENPOKE49616,
 PH:POKE49500,128                                      NM
·108 POKEV+16,0:GOTO28                                 BG
·200 POKE49600,0                                       ML
·202 Y1=Y1+4:IFY1>220THEN250                           CN
·204 POKEV+1,Y1:GOSUB10:GOTO202                        OA
·250 POKE2040,197:LI=LI-1:PRINT"[HOME][4"
 [DOWN]"][BLUE]"TAB(32)LI                              JP
·252 FORX=0TO24:POKES+X,0:NEXT:SP=10:POKE
 S,150:POKES+1,SP:POKES+6,240                          PH
·254 POKES+24,15:POKES+4,17                            AF
·256 FORSP=10TO250STEP4:POKES+1,SP:NEXT                JK
·258 FORX=0TO24:POKES+X,0:NEXT                         FH
·260 IFLI=0THEN400                                     EK
·262 POKEV+21,0:POKE2040,196:R=1879:X1=13
 2:Y1=204:BO=500:PRINT"[HOME][DOWN][BLUE]
 "TAB(32)BO                                            HE
·263 GOSUB850                                          DD
·264 IFLE=1THEN14                                      CB
·265 PH=INT(3*RND(4)+252):PL=INT(3*RND(5)
 +2)                                                   AP
·266 GOTO14                                            PE
·350 IFW1AND2THEN360                                   IF
·352 GOTO200                                           HJ
·360 SC=SC+BO:PRINT"[HOME][7"[DOWN]"][BLU
 E]"TAB(32)SC                                          MK
·362 POKES+1,130:POKES+5,9:POKES+15,30:PO
 KES+24,15:QQ=1                                        KC
·363 FORX=1TO12:POKES+4,21:POKEV+40,QQ:QQ
 =QQ+1:FORT=0TO100:NEXT                                DH
·364 POKES+4,20:FORT=0TO100:NEXT:NEXT                  KC
·366 FORX=0TO24:POKES+X,0:NEXT:POKEV+40,4              EM
·368 LE=LE+1:PRINT"[HOME][13"[DOWN]"][BLU
 E]"TAB(32)LE                                          FN
·369 PH=INT(3*RND(4)+252):PL=INT(3*RND(5)
 +2)                                                   FH
·371 POKEV+21,0:POKE2040,196:R=1879:X1=13
 2:Y1=204:BO=500:PRINT"[HOME][DOWN][BLUE]
 "TAB(32)BO                                            CF
·372 GOSUB850:GOTO14                                   LI
·400 POKEV+21,0:PRINT"[CLEAR]":FORX=2041T
 O2043:POKEX,Z:NEXT:POKE53280,0                        EE
·402 POKEV+40,2:POKEV+41,14:POKEV+42,7:PO
 KEV+23,14:POKEV+29,14:POKEV+28,14                     FA
·404 POKEV+2,50:POKEV+3,180:POKEV+4,150:P
 OKEV+5,180:POKEV+6,250:POKEV+7,180                    NE
·405 PRINT"[4"[DOWN]"][c 7]"TAB(11)"G A M
   E  O V E R":PRINT:PRINT                             NL
·406 IFSC>HSTHENHS=SC                                  JF
·408 PRINTTAB(11)"SCORE  "SC:PRINT:PRINTT
 AB(11)"HIGH[3" "]"HS:PRINT                            BM
·409 POKEV+21,14:RESTORE                               ML
·410 PRINTTAB(6)"[c 1]PRESS ANY KEY TO PL
 AY AGAIN"                                             CC
·411 GOSUB938                                          MK
·412 PL=3:PH=252:LI=4:LE=1:SC=0:BO=500:X1
```

```
=132:Y1=204:R=1879:L=1                                          KL
·414 GOTO13                                                     IJ
·800 POKE53280,2:PRINT"[CLEAR][RED][RVSON
]CLIFFHANGER"TAB(33)"[RVSOFF][BLUE]BONUS
":PRINTTAB(32)BO:PRINT                                          IB
·802 PRINTTAB(9)"[c 2][RVSON][sEP] [RVSOF
F][3" "][RVSON][sEP] [c *][RVSOFF][3" "]
[RVSON] [c *]"TAB(33)"[RVSOFF][BLUE]LIVE
S"                                                              HM
·804 PRINTTAB(9)"[RVSON][c 1]  [RVSOFF][3
" "][RVSON][3" "][RVSOFF][3" "][RVSON]
[RVSOFF][BLUE]"TAB(32)LI                                        NB
·806 PRINTTAB(8)"[RVSON][c 2][sEP]  [RVSO
FF]  [RVSON][sEP][3" "][c *][RVSOFF]  [R
VSON]  [c *]"                                                   EC
·808 PRINTTAB(8)"[RVSON][c 1][3" "][RVSOF
F]  [RVSON][5" "][RVSOFF]  [RVSON][3" "]
[RVSOFF][BLUE]"TAB(33)"SCORE"                                   NP
·810 PRINTTAB(7)"[RVSON][c 2][sEP][15" "]
[c *][RVSOFF][BLUE]"TAB(32)SC                                   JG
·812 PRINTTAB(7)"[RVSON][c 1][17" "]"                           LO
·814 PRINTTAB(6)"[RVSON][c 2][sEP][4" "][
RVSOFF][9" "][RVSON][4" "][c *][RVSOFF][
BLUE]"TAB(33)"HIGH"                                             IO
·816 PRINTTAB(6)"[RVSON][c 1][5" "][RVSOF
F][9" "][RVSON][5" "][RVSOFF][BLUE]"TAB(
32)HS                                                           DE
·818 PRINTTAB(5)"[RVSON][c 2][sEP][5" "][
RVSOFF][9" "][RVSON][5" "][c *]"                                IB
·820 PRINTTAB(5)"[RVSON][c 1][6" "][RVSOF
F][9" "][RVSON][6" "][RVSOFF][BLUE]"TAB(
33)"LEVEL"                                                      NG
·822 PRINTTAB(4)"[RVSON][c 2][sEP][15" "]
[RVSON][6" "][c *][RVSOFF][BLUE]"TAB(32)
LE                                                              GF
·824 PRINTTAB(4)"[RVSON][c 1][16" "][RVSO
N][7" "]"                                                       OC
·826 PRINTTAB(3)"[RVSON][c 2][sEP][7" "][
RVSOFF][9" "][RVSON][7" "][c *]"                                CH
·828 PRINTTAB(3)"[RVSON][c 1][8" "][RVSOF
F][9" "][RVSON][8" "]"                                          PL
·830 PRINTTAB(2)"[RVSON][c 2][sEP][8" "][
RVSOFF][9" "][RVSON][8" "][c *]"                                ND
·832 PRINTTAB(2)"[RVSON][c 1][9" "][RVSOF
F][9" "][RVSON][9" "]"                                          PB
·834 PRINT" [RVSON][c 2][sEP][27" "][c *]
"                                                               FM
·836 PRINT" [RVSON][c 1][29" "]"                                PC
·838 PRINT"[RVSON][c 2][sEP][29" "][c *]"                       KC
·840 PRINT"[RVSON][c 1][31" "]"                                 PK
·850 FORX=49601TO49616:POKEX,0:NEXT:POKE4
9500,255:POKE49600,0:SYS49376                                   DI
·852 POKEV+23,0:POKEV+29,0:POKEV+28,253                         GI
·854 POKE2040,196:POKEV+39,5:POKEV,X1:POK
EV+1,Y1                                                         FD
·856 POKE2041,199:POKEV+40,4:POKEV+2,136:
POKEV+3,58                                                      EF
·858 POKE2042,198:POKEV+41,5:POKEV+4,142:
POKEV+5,094                                                     IL
·860 POKE2043,198:POKEV+42,5:POKEV+6,142:
POKEV+7,142                                                     IL
·862 POKE2044,Z:POKEV+43,14:POKEV+8,80:PO
KEV+9,190                                                       PG
·864 POKE2045,Z:POKEV+44,2:POKEV+10,186:P
OKEV+11,70                                                      AB
·866 POKE2046,Z:POKEV+45,7:POKEV+12,116:P
OKEV+13,120                                                     AO
·868 POKE2047,Z:POKEV+46,13:POKEV+14,166:
POKEV+15,120                                                    NC
·870 POKE49605,2:POKE49607,253:POKE49610,
255:POKE49612,2                                                 BG
·872 POKE49614,2:POKE49613,253:POKE49500,
252                                                             PE
·880 POKEV+21,255:FORX=0TO24:POKES+X,0:NE
XT:W1=PEEK(V+30):RETURN                                         LP
·900 POKE53281,0:POKE53280,0:PRINT"[CLEAR
][4"[DOWN]"][GREEN]ONE MOMENT[4"."]LOADI
NG DATA[4"."]"                                                  CE
·902 POKE147,0:SYS57812"CLIFFHANGER.ML",8
,1:SYS62631                                                     KP
·904 POKE147,0:SYS57812"CLIFFHANGER.SP",8
,1:SYS62631                                                     ID
·906 V=53248:S=54272:LI=4:LE=1:SC=0:BO=50
0:X1=132:Y1=204:R=1879:L=1:LB=40:RB=200                         KB
·907 PL=3:PH=252                                                DL
·908 POKEV+16,0:POKE2040,200:Z=192:POKE20
41,Z:POKE2042,Z:POKE2043,Z                                      OC
·910 POKEV+23,15:POKEV+29,15:POKEV+28,14:
POKEV+37,1:POKEV+38,0:POKEV+39,8                                JA
·912 POKEV+40,2:POKEV+41,14:POKEV+42,5:PO
KEV,120:POKEV+1,60:POKEV+2,160                                  NO
·914 POKEV+3,200:POKEV+4,60:POKEV+5,200:P
OKEV+6,250:POKEV+7,200:POKEV+21,15                              HD
·916 PRINT"[CLEAR][DOWN][DOWN][c 1]"TAB(2
0)"PRESENTS[DOWN][DOWN]"                                        BH
·918 PRINTTAB(7)"[BLUE][RVSON] [RVSOFF][5
" "][RVSON][3" "][RVSOFF][4" "][RVSON][3
" "][RVSOFF][5" "][RVSON][3" "][RVSOFF][
5" "][RVSON][3" "]"                                             JH
·920 PRINT" [RVSON]  [RVSOFF][4" "][RVSON
] [RVSOFF][5" "][RVSON] [RVSOFF][6" "][R
VSON] [RVSOFF] [RVSON] [RVSOFF][5" "][RV
SON] [RVSOFF][7" "][RVSON] [RVSOFF] [RVS
ON] "                                                           BI
·922 PRINT"[PURPLE] [RVSON] [RVSOFF]  [RV
SON] [RVSOFF]  [RVSON] [RVSOFF] [RVSON][
3" "][RVSOFF] [RVSON]  [RVSOFF] [RVSON]
[RVSOFF] [RVSON] [RVSOFF] [RVSON][3" "][
RVSOFF] [RVSON][c *][RVSOFF] [RVSON] [RV
SOFF] [RVSON] [RVSOFF][3" "][RVSON][3" "
][RVSOFF] [RVSO
N][3" "]"                                                       BE
·924 PRINT" [RVSON] [RVSOFF]  [RVSON] [RV
SOFF]  [RVSON] [RVSOFF] [RVSON] [RVSOFF]
[3" "][RVSON] [RVSOFF]  [RVSON] [RVSOFF]
 [RVSON] [RVSOFF] [RVSON] [RVSOFF] [RVSO
```

```
N] [RVSOFF] [RVSON] [c *] [RVSOFF] [RVSO
N] [RVSOFF] [RVSON] [RVSOFF] [RVSON] [RV
SOFF][3" "][RVS
ON]  "                                          KM
·926 PRINT" [RVSON] [RVSOFF]  [RVSON] [RV
SOFF]  [RVSON] [RVSOFF] [RVSON]  [RVSOFF
]  [RVSON] [RVSOFF]  [RVSON][3" "][RVSOF
F] [RVSON] [RVSOFF] [RVSON] [RVSOFF] [RV
SON][3" "][RVSOFF] [RVSON][3" "][RVSOFF]
 [RVSON]  [RVSOFF]  [RVSON] [RVSOFF] [RV
SON] "                                          DH
·928 PRINT" [GREEN][RVSON]  [RVSOFF] [RVS
ON] [RVSOFF][4" "][RVSON] [RVSOFF][6" "]
[RVSON] [RVSOFF] [RVSON] [RVSOFF][5" "][
RVSON] [RVSOFF][c *][RVSON] [RVSOFF][5"
"][RVSON] "                                     MA
·930 PRINTTAB(4)"[RVSON]  [RVSOFF][3" "][
RVSON] [RVSOFF][6" "][RVSON] [RVSOFF] [R
VSON] [RVSOFF][5" "][RVSON] [RVSOFF] [c
*][5" "][RVSON][3" "]"                          NK
·932 PRINT:PRINTTAB(14)"[c 1]BY JC HILTY"
:PRINT:PRINTTAB(12)"[BLUE]JOYSTICK-PORT
2":PRINT                                        DC
·934 PRINTTAB(4)"[PURPLE]AVOID THE CROCOD
ILES AND HOOTIES"                               EO
·936 PRINT"[5"[DOWN]"][GREEN]"TAB(14)"PRE
SS ANY KEY"                                     LJ
·938 FORX=0TO24:POKES+X,0:NEXT:RESTORE          HI
·939 POKES+3,8:POKES+5,41:POKES+6,89:POKE
S+14,117:POKES+18,16:POKES+24,143               IL
·940 READFR,DR:IFFR=0THENRESTORE:GOTO940        JB
·942 POKES+4,65                                 AN
·944 FORT=1TODR:FQ=FR+PEEK(S+27)/2              FJ
·945 HF=INT(FQ/256):LF=FQAND255                 LD
·946 POKES,LF:POKES+1,HF:NEXT:POKES+4,64        JB
·947 POKE2041,Z:POKE2042,Z:POKE2043,Z:Z=Z
+1:IFZ=196THENZ=192                             OO
·948 GETA$:IFA$=""THEN940                       OF
·950 PRINT"[CLEAR]":POKEV+21,0:RETURN           IP
·1000 DATA 10814,2,5407,2,5103,2,5407,2,5
728,2,6430,2,7217,2,8101,2                      PF
·1002 DATA 8583,2,5407,2,5103,2,5407,2,81
01,2,5407,2,4817,2,5407,2                       CK
·1004 DATA 7217,2,5407,2,5103,2,5407,2,51
03,2,5407,2,5103,2,5407,2                       DL
·1006 DATA 8583,2,5407,2,5103,2,5407,2,81
01,2,5407,2,5103,2,5407,2                       BF
·1008 DATA 7217,2,5407,2,5728,2,6430,2,72
17,2,8101,2,8583,2,9634,2                       HO
·1010 DATA 10814,2,5407,2,5103,2,5407,2,9
634,2,5407,2,5103,2,5407,2                      JO
·1012 DATA 8583,2,5407,2,5103,2,5407,2,51
03,2,5407,2,5103,2,5407,2                       OG
·1014 DATA 10814,2,5407,2,5103,2,5407,2,9
634,2,5407,2,5103,2,5407,2                      MC
·1016 DATA 8583,2,7217,2,8101,2,8583,2,96
34,2,10814,2,11457,2,12860,2                    FP
·1018 DATA 14435,4,14435,4,12860,2,14435,
 2,12860,2,11457,2,12860,2                      EJ
·1020 DATA 14435,4,10814,4,10814,8              EA
·1022 DATA 14435,4,14435,4,12860,2,14435,
 2,12860,2,11457,2,12860,2                      GN
·1024 DATA 14435,4,10814,4,10814,8              AL
·1026 DATA 14435,4,14435,4,12860,2,14435,
 2,12860,2,11457,2,12860,2                      BE
·1028 DATA 14435,4,10814,4,10814,4,9634,4       GJ
·1030 DATA 8583,4,5407,4,5103,4,5407,4,81
01,4,5407,4,5103,4,5407,4,0,0                   LE
```

CLIFFHANGER.ML

Starting address in hex: C000
Ending address in hex: C0EC

***Flankspeed* required for entry! See page 89.**

```
C000: A9 FF 2D 5C C1 F0 10 A9 9F
C008: 00 8D 5C C1 A2 15 BD C0 E9
C010: C1 9D 5C C1 CA D0 F7 A2 C3
C018: 01 A9 01 8D 10 C2 AD 10 E1
C020: C2 2D C0 C1 F0 03 4C 33 06
C028: C0 E8 E8 0E 10 C2 D0 EE 5B
C030: 4C 31 EA A9 00 1D C0 C1 E1
C038: D0 03 4C A1 C0 A9 80 3D 22
C040: C0 C1 F0 30 FE 5C C1 D0 D1
C048: 28 DE FF CF 4C D0 C0 50 4D
C050: C5 2D 10 D0 D0 0C AD 10 BE
C058: D0 0D 10 C2 8D 10 D0 4C C3
C060: 6B C0 AD 10 D0 4D 10 C2 3B
C068: 8D 10 D0 BD C0 C1 9D 5C 11
C070: C1 4C A1 C0 DE 5C C1 D0 AE
C078: 28 FE FF CF D0 1D AD 10 1B
C080: C2 2D 10 D0 D0 0C AD 10 EB
C088: D0 0D 10 C2 8D 10 D0 4C F3
C090: 9B C0 AD 10 D0 4D 10 C2 9B
C098: 8D 10 D0 BD C0 C1 9D 5C 41
C0A0: C1 A9 00 E8 1D C0 C1 D0 65
C0A8: 03 4C CC C0 A9 80 3D C0 AD
C0B0: C1 F0 0B FE 5C C1 D0 14 70
C0B8: DE FF CF 4C C6 C0 DE 5C 76
C0C0: C1 D0 09 FE FF CF BD C0 A9
C0C8: C1 9D 5C C1 CA 4C 29 C0 47
C0D0: A9 FF DD FF CF F0 03 4C 68
C0D8: 6B C0 AD 10 C2 4C 51 C0 E3
C0E0: 78 A9 00 8D 14 03 A9 C0 12
C0E8: 8D 15 03 58 60 47
```

CLIFFHANGER.SP

Starting address in hex: 3000
Ending address in hex: 323E

***Flankspeed* required for entry! See page 89.**

```
3000: 00 00 00 00 00 00 02 00 02
3008: 20 00 80 80 00 22 00 00 4B
3010: 08 00 00 2A 00 20 AA 82 8F
3018: 08 59 48 02 79 E0 00 79 97
3020: C0 00 AA 80 00 2A 00 00 36
3028: 08 00 00 08 00 00 08 00 40
```

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

```
3030: 00 00 00 00 00 00 00 00 30
3038: 00 00 00 00 00 00 00 00 38
3040: 00 00 00 00 22 00 00 22 84
3048: 00 00 22 00 00 22 00 00 8C
3050: 08 00 00 2A 00 00 AA 80 AD
3058: 00 59 40 2A DB 6A 00 DB 3E
3060: 40 00 AA 80 00 2A 00 00 F5
3068: 08 00 00 08 00 00 08 00 80
3070: 00 00 00 00 00 00 00 00 70
3078: 00 00 00 00 00 00 00 00 78
3080: 00 00 00 00 00 00 00 22 A2
3088: 00 00 08 00 00 22 00 00 B2
3090: 08 00 00 2A 00 00 AA 80 ED
3098: 00 59 40 02 79 E0 08 79 10
30A0: C8 20 AA 82 00 2A 00 00 E0
30A8: 08 00 00 08 00 00 08 00 C0
30B0: 00 00 00 00 00 00 00 00 B0
30B8: 00 00 00 00 00 00 00 00 B8
30C0: 00 00 00 00 22 00 00 22 05
30C8: 00 00 22 00 00 22 00 00 0D
30D0: 08 00 00 2A 00 00 AA 80 2E
30D8: 00 59 40 2A DB 6A 00 DB BE
30E0: 40 00 AA 80 00 2A 00 00 76
30E8: 08 00 00 08 00 00 08 00 01
30F0: 00 00 00 00 00 00 00 00 F0
30F8: 00 00 00 00 00 00 00 00 F8
3100: 00 00 00 00 08 00 00 2A 32
3108: 00 00 FF C0 02 AA A0 00 16
3110: D5 C0 00 D5 C0 00 15 00 52
3118: 00 04 00 00 AA 80 00 AA F1
3120: 80 00 AA 80 00 6A 40 00 76
3128: 0C 00 00 22 00 00 22 00 78
3130: 00 F3 C0 00 00 00 00 00 E4
3138: 00 00 00 00 00 00 00 00 38
3140: 00 04 00 00 04 00 00 04 4C
3148: 00 00 04 00 00 04 00 00 50
3150: 00 00 00 04 00 00 00 00 54
3158: 00 00 00 00 08 00 00 2A 8A
3160: 00 00 FF C0 02 AA A0 00 6E
3168: 22 00 00 F3 C0 00 00 00 3F
3170: 00 00 00 00 00 00 00 00 70
3178: 00 00 00 00 00 00 00 00 78
3180: 00 00 00 00 00 00 AA A0 CB
3188: 00 AA A0 00 80 20 00 80 F4
3190: 20 00 80 00 00 80 00 00 B1
3198: 80 02 40 82 22 C2 AA AA 18
31A0: AB AA AA AA AA AA 91 08 3B
31A8: 22 80 08 22 A2 08 20 AA EA
31B0: 08 20 00 0A 2A 00 00 00 0D
31B8: 00 00 00 00 00 00 00 00 B8
31C0: 00 3C 00 00 C3 00 03 42 06
31C8: C0 0C 24 30 0C 3C 10 07 49
31D0: 42 E0 04 FF 20 02 42 40 9C
31D8: 02 42 40 01 24 80 01 24 28
31E0: 80 00 A5 00 00 99 00 00 A0
31E8: 5A 00 00 5A 00 00 3C 00 D9
31F0: 00 3C 00 00 18 00 00 18 5D
31F8: 00 00 00 00 00 00 00 0B 04
3200: 00 00 00 33 00 02 59 00 8E
3208: 07 5D 6E D7 4D EA D7 7D 40
3210: AA D2 4D AE F0 EC 00 32 99
3218: 06 11 60 07 39 C0 03 90 24
3220: 00 00 F0 00 00 00 00 00 11
3228: 00 00 00 00 00 00 00 00 28
3230: 00 00 00 00 00 00 00 00 30
3238: 00 00 00 00 00 00 00 38
```

WARSHIP
FROM PAGE 16

```
·100 DEF FNJS(X)=PEEK(56464)ANDX:DEF FNFR
 (X)=A$=CHR$(13) OR A$=" " OR FNJS(16)=0 IN
·110 DEF FNUD(X)=(A$="[DOWN]" OR FNJS(2)=
 0)-(A$="[UP]" OR A$="[UPARROW]" OR FNJS(
 1)=0)                                   NE
·120 DEF FNLR(X)=-(A$="[LEFT]" OR A$="[BA
 CKARROW]" OR FNJS(4)=0)+(A$="[RIGHT]" OR
  FNJS(8)=0)                             FK
·140 FOR X=1 TO 30:RT$=RT$+"[RIGHT]":DN$=
 DN$+"[DOWN]":SQ$=SQ$+" ":NEXT:SO$="[10"
 "]"                                    JJ
·150 SP$=RT$+SO$:KL$=RT$+" KILLS: 0 ":AN$
 =RT$+" ANGLE: 45":WN$=RT$+" WIND[5" "]"  IB
·160 POKE 53280,0:POKE 53281,14:PRINT "[C
 LEAR][BLACK][RVSON]";RT$;" PLAYER 1 ";SP
 $;KL$;SP$;AN$;                         EC
·170 PRINT SP$;SP$;SP$;WN$;SP$;RT$;"  WAR
 SHIP [BLUE]";SQ$;"[BLACK] CF KAYLOR";SO$
 ;SQ$;                                  LB
·180 PRINT RT$;" PLAYER 2 ";SP$;KL$;SP$;A
 N$;SP$;SP$;SP$;WN$;SP$;SP$;            NO
·190 PRINT "[BLUE]";SQ$;"[BLACK][9" "][LE
 FT][INSERT] [HOME][c 8]";:FOR X=0 TO 9:R
 EAD C$(X),WN$(X):NEXT                  GP
·200 DATA "[RVSOFF] [DOWN][LEFT] ","[4"<"
 ]","[RVSOFF] [DOWN][LEFT][c P]"," [3"<"]
 ","[RVSOFF] [DOWN][LEFT][c O]","  <<","[
 RVSOFF] [DOWN][LEFT][RVSON][c U]","[3" "
 ]<","[RVSOFF] [DOWN][LEFT][RVSON][c Y]"  HE
·210 DATA "[4" "]","[RVSOFF] [DOWN][LEFT]
 [RVSON] ",">[3" "]","[RVSOFF][c P][DOWN]
 [LEFT][RVSON] ",">>  ","[RVSOFF][c O][DO
 WN][LEFT][RVSON] ","[3">"] ","[RVSON][c
 U][DOWN][LEFT] ","[4">"]"              BF
·218 DATA "[RVSON][c Y][DOWN][LEFT] ","[D
 OWN][LEFT][RVSON] [LEFT]":S=54272:FOR X=
 S TO S+24:READ A:POKE X,A:NEXT         NM
·220 PRINT LEFT$(DN$,9);SPC(15);C$(4);"[D
 OWN][LEFT][RVSON] [LEFT]";LEFT$(DN$,11);
 C$(4);"[DOWN][LEFT][RVSON] [LEFT][HOME]" NO
·240 DATA 0,2,0,0,32,0,199,0,3,0,0,128,0,
```

```
252,0,3,0,0,128,0,252,0,0,0,15                                  MB
·250 IF PEEK(12351)<>199 THEN FOR X=12288
 TO 12543:READ A:POKE X,A:NEXT                                  FE
·260 DATA ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,,,,,,,,5,,,5,,,7,128,,7,128,,7,192,                           LI
·270 DATA 255,255,255,127,255,254,127,255
,254,199,,,,,,,,,,,,,,,,,,,,,,,,,,,                            KE
·280 DATA ,,,,,,,,,,,,128,,2,128,,2,128,,
7,192,,7,193,,7,227,224,31,255,192,15                           HC
·290 DATA 255,192,199,,,,,,,,,,,,,,,,,,,,
,,,,,,,,,,,,,,,,,,,,,,,,                                       GL
·300 DATA 64,,,64,,1,196,,1,239,,7,254,,3
,254,,199,,,,,,,,,,,,,,,,,,,,,,,,                              EM
·310 DATA ,,,,,,,,,,,,,,,,,,,,,,,,1,192,,
1,196,,7,255,192,15,255,224,199                                 GL
·320 DATA  ,,,,,1,192,,1,196,,7,255,192,1
5,255,224,199                                                   OJ
·340 AN(0)=45:AN(1)=45:V=53248:Q=RND(-TI)
:FOR J=0 TO 1:REM POSITION SHIPS[BACKARR
OW][BACKARROW][BACKARROW]                                       AK
·350 FOR K=0 TO 3:SH(J,K)=256*RND(1):X=J*
8+K*2:SD(J,K)=INT(900*RND(1))+100                               JK
·360 SH=J*4+K:POKE V+X,SH(J,K):POKE V+X+1
,117+104*J:POKE V+39+SH,0                                       LL
·370 POKE 2040+SH,192+K:NEXT K,J:POKE V+2
9,255:POKE V+27,255:POKE V+21,255                               ED
·420 FOR PL=0 TO 1:SH=8*PL:PR=PL*13:REM P
LAY GAME[BACKARROW][BACKARROW][BACKARROW
]                                                               NA
·430 WN=4-INT(9*RND(1)):PRINT "[HOME][BLA
CK][RVSON]";LEFT$(DN$,8+PR);SPC(36);WN$(
WN+4)                                                           ND
·440 GET A$:POKE S+4,32+SGN(FNUD(.)[UPARR
OW]2+FNLR(.)[UPARROW]2):BR(PL)=BR(PL)+FN
LR(.)AND255                                                     AP
·460 POKE V+SH,SH(PL,0)+BR(PL)AND255:POKE
 V+SH+2,SH(PL,1)+BR(PL)AND255                                   JO
·470 POKE V+SH+4,SH(PL,2)+BR(PL)AND255:PO
KE V+SH+6,SH(PL,3)+BR(PL)AND255                                 EJ
·480 AN(PL)=AN(PL)+FNUD(.):AN(PL)=AN(PL)-
(AN(PL)=-1)+(AN(PL)=46)                                         HF
·490 PRINT "[HOME][c 8]";LEFT$(DN$,9+PR);
SPC(15);C$(AN(PL)/10);                                          JJ
·500 PRINT "[HOME][RVSON][BLACK]";LEFT$(D
N$,4+PR);SPC(37-(AN(PL)<10));AN(PL)                             JC
·510 ON 1-FNFR(0) GOTO440:POKE S+4,32                           HO
·520 POKE S+7,0:POKE S+8,3:POKE S+12,0:PO
KE S+13,250:POKE S+11,129:POKE S+11,128                         LA
·540 AG=AN(PL)/13:FOR Y=8 TO AG STEP -1:P
RINT "[HOME][BLACK]";LEFT$(DN$,Y+PR);SPC
(15);"[s Q]";                                                   JH
·550 FOR PA=1 TO 50:NEXT:PRINT "[LEFT] ":
NEXT:FOR PA=1 TO 1000:NEXT :FOR Y=AG TO
8                                                               MN
·570 PRINT "[HOME][BLACK]";LEFT$(DN$,Y+PR
);SPC(15+WN);".";:FOR PA=1 TO 50:NEXT:PR
INT "[LEFT] "                                                   GL
·590 NEXT:SD=1000:SG=-1:FOR SH=0 TO 3:SI=
SH(PL,SH)+BR(PL)AND255:SE=SD(PL,SH)                             BO
·600 IF SI>115+WN*8 AND SI<135+WN*8 AND S
E<SD THEN SG=SH:SD=SE                                           OO
·610 NEXT SH:IF SG>-1 THEN640                                   IE
·620 POKE S+7,0:POKE S+8,8:POKE S+12,63:P
OKE S+13,251:POKE S+11,129:POKES+11,128                         ON
·630 PRINT "[HOME][BLACK][RVSON]";LEFT$(D
N$,6+PR);SPC(31);"MISS[5" "]":GOTO720                           GE
·640 SF=(45-ABS(AN(PL)-45))*20+100:DS=SD-
SF:IF ABS(DS)>100 THEN690                                       EM
·650 POKE S+7,92:POKE S+8,1:POKE 12,0:POK
E S+13,252:POKE S+11,129:POKE S+11,128                          PL
·660 POKE V+21,PEEK(V+21)AND255-2[UPARROW
](SG+4*PL):SD(PL,SG)=1000                                       JJ
·670 K(PL)=K(PL)+1:PRINT "[HOME][BLACK][R
VSON]";LEFT$(DN$,2+PR);SPC(37);K(PL)                            CF
·680 PRINT "[HOME][BLACK][RVSON]";LEFT$(D
N$,6+PR);SPC(31);"HIT[5" "]":GOTO720                            OB
·690 POKE S+7,0:POKE S+8,8:POKE 12,63:POK
E S+13,251:POKE S+11,129:POKE S+11,128                          JF
·700 IF DS>0 THEN PRINT "[HOME][BLACK][RV
SON]";LEFT$(DN$,6+PR);SPC(31);"SHRT[4" "
][4"[LEFT]"]";DS                                                KD
·710 IF DS<0 THEN PRINT "[HOME][BLACK][RV
SON]";LEFT$(DN$,6+PR);SPC(31);"LONG[4" "
][4"[LEFT]"]";-DS                                               PL
·720 IF K(0)<4 AND K(1)<4 THEN FOR PA=1 T
O 1000:NEXT PA,PL:GOTO420                                       PK
·730 IF K(0)=4 THEN PRINT "[HOME][BLACK][
RVSON]";LEFT$(DN$,6);SPC(31);"WINNER[3"
"]"                                                             PB
·740 IF K(1)=4 THEN PRINT "[HOME][BLACK][
RVSON]";LEFT$(DN$,19);SPC(31);"WINNER[3"
"]"                                                             OH
·750 GET A$:IF FNFR(.) THEN750                                  KH
·760 GET A$:ON 1+FNFR(.) GOTO760:RUN                            JB
```

FUELING STATION
FROM PAGE 40

Starting address in hex: C000
Ending address in hex: C767
SYS to start: 49152

***Flankspeed* required for entry! See page 89.**

```
C000: 20 81 FF A9 8E 20 D2 FF CC
C008: A9 08 20 D2 FF AD 14 03 71
C010: 8D 5A C7 AD 15 03 8D 5B 6E
C018: C7 A2 00 A9 01 9D 00 D8 A3
C020: 9D 00 D9 9D 00 DA 9D 00 AD
C028: DB E8 D0 F1 A2 00 A9 00 FB
C030: 9D C0 DB E8 E0 28 D0 F8 26
C038: A2 00 A9 0C 9D 70 DB E8 63
C040: E0 50 D0 F8 A9 0B 8D 20 9D
C048: D0 A9 00 8D 21 D0 A2 00 E4
C050: A9 20 9D 70 07 E8 E0 50 49
C058: D0 F8 A2 00 BD 30 C6 9D 17
C060: 40 03 E8 E0 3F D0 F5 A2 16
```

```
C068: 00 A9 28 8D 5C C7 A9 00 95
C070: 8D 59 C7 A9 0D 8D F9 07 64
C078: 8D FA 07 8D FB 07 8D FC 23
C080: 07 A9 00 8D 17 D0 A9 1E 6E
C088: 8D 1D D0 8D 1C D0 A9 07 2F
C090: 8D 26 D0 A9 02 8D 28 D0 47
C098: A9 0B 8D 29 D0 A9 09 8D 15
C0A0: 2A D0 A9 06 8D 2B D0 A9 7E
C0A8: 10 8D 10 D0 A2 28 8E 02 82
C0B0: D0 A2 78 8E 04 D0 A2 C8 6B
C0B8: 8E 06 D0 A2 19 8E 08 D0 41
C0C0: A9 C0 A2 07 85 FB 86 FC D9
C0C8: A9 C0 A2 DB 85 FD 86 FE BA
C0D0: A0 00 A9 A0 91 FB A9 0C FE
C0D8: 91 FD C8 C0 28 D0 F3 A2 81
C0E0: 00 BD 2F C7 9D C0 07 E8 E3
C0E8: E0 28 D0 F5 A9 2E A2 02 35
C0F0: A0 06 8D 21 04 8D 2A 04 06
C0F8: 8D 63 04 8D 83 04 8D A7 38
C100: 04 8D 16 05 8D 2F 05 8D FB
C108: E4 04 8E E4 D8 8D 5D 06 2E
C110: 8D 9E 06 8D DC 06 8D EA 2B
C118: 06 8D 00 07 8D 22 07 8C F5
C120: 22 DB 8D 6E 07 8D 88 07 3E
C128: A2 00 A9 00 9D 00 D4 E8 CF
C130: E0 18 D0 F8 A9 FF 8D 0F 39
C138: D4 A9 8F 8D 18 D4 A9 81 EB
C140: 8D 12 D4 AD 59 C7 D0 08 5C
C148: A9 01 8D 59 C7 4C 7C C1 2C
C150: C9 01 D0 0D A9 B2 8D E7 CA
C158: 07 A9 02 8D 59 C7 4C 7C 82
C160: C1 C9 02 D0 0D A9 B3 8D B6
C168: E7 07 A9 03 8D 59 C7 4C FE
C170: 7C C1 A9 B4 8D E7 07 A9 33
C178: 04 8D 59 C7 A9 B1 8D C7 DB
C180: 07 A9 B5 8D C8 07 A9 B0 9E
C188: 8D C9 07 20 7B C3 20 2C 92
C190: C4 A0 00 B9 6F C6 91 8B 03
C198: A9 05 91 8D B9 97 C6 91 10
C1A0: FB A9 05 91 FD C8 C0 28 8C
C1A8: D0 E9 A9 C6 8D 03 D0 20 55
C1B0: 31 C5 8D 05 D0 A9 C6 8D 09
C1B8: 07 D0 20 31 C5 8D 09 D0 0F
C1C0: A9 1E 8D 15 D0 A9 00 85 2B
C1C8: FB A9 00 85 FC A9 01 85 21
C1D0: FD A9 28 8D 5C C7 78 A9 74
C1D8: CE A2 C5 8D 14 03 8E 15 58
C1E0: 03 58 AD C7 07 C9 B0 D0 04
C1E8: 15 AD C8 07 C9 B0 D0 0E D4
C1F0: AD C9 07 C9 B0 D0 07 78 3A
C1F8: 20 79 C5 4C 69 C0 AD 03 7F
C200: D0 AE 5D C7 20 3F C5 29 F2
C208: FF 30 03 8D 5D C7 AD 05 A0
C210: D0 AE 5E C7 20 3F C5 29 04
C218: FF 30 03 8D 5E C7 AD 07 B3
C220: D0 AE 5F C7 20 3F C5 29 15
C228: FF 30 03 8D 5F C7 AD 09 C6
C230: D0 AE 60 C7 20 3F C5 29 26
C238: FF 30 03 8D 60 C7 AD 5D 2C
C240: C7 F0 14 AD 03 D0 38 E9 B0
C248: 01 AA AD 12 D0 C9 32 B0 31
C250: F9 8E 03 D0 4C 68 C2 AD D1
C258: 03 D0 18 69 02 AA AD 12 1A
C260: D0 C9 32 B0 F9 8E 03 D0 3A
C268: AD 5E C7 F0 0C AD 05 D0 BC
C270: 38 E9 01 8D 05 D0 4C 82 C5
C278: C2 AD 05 D0 18 69 01 8D CE
C280: 05 D0 AD 5F C7 F0 0C AD D5
C288: 07 D0 38 E9 02 8D 07 D0 E9
C290: 4C 9C C2 AD 07 D0 18 69 43
C298: 01 8D 07 D0 AD 60 C7 F0 C5
C2A0: 0C AD 09 D0 38 E9 02 8D E5
C2A8: 09 D0 4C B6 C2 AD 09 D0 CF
C2B0: 18 69 02 8D 09 D0 AD 03 4C
C2B8: D0 CD 61 C7 90 66 CD 62 A7
C2C0: C7 B0 61 AD 05 D0 CD 61 4D
C2C8: C7 90 59 CD 62 C7 B0 54 77
C2D0: AD 07 D0 CD 61 C7 90 4C 2A
C2D8: CD 62 C7 B0 47 AD 09 D0 50
C2E0: CD 61 C7 90 3F CD 62 C7 9F
C2E8: B0 3A 78 20 58 C4 AD 59 90
C2F0: C7 C9 04 F0 03 4C 43 C1 CB
C2F8: AD 5A C7 8D 14 03 AD 5B 76
C300: C7 8D 15 03 58 A2 00 BD 26
C308: D2 C6 9D 70 07 E8 E0 50 D0
C310: D0 F5 A5 91 C9 7F D0 03 2B
C318: 4C 66 FE A5 C5 C9 40 F0 30
C320: F1 4C 19 C0 4C E2 C1 A5 CE
C328: C5 C9 40 D0 03 8D 58 C7 79
C330: CD 58 C7 F0 45 C9 39 D0 28
C338: 0E 8D 58 C7 AD 5D C7 49 10
C340: 01 8D 5D C7 4C 7A C3 C9 48
C348: 38 D0 0E 8D 58 C7 AD 5E 19
C350: C7 49 01 8D 5E C7 4C 7A DC
C358: C3 C9 33 D0 0E 8D 58 C7 A5
C360: AD 5F C7 49 01 8D 5F C7 34
C368: 4C 7A C3 C9 00 D0 0B 8D 26
C370: 58 C7 AD 60 C7 49 01 8D 3E
C378: 60 C7 60 AD 59 C7 C9 01 9A
C380: D0 29 A9 40 85 8B 85 8D 88
C388: A9 05 85 8C A9 D9 85 8E E0
C390: A9 30 85 FB 85 FD A9 06 1F
C398: 85 FC A9 DA 85 FE A9 71 3F
C3A0: 8D 61 C7 A9 97 8D 62 C7 50
C3A8: 4C 2B C4 C9 02 D0 29 A9 54
C3B0: 68 85 8B 85 8D A9 05 85 71
C3B8: 8C A9 D9 85 8E A9 30 85 3C
C3C0: FB 85 FD A9 06 85 FC A9 1C
C3C8: DA 85 FE A9 79 8D 61 C7 02
C3D0: A9 97 8D 62 C7 4C 2B C4 06
C3D8: C9 03 D0 29 A9 68 85 8B C2
C3E0: 85 8D A9 05 85 8C A9 D9 38
C3E8: 85 8E A9 08 85 FB 85 FD B3
C3F0: A9 06 85 FC A9 DA 85 FE 2C
C3F8: A9 79 8D 61 C7 A9 8F 8D 99
C400: 62 C7 4C 2B C4 A9 90 85 26
```

```
C408: 8B 85 8D A9 05 85 8C A9 11
C410: D9 85 8E A9 08 85 FB 85 B6
C418: FD A9 06 85 FC A9 DA 85 52
C420: FE A9 81 8D 61 C7 A9 8F 3A
C428: 8D 62 C7 60 A2 00 A9 20 AC
C430: 9D 40 05 E8 E0 F0 D0 F8 97
C438: A2 00 9D 30 06 E8 E0 28 A0
C440: D0 F8 60 A2 02 38 BD C7 CC
C448: 07 F5 FB C9 B0 B0 02 69 D7
C450: 0A 9D C7 07 CA 10 EF 60 F1
C458: A2 00 BD BF C6 9D CC 07 B0
C460: E8 E0 13 D0 F5 A9 F0 8D 2C
C468: 06 D4 A2 FF 8E 00 D4 8E D7
C470: 01 D4 A9 15 8D 04 D4 20 8B
C478: 66 C5 CA 8E 01 D4 EE 26 E8
C480: D0 E0 00 D0 F2 A2 FF A9 42
C488: 0A 20 68 C5 CA 8E 00 D4 0F
C490: EE 26 D0 E0 00 D0 F0 A9 C2
C498: 00 8D 06 D4 A9 07 8D 26 65
C4A0: D0 A9 C8 20 68 C5 A9 C8 A4
C4A8: 20 68 C5 A9 14 8D 04 D4 1B
C4B0: A2 00 A9 A0 9D CC 07 E8 F7
C4B8: E0 13 D0 F8 60 A9 D9 85 DF
C4C0: 8C A9 DA 85 8E AD 59 C7 B4
C4C8: C9 01 D0 0B A9 40 85 8B 6A
C4D0: A9 30 85 8D 4C FD C4 C9 96
C4D8: 02 D0 0B A9 68 85 8B A9 83
C4E0: 30 85 8D 4C FD C4 C9 03 FF
C4E8: D0 0B A9 68 85 8B A9 08 99
C4F0: 85 8D 4C FD C4 A9 90 85 D2
C4F8: 8B A9 08 85 8D A9 00 8D 80
C500: 5C C7 AC 5C C7 A9 05 91 35
C508: 8B 91 8D EE 5C C7 C8 AD 3C
C510: 5C C7 C9 28 F0 09 A9 0D D6
C518: 91 8B 91 8D 4C 30 C5 A9 40
C520: 0D 8D 40 D9 8D 68 D9 8D 32
C528: 08 DA 8D 30 DA 8D 90 D9 9B
C530: 60 AD 1B D4 C9 3C B0 02 E6
C538: 90 F7 C9 C8 B0 F3 60 C9 22
C540: C8 90 05 A9 01 4C 53 C5 AE
C548: C9 3C B0 05 A9 00 4C 53 4D
C550: C5 A9 FF 20 60 C5 20 60 86
C558: C5 20 60 C5 20 60 C5 60 0B
C560: A0 B4 88 D0 FD 60 A9 19 30
C568: 8D 57 C7 A0 FF 88 D0 FD 0D
C570: CE 57 C7 AD 57 C7 D0 F3 EF
C578: 60 A2 00 BD 22 C7 9D CF 90
C580: 07 E8 E0 0D D0 F5 A9 F6 C5
C588: 8D 0D D4 A9 FF 8D 00 D4 04
C590: A9 04 8D 01 D4 A9 FA 8D D3
C598: 07 D4 A9 04 8D 08 D4 A2 2F
C5A0: FF A9 15 8D 0B D4 A9 0F 85
C5A8: 20 68 C5 A9 0A 20 68 C5 F8
C5B0: CA F0 06 8E 00 D4 4C AB CD
C5B8: C5 A9 00 8D 0D D4 A9 C8 0A
C5C0: 20 68 C5 A9 C8 20 68 C5 CF
C5C8: A9 14 8D 0B D4 60 48 8A 27
C5D0: 48 98 48 A5 91 C9 7F D0 4B
C5D8: 03 4C 66 FE AD 5C C7 C9 29
C5E0: 28 F0 06 20 02 C5 4C EF 24
C5E8: C5 20 BD C4 20 43 C4 20 99
C5F0: 27 C3 AD C7 07 C9 B0 D0 A3
C5F8: 0F AD C8 07 C9 B0 D0 08 D8
C600: AD C9 07 C9 B0 D0 01 78 43
C608: 68 A8 68 AA 68 4C 31 EA FC
C610: 46 55 45 4C 49 4E 47 20 3C
C618: 53 54 41 54 49 4F 4E 20 5C
C620: 4A 4F 48 4E 20 4B 52 55 63
C628: 54 43 48 20 31 39 38 37 02
C630: 00 00 00 00 00 00 00 00 30
C638: 00 00 00 00 00 00 00 00 38
C640: 00 00 00 AA 00 02 AA 80 18
C648: 0A AA A0 2A AA A8 2F BE 09
C650: F8 2A AA A8 0A AA A0 02 1E
C658: AA 80 00 AA 00 00 00 00 2E
C660: 00 00 00 00 00 00 00 00 60
C668: 00 00 00 00 00 00 00 43 AB
C670: 43 43 43 43 43 43 43 43 8A
C678: 43 72 43 43 43 43 43 43 C1
C680: 43 43 43 72 43 43 43 43 C9
C688: 43 43 43 43 43 72 43 43 D1
C690: 43 43 43 43 43 43 43 43 AA
C698: 43 43 43 43 43 43 43 43 B2
C6A0: 43 71 43 43 43 43 43 43 E8
C6A8: 43 43 43 71 43 43 43 43 F0
C6B0: 43 43 43 43 43 71 43 43 F8
C6B8: 43 43 43 43 43 43 43 86 16
C6C0: 95 85 8C 89 8E 87 A0 89 32
C6C8: 8E A0 90 92 8F 87 92 85 4A
C6D0: 93 93 A0 A0 A0 A0 A0 A0 BB
C6D8: A0 A0 A0 A0 8D 89 93 93 99
C6E0: 89 8F 8E A0 81 83 83 8F 41
C6E8: 8D 90 8C 89 93 88 85 84 43
C6F0: A0 A0 A0 A0 A0 A0 A0 A0 F5
C6F8: A0 A0 A0 A0 A0 A0 A0 A0 FD
C700: 90 92 85 93 93 A0 81 8E 80
C708: 99 A0 8B 85 99 A0 94 8F B1
C710: A0 90 8C 81 99 A0 81 87 92
C718: 81 89 8E A0 A0 A0 A0 A0 D4
C720: A0 A0 8F 95 94 A0 8F 86 D1
C728: A0 85 8E 85 92 87 99 85 9B
C730: 8E 85 92 87 99 A0 B1 B5 FF
C738: B0 A0 A0 A0 A0 A0 A0 A0 4D
C740: A0 A0 A0 A0 A0 A0 A0 A0 45
C748: A0 A0 A0 A0 A0 A0 A0 A0 4D
C750: 8C 85 96 85 8C A0 B1 00 5D
C758: 40 01 31 EA 0C 01 01 01 C4
C760: 00 71 97 00 00 00 00 00 69
```


FREE YOUR FINGERS!

All this issue's programs are available on the December '87 *Ahoy! Disk*. See page 80.

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 87 and 88 explain these codes and provide other essential information on entering ***Ahoy!*** programs. Refer to these pages **before** entering any programs!

SPRITE-ON
FROM PAGE 70

```
•10 REM *** SPRITE-ON *** BUCK CHILDRESS ***                    CB
•20 REM *** P.O. BOX 13575 SALEM, OR 97309 ***                  OA
•30 PRINTCHR$(147)"LOADING AND CHECKING DATA LINE:":J=53000     BN
•40 FORB=0TO11:READA                                            MB
•50 IFB=0THENL=PEEK(64)*256+PEEK(63):PRINTCHR$(19)TAB(31)L:PRINT PF
•60 IFA<0ORA>255THEN80                                          FK
•70 POKEJ+B,A:X=X+A:D=D+1:NEXTB:READA:IFA=XTHEN90               PL
•80 PRINT"ERROR IN DATA LINE:"L:END                             MG
•90 X=0:J=J+12:IFD<216THEN40                                    KE
•100 FORJ=12288TO12351:POKEJ,255:NEXTJ                          DG
•110 PRINT"THE DATA IS OK[3"."]":PRINT                          PD
•120 PRINT"SYS 53[3"0"] TO USE SPRITE-ON[3"."]":END             NL
•130 DATA169,187,160,207,32,30,171,169,170,141,0,208,1644       FF
•140 DATA141,1,208,169,192,141,248,7,162,0,142,16,1427          NE
•150 DATA208,232,142,21,208,32,126,207,173,141,2,201,1693       PI
•160 DATA4,144,6,232,208,253,200,208,250,165,203,201,2074       NB
•170 DATA2,208,39,173,141,2,41,1,208,8,238,0,1061               OF
•180 DATA208,240,16,76,37,207,206,0,208,172,0,208,1578          BN
•190 DATA192,255,240,3,76,37,207,173,16,208,73,1,1481           AN
•200 DATA141,16,208,76,37,207,201,7,208,19,173,141,1434         CK
•210 DATA2,41,1,208,6,238,1,208,76,37,207,206,1231              DO
•220 DATA1,208,76,37,207,201,63,208,184,96,173,0,1454           OD
•230 DATA208,133,251,160,9,32,143,207,173,1,208,133,1658        JG
•240 DATA251,160,28,162,1,24,32,240,255,166,251,224,1794        DC
•250 DATA100,176,12,169,32,32,210,255,224,10,176,3,1399         HD
•260 DATA32,210,255,173,16,208,240,5,169,18,32,210,1568         BF
•270 DATA255,169,0,32,205,189,169,146,76,210,255,147,1853       FM
•280 DATA32,32,32,32,32,88,32,80,79,83,73,84,679                PM
•290 DATA73,79,78,32,32,32,32,32,32,32,32,32,518                ND
•300 DATA89,32,80,79,83,73,84,73,79,78,0,0,750                  PC
```

RUPERT REPORT

Continued from page 40

spaces and some comments. The simplest way to increase its speed is to reduce its functionality. Put REM statements at the start of lines 110 and 120 to eliminate the memory display and keyboard checking. These will produce a significant effect. Another possibility is to compile the program. If your compiler runs faster with integers than with floating point numbers (unlike the Commodore BASIC interpreter you are using), specify all numeric quantities to be integers. Also you might move the main loop subroutines closer to the top of the program.

What can Learner learn to do, and what are its limitations? Learner very quickly learns to follow a straight path of target cells. It doesn't seem to be able to turn corners (at least with the parameters given in this listing). By punishing the winning moves, it could possibly be taught to avoid the target cells. On the other hand, such techniques might give Learner a neurosis or other mental anomaly. Learner displays such traits that might be interpreted as senility (it forgets moves it once knew), as well as paranoia and autism.

You could experiment with various target shapes to influence Learner's behavior. Is there any continuous path it could learn to follow? Can you find oscillation chambers for it? Let me know what you discover. Hopefully you will find this to be quite a learning experience. □

SEE PROGRAM LISTING ON PAGE 92

...COMING IN THE JANUARY ISSUE OF *AHOY!* (ON SALE DECEMBER 1)...



FEEL THE HEAT



No matter what kind of game you're in the mood for, you'll find that if it's in a box marked FIREBIRD, it's really hot!

Firebird offers the excitement of a whole range of challenges — Adventures and Strategies for long rainy weekends, Arcade games for exhilarating evenings, Simulations when you need to get away from it all, Productivity software when you're feeling — well, productive.

Look for the Firebird — it stands for top-quality software in virtually *every* category.

How About This Ball of Fire From Firebird!

This is SENTRY, a unique Strategy game with over 10,000 full-color 3D vector landscapes and four-way scrolling. Do you have truly exceptional concentration and near perfect hand/eye coordination? Then maybe — just maybe — you possess the skill to outwit the Sentry at each level of the extraordinary challenge.

Firebird Fireworks Unlimited

When your mood shifts from the deliberation of strategic planning to the excitement of fast-paced Arcade action, look for Firebird's ELITE, a unique game which encompasses the best of both worlds. Or try STARGLIDER, an amazing 3D combat flight simulation.

If it's Adventure you're after, here's the breathtakingly illustrated GUILD OF THIEVES, with its revolutionary text-handling system.

Firebird even offers economical, professional-quality Productivity software! ADVANCED ART STUDIO is a comprehensive art package with powerful graphics routines.

This is Firebird — the best in interactive software of every description. We'll prove to you that you don't have to keep switching brands to satisfy your obsession for challenge!

CREDIT CARD HOTLINE
(201) 444-5700

MasterCard VISA

FIREBIRD

"The First Full Line In Software"

Firebird Licensees, Inc.
P.O. Box 49, Ramsey, NJ 07446
(201) 444-5700

Firebird software for Commodore 64 systems, including the popular Golden Path, Pawn, Colossus Chess IV, Cholo, Talking Teacher, Concise Music System and Advanced Music System, is available from $24.95 to $59.95.

Commodore 64 is a registered trademark of Commodore Business Machines, Inc.

Firebird, and the Firebird logo are registered trademarks of Firebird Licensees, Inc.

Reader Service No. 150

A NEW STANDARD FOR THE UNIVERSE

. . . NOW AVAILABLE ON EARTH

THE LipStik™ PLUS



VOICE ACTIVATED CONTROL HEADSET

The **LipStik Plus** is a revolutionary idea in game control that adds a new dimension of excitement and realism to joystick operated programs. The **LipStik Plus** is "voice activated" and functions as an extra control button. It does not replace your joystick but is used *with* it to enhance and expand your game playing enjoyment. Just plug your joystick into the **LipStik Plus**. Because it's so simple and doesn't require additional interface software, the **LipStik Plus** works with thousands of existing games. Virtually 95% of all games that use a joystick are compatible with the **LipStik Plus**. It can also be used with most popular home Video Arcade Machines such as the Atari 2600, 5200 and the Sears Arcade Machine.

The **LipStik Plus** adds new life to games you've grown tired of playing. Using the headset gives you a greater feeling of power and control than a joystick alone. The first time you use it with your favorite game you'll know what we mean. You'll find yourself getting more absorbed in the action than you ever thought possible.

Suggested Retail Price:
$24.95 Commodore 64/128/VIC 20/Amiga
Atari Computers 400/800/XL/XE/ST
Atari Game Machines 2600/5200/7800
$29.95 Apple IIE, IIC, IIGS (II & II + w/adapter)
IBM & Compatibles (w/joystick card)

If you can't find our products at your local dealer, you can order direct. For mail orders, enclose check or money order, plus $3.00 shipping and handling, and specify machine version desired. Order by phone on VISA, MasterCard or C.O.D. by calling TOLL FREE (800) 824-2549.
ACCESS SOFTWARE, INC. 2561 So. 1560 W. Woods Cross, UT 84087

ACCESS™ Software Incorporated

Reader Service No. 162

SUBSCRIBE TO *AHOY!*

☐ **Send me twelve issues of *AHOY!* for $23.00 ($30.00 Canada & elsewhere).**

☐ **Send me twenty-four issues of *AHOY!* for $44.00 ($55.00 Canada & elsewhere).**

☐ Payment enclosed: $_____ ☐ Please bill me. B1287

☐ Please charge to Credit Card checked:

☐ MasterCard ☐ VISA Card #_____Exp. Date_____

Signature_____

NAME_____

ADDRESS_____

CITY_____

STATE_____ZIP_____

SUBSCRIBE TO THE *AHOY! DISK MAGAZINE*

☐ **Send me twelve issues of the *AHOY! Disk Magazine* for $97.00 ($135.00 Canada & elsewhere).**

☐ **Send me twenty-four issues of the *AHOY! Disk Magazine* for $180.00 ($250.00 Canada & elsewhere).**

☐ Payment enclosed: $_____ ☐ Please bill me. B1287

☐ Please charge to Credit Card checked:

☐ MasterCard ☐ VISA Card #_____Exp. Date_____

Signature_____

NAME_____

ADDRESS_____

CITY_____

STATE_____ZIP_____

December 1987 *Ahoy!* Void after April 2, 1988

READER SERVICE CARD

To request additional information on any product advertised or otherwise pictured in this issue of *Ahoy!* that is accompanied by a reader service number, circle the corresponding number below and mail this card. We will promptly forward your request to the designated companies.

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	210
211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240
241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270
271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300

A. Please check whether you are...

1. ☐ male 2. ☐ female

B. What is your age?

1. ☐ under 18 2. ☐ 18-24 3. ☐ 25-34
4. ☐ 35-44 5. ☐ 45-54 6. ☐ 55-64 7. ☐ 65+

C. Education level completed

1. ☐ elementary 2. ☐ high school
3. ☐ junior college 4. ☐ college graduate
5. ☐ master's degree 6. ☐ PhD

D. From which of the following sources did you obtain your copy of *Ahoy!*?

1. ☐ newsstand 2. ☐ subscription (mail)
3. ☐ from a friend or family member
4. ☐ other_____

If not currently a subscriber, do you plan to become one?

1. ☐ yes 2. ☐ no

Name_____

Street_____

City **State** **Zip**_____

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, IL 61054-9925

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE

Ahoy!

P.O. BOX 341
MT. MORRIS, IL 61054-9925

PLACE
STAMP
HERE

AHOY! MAGAZINE
P.O. Box 2501
Clinton, Iowa 52735